

令和2年5月分

東駿河湾工業用水道 岳南水質試験結果報告書

検査責任者 吉野 功

採水時間 9:00

日	天候	気温 °C	水質試験結果報告書 (厚原浄水場 着水井(原水))									
			水温 °C	濁度 度	pH	アルカリ 度 mg/l	全硬度 mg/l	蒸発 残留物 mg/l	塩化物 イオン mg/l	鉄 mg/l	マン ガン mg/l	備考 (日最大 濁度)
1	曇	20.1	15.2	16.7	7.73							23
2	晴	22.0	16.1	11.7	7.76							23
3	曇	21.0	16.1	11.2	7.86							20
4	曇	18.0	16.2	12.1	7.83							19
5	晴	23.0	16.7	12.4	7.76							21
6	曇	18.0	16.6	20.4	7.81							23
7	晴	17.9	16.9	18.6	7.86							61
8	晴	18.0	16.2	40.0	7.80							60
9	曇	18.5	15.4	16.2	7.86							24
10	雨	18.0	14.9	14.1	7.81							26
11	曇	22.0	16.6	13.5	7.84							640
12	晴	23.5	17.5	439.0	7.63							576
13	晴	21.9	18.1	119.7	7.74	45.0	54.0	227	4.2	4.20	0.10	203
14	晴	22.0	18.2	68.6	7.75							69
15	曇	21.7	17.2	37.3	7.70							46
16	雨	18.1	16.6	21.2	7.83							29
17	晴	20.5	16.0	21.0	7.74							143
18	晴	24.0	17.7	137.0	7.76							168
19	雨	18.8	17.2	56.7	7.79							121
20	曇	18.2	17.2	198.0	7.67	37.0	45.0	299	2.6	8.15	0.20	220
21	曇	17.0	16.9	156.4	7.71							168
22	晴	19.2	15.4	105.0	7.75							103
23	晴	20.5	18.3	40.1	7.68							55
24	晴	23.0	17.8	34.0	7.73							40
25	晴	22.3	17.5	25.1	7.78							31
26	曇	24.0	18.6	20.1	7.82							32
27	曇	25.0	18.7	18.8	7.72							28
28	晴	23.2	19.0	19.9	7.83							29
29	晴	23.5	20.0	37.2	7.80							35
30	晴	24.5	19.9	13.3	7.85							28
31	曇	21.0	18.3	10.5	7.92							20
平均		20.9	17.2	57.0	7.78	41.0	49.5	263	3.4	6.18	0.15	
最高		25.0	20.0	439.0	7.92	45.0	54.0	299	4.2	8.15	0.20	
最低		17.0	14.9	10.5	7.63	37.0	45.0	227	2.6	4.20	0.10	

令和2年5月分

東駿河湾工業用水道 水質試験結果報告書（厚原浄水場）

採水時間 9:00

日	天候	気温 °C	水質試験結果報告書（厚原浄水場 配水池（配水））									備考
			水温 °C	濁度 度	pH	アルカリ 度 mg/l	全硬度 mg/l	蒸発 残留物 mg/l	塩化物 イオン mg/l	鉄 mg/l	マン ガン mg/l	
1	曇	20.1	14.5	2.0	7.43							
2	晴	22.0	16.0	2.3	7.44							
3	曇	21.0	16.6	2.5	7.54							
4	曇	18.0	16.9	2.5	7.49							
5	晴	23.0	17.1	2.5	7.49							
6	曇	18.0	16.7	2.9	7.46							
7	晴	17.9	17.3	2.0	7.42							
8	晴	18.0	16.2	2.4	7.35							
9	曇	18.5	15.2	2.5	7.37							
10	雨	18.0	15.1	2.7	7.38							
11	曇	22.0	16.1	2.4	7.43							
12	晴	23.5	16.2	1.5	7.24							
13	晴	21.9	17.2	2.3	7.43	37.0	56.0	103	6.7	0.07	<0.02	
14	晴	22.0	17.2	3.1	7.53							
15	曇	21.7	16.6	2.3	7.33							
16	雨	18.1	16.1	2.4	7.40							
17	晴	20.5	16.5	1.9	7.40							
18	晴	24.0	16.7	2.0	7.45							
19	雨	18.8	17.7	2.7	7.58							
20	曇	18.2	17.2	3.1	7.40	37.0	59.0	100	5.8	0.08	<0.02	
21	曇	17.0	17.1	2.9	7.40							
22	晴	19.2	16.4	2.9	7.52							
23	晴	20.5	16.1	2.3	7.40							
24	晴	23.0	17.2	2.6	7.36							
25	晴	22.3	17.7	2.6	7.37							
26	曇	24.0	18.0	2.8	7.41							
27	曇	25.0	18.9	2.3	7.36							
28	晴	23.2	18.0	2.5	7.47							
29	晴	23.5	19.1	1.9	7.44							
30	晴	24.5	18.9	2.2	7.47							
31	曇	21.0	18.2	2.4	7.57							
平均		20.9	16.9	2.4	7.43	37.0	57.5	102	6.3	0.08	<0.02	
最高		25.0	19.1	3.1	7.58	37.0	59.0	103	6.7	0.08	<0.02	
最低		17.0	14.5	1.5	7.24	37.0	56.0	100	5.8	0.07	<0.02	