

令和3年1月分

東駿河湾工業用水道 岳南水質試験結果報告書

採水時間 9:00

日	天候	気温 °C	水質試験結果報告書 (厚原浄水場 着水井(原水))									
			水温 °C	濁度 度	pH	アルカリ 度 mg/l	全硬度 mg/l	蒸発 残留物 mg/l	塩化物 イオン mg/l	鉄 mg/l	マン ガン mg/l	備考 (日最大 濁度)
1	晴	4.0	7.8	5.0	7.75							6
2	晴	3.0	7.1	3.4	7.68							4
3	晴	2.5	6.9	2.2	7.78							4
4	晴	5.0	7.2	2.1	7.68							3
5	曇	4.6	7.0	2.6	7.78							4
6	曇	8.0	7.7	3.6	7.83							17
7	曇	7.5	7.8	6.1	7.76	56.0	72.0	138	9.2	0.30	0.04	19
8	晴	2.4	7.7	10.8	7.79							22
9	晴	0.0	6.3	8.4	7.74							40
10	晴	1.5	5.7	5.8	7.72							40
11	曇	1.0	5.9	4.8	7.85							10
12	晴	3.9	5.8	4.8	7.73							11
13	晴	4.0	6.0	4.2	7.75							62
14	晴	3.8	7.2	7.4	7.76							20
15	晴	7.7	7.9	5.7	7.70							18
16	晴	7.5	8.0	6.8	7.66							22
17	曇	9.5	8.8	7.7	7.81							40
18	曇	6.0	8.5	6.4	7.76							18
19	晴	7.0	7.9	5.1	7.75	55.0	69.0	134	10.2	0.35	<0.02	24
20	曇	2.8	7.3	6.3	7.61							23
21	晴	4.8	6.3	8.6	7.73							19
22	晴	7.2	7.8	5.0	7.73							15
23	雨	10.5	8.0	8.3	7.65							17
24	雨	7.0	7.9	8.1	7.45							31
25	晴	6.0	8.3	12.5	7.45							22
26	晴	6.3	9.8	8.1	7.62							24
27	曇	10.8	9.2	7.4	7.77							22
28	曇	10.0	10.2	25.6	7.79							37
29	晴	6.2	8.8	12.8	7.78							24
30	晴	6.5	8.1	8.2	7.79							23
31	晴	5.1	7.3	5.9	7.78							51
平均		5.6	7.6	7.1	7.72	55.5	70.5	136	9.7	0.33	0.02	
最高		10.8	10.2	25.6	7.85	56.0	72.0	138	10.2	0.35	0.04	
最低		0.0	5.7	2.1	7.45	55.0	69.0	134	9.2	0.30	<0.02	

令和3年1月分

東駿河湾工業用水道 水質試験結果報告書（厚原浄水場）

採水時間 9:00

日	天候	気温 °C	水質試験結果報告書（厚原浄水場 配水池（配水））									備考
			水温 °C	濁度 度	pH	アルカリ 度 mg/l	全硬度 mg/l	蒸発 残留物 mg/l	塩化物 イオン mg/l	鉄 mg/l	マン ガン mg/l	
1	晴	4.0	8.8	1.4	7.52							
2	晴	3.0	7.9	1.5	7.48							
3	晴	2.5	7.7	2.1	7.68							
4	晴	5.0	7.2	1.5	7.61							
5	曇	4.6	7.1	1.2	7.64							
6	曇	8.0	7.6	1.5	7.56							
7	曇	7.5	7.5	1.9	7.40	49.0	71.0	131	9.3	0.08	<0.02	
8	晴	2.4	7.6	1.7	7.36							
9	晴	0.0	6.4	2.0	7.26							
10	晴	1.5	5.8	2.7	7.37							
11	曇	1.0	5.9	2.8	7.45							
12	晴	3.9	5.9	2.2	7.44							
13	晴	4.0	6.4	1.8	7.46							
14	晴	3.8	6.5	2.1	7.32							
15	晴	7.7	7.0	2.1	7.30							
16	晴	7.5	7.6	2.1	7.38							
17	曇	9.5	8.7	2.6	7.37							
18	曇	6.0	8.5	2.1	7.34							
19	晴	7.0	7.3	2.1	7.38	50.0	74.0	124	10.3	0.08	<0.02	
20	曇	2.8	7.3	2.3	7.23							
21	晴	4.8	6.8	2.2	7.35							
22	晴	7.2	7.2	1.8	7.42							
23	雨	10.5	8.2	2.2	7.27							
24	雨	7.0	8.5	2.4	7.38							
25	晴	6.0	8.9	1.9	7.16							
26	晴	6.3	9.0	2.2	7.40							
27	曇	10.8	9.2	2.2	7.39							
28	曇	10.0	10.0	1.8	7.41							
29	晴	6.2	9.5	2.9	7.53							
30	晴	6.5	8.6	2.5	7.46							
31	晴	5.1	7.9	2.4	7.49							
平均		5.6	7.7	2.1	7.41	49.5	72.5	128	9.8	0.08	<0.02	
最高		10.8	10.0	2.9	7.68	50.0	74.0	131	10.3	0.08	<0.02	
最低		0.0	5.8	1.2	7.16	49.0	71.0	124	9.3	0.08	<0.02	