

令和3年4月分

東駿河湾工業用水道 岳南水質試験結果報告書

採水時間 9:00

日	天候	気温 °C	水質試験結果 (厚原浄水場 着水井 (原水))									備考
			水温 °C	濁度 度	pH	アルカリ 度 mg/l	硬度 mg/l	蒸発 残留物 mg/l	塩化物 イオン mg/l	鉄 mg/l	マン ガン mg/l	
1	晴	17.0	15.1	15.2	7.75							49
2	曇	18.0	15.3	12.0	7.77							53
3	曇	17.0	15.5	14.0	7.72							41
4	曇	19.0	15.1	9.3	7.66							36
5	曇	20.1	14.3	18.8	7.79							94
6	曇	14.0	13.2	30.6	7.73	45.2	54.8	127	5.2	1.07	0.03	51
7	晴	14.5	13.1	9.6	7.76							28
8	晴	16.5	14.2	7.3	7.82							26
9	曇	14.2	13.6	8.5	7.82							26
10	晴	11.0	13.3	6.3	7.46							21
11	晴	13.0	13.1	6.6	7.79							25
12	晴	17.1	14.3	7.8	7.84							12
13	雨	13.0	13.5	5.6	7.91							28
14	雨	19.0	14.2	7.2	7.89							29
15	曇	11.0	14.8	5.9	7.91							21
16	曇	15.0	13.2	11.1	7.93							31
17	曇	16.0	12.9	5.3	8.04							26
18	晴	17.0	13.6	8.0	7.95							217
19	晴	15.5	13.0	70.6	7.70							123
20	晴	17.0	14.2	10.5	7.78	49.5	63.7	124	6.4	0.41	<0.02	40
21	晴	23.0	15.6	9.9	7.66							31
22	晴	19.8	15.8	7.1	7.78							23
23	晴	15.1	15.6	8.7	7.68							23
24	曇	16.0	15.6	6.9	7.76							26
25	晴	16.0	15.4	5.7	7.76							15
26	晴	15.0	15.1	6.8	7.83							12
27	晴	16.8	14.6	5.5	7.83							11
28	曇	17.8	15.1	5.9	7.82							12
29	雨	16.5	14.6	6.5	7.79							19
30	晴	18.9	15.0	17.3	7.83							169
平均		16.3	14.4	11.7	7.79	47.4	59.3	126	5.8	0.74	0.02	
最高		23.0	15.8	70.6	8.04	49.5	63.7	127	6.4	1.07	0.03	
最低		11.0	12.9	5.3	7.46	45.2	54.8	124	5.2	0.41	<0.02	

令和3年4月分

東駿河湾工業用水道 水質試験結果報告書 (厚原浄水場)

採水時間 9:00

日	天候	気温 °C	水質試験結果 (厚原浄水場 配水池(浄水))									備考
			水温 °C	濁度 度	pH	アルカリ 度 mg/l	硬度 mg/l	蒸発 残留物 mg/l	塩化物 イオン mg/l	鉄 mg/l	マン ガン mg/l	
1	晴	17.0	14.3	3.0	7.40							
2	曇	18.0	14.7	2.5	7.46							
3	曇	17.0	15.0	2.3	7.47							
4	曇	19.0	15.1	2.4	7.47							
5	曇	20.1	14.8	2.1	7.49							
6	曇	14.0	13.5	3.1	7.61	43.8	54.7	104	6.8	0.10	<0.02	
7	晴	14.5	12.6	2.2	7.37							
8	晴	16.5	13.0	2.5	7.54							
9	曇	14.2	12.8	2.0	7.48							
10	晴	11.0	13.4	2.0	7.38							
11	晴	13.0	13.1	1.7	7.53							
12	晴	17.1	12.9	2.1	7.44							
13	雨	13.0	13.0	1.5	7.61							
14	雨	19.0	13.8	2.2	7.52							
15	曇	11.0	13.4	2.7	7.50							
16	曇	15.0	13.9	2.5	7.63							
17	曇	16.0	13.3	2.4	7.52							
18	晴	17.0	13.9	2.4	7.55							
19	晴	15.5	13.0	2.6	7.51							
20	晴	17.0	13.0	2.9	7.54	42.6	53.5	106	5.7	0.05	<0.02	
21	晴	23.0	13.9	2.6	7.21							
22	晴	19.8	14.7	2.3	7.43							
23	晴	15.1	14.0	2.6	7.38							
24	曇	16.0	14.7	2.6	7.51							
25	晴	16.0	14.8	1.8	7.50							
26	晴	15.0	15.3	2.5	7.54							
27	晴	16.8	14.7	2.5	7.60							
28	曇	17.8	14.5	2.4	7.58							
29	雨	16.5	14.9	2.7	7.55							
30	晴	18.9	15.0	2.5	7.59							
平均		16.3	14.0	2.4	7.50	43.2	54.1	105	6.3	0.08	<0.02	
最高		23.0	15.3	3.1	7.63	43.8	54.7	106	6.8	0.10	<0.02	
最低		11.0	12.6	1.5	7.21	42.6	53.5	104	5.7	0.05	<0.02	