

令和8年5月分

ふじさん工業用水道 (東駿河湾) 水質試験結果報告書 (岳南)

採水時間 9:00

| 日 | 天候 | 気温 °C | 水質試験結果 (厚原浄水場 着水井 (原水)) | | | | | | | | 備考 | |
|----|----|----------|-------------------------|---------|------|-------------------|------------|-------------------|--------------------|-----------|-------|------------------|
| | | | 水温 °C | 濁度 度 | pH | アルカリ 度 mg/l | 硬度 mg/l | 蒸発 残留物 mg/l | 塩化物 イオン mg/l | 鉄 mg/l | | マン ガン mg/l |
| 1 | 雨 | 15.0 | 14.0 | 4.9 | 7.58 | | | | | | | |
| 2 | 晴 | 19.0 | 14.6 | 27.1 | 7.57 | | | | | | | |
| 3 | 晴 | 20.9 | 14.2 | 25.7 | 7.70 | | | | | | | |
| 4 | 曇 | 20.0 | 15.3 | 17.9 | 7.69 | | | | | | | |
| 5 | 晴 | 17.0 | 15.2 | 320.0 | 7.52 | | | | | | | |
| 6 | 曇 | 17.0 | 13.8 | 127.4 | 7.61 | | | | | | | |
| 7 | 晴 | 22.5 | 14.0 | 40.6 | 7.62 | | | | | | | |
| 8 | 曇 | 22.0 | 16.5 | 21.1 | 7.68 | | | | | | | |
| 9 | 晴 | 19.5 | 16.7 | 13.9 | 7.56 | | | | | | | |
| 10 | 晴 | 19.0 | 16.6 | 10.1 | 7.74 | | | | | | | |
| 11 | 曇 | 21.0 | 16.0 | 8.1 | 7.69 | 48.5 | 61.1 | 131 | 6.6 | 0.11 | <0.02 | |
| 12 | 晴 | 22.2 | 17.5 | 7.4 | 7.70 | | | | | | | |
| 13 | 晴 | 21.5 | 17.5 | 6.7 | 7.97 | | | | | | | |
| 14 | 晴 | 22.0 | 17.0 | 5.6 | 7.76 | | | | | | | |
| 15 | 晴 | 20.0 | 18.4 | 6.3 | 7.81 | | | | | | | |
| 16 | 晴 | 21.5 | 19.1 | 4.7 | 7.89 | | | | | | | |
| 17 | 晴 | 22.0 | 18.3 | 4.7 | 7.95 | | | | | | | |
| 18 | 晴 | 24.5 | 18.5 | 4.4 | 7.71 | 48.0 | 60.4 | 135 | 7.8 | 0.12 | <0.02 | |
| 19 | 晴 | 24.0 | 19.0 | 4.0 | 8.37 | | | | | | | |
| 20 | 晴 | 24.0 | 19.0 | 5.9 | 8.47 | | | | | | | |
| 21 | 雨 | 21.0 | 19.0 | 4.8 | 8.44 | | | | | | | |
| 22 | 曇 | 19.5 | 17.5 | 5.2 | 7.82 | | | | | | | |
| 23 | 曇 | 17.0 | 16.4 | 17.4 | 7.62 | | | | | | | |
| 24 | 曇 | 18.0 | 16.6 | 8.5 | 7.57 | | | | | | | |
| 25 | 晴 | 22.8 | 17.1 | 4.4 | 7.59 | | | | | | | |
| 26 | 晴 | 23.0 | 19.0 | 4.6 | 7.95 | | | | | | | |
| 27 | 晴 | 24.0 | 19.2 | 4.0 | 8.34 | | | | | | | |
| 28 | 晴 | 25.0 | 18.5 | 4.2 | 8.15 | | | | | | | |
| 29 | 曇 | 23.5 | 19.0 | 4.2 | 8.07 | | | | | | | |
| 30 | 晴 | 25.0 | 20.2 | 4.5 | 8.18 | | | | | | | |
| 31 | 曇 | 23.0 | 19.5 | 4.8 | 8.06 | | | | | | | |
| 平均 | | 21.2 | 17.2 | 23.6 | 7.85 | 48.2 | 60.7 | 133 | 7.2 | 0.11 | <0.02 | |
| 最高 | | 25.0 | 20.2 | 320.0 | 8.47 | 48.5 | 61.1 | 135 | 7.8 | 0.12 | <0.02 | |
| 最低 | | 15.0 | 13.8 | 4.0 | 7.52 | 48.0 | 60.4 | 131 | 6.6 | 0.11 | <0.02 | |

令和8年5月分

ふじさん工業用水道 (東駿河湾) 水質試験結果報告書 (岳南)

採水時間 9:00

| 日 | 天候 | 気温 °C | 水質試験結果 (厚原浄水場 配水池 (浄水)) | | | | | | | | 備考 | |
|----|----|----------|-------------------------|---------|------|-------------------|------------|-------------------|--------------------|-----------|-------|------------------|
| | | | 水温 °C | 濁度 度 | pH | アルカリ 度 mg/l | 硬度 mg/l | 蒸発 残留物 mg/l | 塩化物 イオン mg/l | 鉄 mg/l | | マン ガン mg/l |
| 1 | 雨 | 15.0 | 15.0 | 1.0 | 7.35 | | | | | | | |
| 2 | 晴 | 19.0 | 14.7 | 1.9 | 7.47 | | | | | | | |
| 3 | 晴 | 20.9 | 14.6 | 1.5 | 7.38 | | | | | | | |
| 4 | 曇 | 20.0 | 15.1 | 1.8 | 7.55 | | | | | | | |
| 5 | 晴 | 17.0 | 15.0 | 1.0 | 7.38 | | | | | | | |
| 6 | 曇 | 17.0 | 15.4 | 1.3 | 7.25 | | | | | | | |
| 7 | 晴 | 22.5 | 15.0 | 1.3 | 7.29 | | | | | | | |
| 8 | 曇 | 22.0 | 15.0 | 1.7 | 7.66 | | | | | | | |
| 9 | 晴 | 19.5 | 15.9 | 1.2 | 7.45 | | | | | | | |
| 10 | 晴 | 19.0 | 15.6 | 1.6 | 7.52 | | | | | | | |
| 11 | 曇 | 21.0 | 15.5 | 1.7 | 7.40 | 42.0 | 58.9 | 126 | 6.4 | 0.03 | <0.02 | |
| 12 | 晴 | 22.2 | 15.6 | 1.4 | 7.42 | | | | | | | |
| 13 | 晴 | 21.5 | 16.5 | 1.5 | 7.61 | | | | | | | |
| 14 | 晴 | 22.0 | 16.5 | 1.3 | 7.60 | | | | | | | |
| 15 | 晴 | 20.0 | 16.5 | 1.7 | 7.37 | | | | | | | |
| 16 | 晴 | 21.5 | 19.1 | 1.2 | 7.47 | | | | | | | |
| 17 | 晴 | 22.0 | 17.2 | 1.5 | 7.51 | | | | | | | |
| 18 | 晴 | 24.5 | 17.0 | 2.0 | 7.42 | 44.8 | 61.0 | 125 | 7.9 | 0.04 | <0.02 | |
| 19 | 晴 | 24.0 | 17.5 | 1.3 | 7.62 | | | | | | | |
| 20 | 晴 | 24.0 | 17.5 | 1.4 | 7.70 | | | | | | | |
| 21 | 雨 | 21.0 | 17.0 | 1.7 | 7.55 | | | | | | | |
| 22 | 曇 | 19.5 | 18.0 | 2.2 | 7.55 | | | | | | | |
| 23 | 曇 | 17.0 | 17.0 | 2.2 | 7.22 | | | | | | | |
| 24 | 曇 | 18.0 | 16.5 | 1.4 | 7.16 | | | | | | | |
| 25 | 晴 | 22.8 | 16.5 | 1.5 | 7.32 | | | | | | | |
| 26 | 晴 | 23.0 | 17.5 | 1.5 | 7.64 | | | | | | | |
| 27 | 晴 | 24.0 | 18.0 | 1.9 | 7.72 | | | | | | | |
| 28 | 晴 | 25.0 | 18.2 | 1.5 | 7.68 | | | | | | | |
| 29 | 曇 | 23.5 | 18.5 | 1.9 | 7.46 | | | | | | | |
| 30 | 晴 | 25.0 | 18.9 | 2.1 | 7.46 | | | | | | | |
| 31 | 曇 | 23.0 | 19.4 | 1.7 | 7.47 | | | | | | | |
| 平均 | | 21.2 | 16.6 | 1.6 | 7.47 | 43.4 | 60.0 | 126 | 7.2 | 0.04 | <0.02 | |
| 最高 | | 25.0 | 19.4 | 2.2 | 7.72 | 44.8 | 61.0 | 126 | 7.9 | 0.04 | <0.02 | |
| 最低 | | 15.0 | 14.6 | 1.0 | 7.16 | 42.0 | 58.9 | 125 | 6.4 | 0.03 | <0.02 | |