

令和 2年 6月分

西遠工業用水道水質試験結果報告書 (初生浄水場)

採水時間 9:00

| 日 | 天候 | 気温 ℃ | 原 水 水質試験結果 (沈砂池) | | | | | | | | | 備考 |
|----|----|---------|------------------|---------|------|-------------------|------------|--------------------|--------------------|-----------|------------------|----|
| | | | 水温 ℃ | 濁度 度 | p H | アルカリ 度 mg/L | 硬度 mg/L | 蒸 発 残留物 mg/L | 塩化物 イオン mg/L | 鉄 mg/L | マン ガン mg/L | |
| 1 | 晴 | 22.4 | 17.8 | 11.4 | 7.63 | | | | | | | |
| 2 | 晴 | 24.5 | 17.8 | 13.5 | 7.57 | | | | | | | |
| 3 | 曇 | 26.4 | 18.2 | 10.1 | 7.56 | | | | | | | |
| 4 | 晴 | 23.7 | 18.9 | 10.2 | 7.68 | | | | | | | |
| 5 | 晴 | 25.8 | 18.8 | 9.9 | 7.66 | | | | | | | |
| 6 | 曇 | 26.7 | 18.4 | 6.0 | 7.60 | | | | | | | |
| 7 | 晴 | 23.4 | 18.5 | 10.5 | 7.60 | | | | | | | |
| 8 | 晴 | 25.1 | 18.7 | 7.8 | 7.69 | 36.3 | 42.7 | 74 | 3.7 | 0.05 | <0.02 | |
| 9 | 晴 | 25.6 | 18.9 | 8.1 | 7.63 | | | | | | | |
| 10 | 曇 | 22.0 | 19.1 | 8.5 | 7.65 | | | | | | | |
| 11 | 雨 | 23.9 | 19.2 | 7.1 | 7.66 | | | | | | | |
| 12 | 曇 | 24.5 | 19.3 | 7.7 | 7.62 | | | | | | | |
| 13 | 雨 | 24.2 | 20.0 | 33.4 | 7.51 | | | | | | | |
| 14 | 雨 | 26.0 | 19.2 | 22.9 | 7.64 | | | | | | | |
| 15 | 晴 | 28.5 | 19.6 | 42.3 | 7.72 | | | | | | | |
| 16 | 曇 | 24.9 | 20.2 | 20.1 | 7.63 | | | | | | | |
| 17 | 晴 | 24.9 | 19.9 | 39.1 | 7.62 | | | | | | | |
| 18 | 曇 | 23.4 | 19.7 | 149.9 | 7.64 | | | | | | | |
| 19 | 雨 | 18.7 | 19.4 | 124.1 | 7.51 | | | | | | | |
| 20 | 晴 | 23.4 | 20.2 | 132.3 | 7.45 | | | | | | | |
| 21 | 晴 | 24.8 | 19.4 | 111.9 | 7.54 | | | | | | | |
| 22 | 雨 | 19.3 | 19.4 | 110.6 | 7.59 | 33.9 | 39.8 | 152 | 2.7 | 1.40 | 0.26 | |
| 23 | 晴 | 25.0 | 18.2 | 80.5 | 7.58 | | | | | | | |
| 24 | 晴 | 25.9 | 18.7 | 70.6 | 7.57 | | | | | | | |
| 25 | 曇 | 25.3 | 19.4 | 66.9 | 7.60 | | | | | | | |
| 26 | 曇 | 26.1 | 18.7 | 81.5 | 7.55 | | | | | | | |
| 27 | 晴 | 28.6 | 19.2 | 50.7 | 7.59 | | | | | | | |
| 28 | 雨 | 21.0 | 19.3 | 52.3 | 7.61 | | | | | | | |
| 29 | 晴 | 27.0 | 19.4 | 45.9 | 7.62 | | | | | | | |
| 30 | 雨 | 23.2 | 18.7 | 47.3 | 7.60 | | | | | | | |
| 平均 | | 24.5 | 19.1 | 46.4 | 7.60 | 35.1 | 41.3 | 113 | 3.2 | 0.72 | 0.13 | |
| 最高 | | 28.6 | 20.2 | 149.9 | 7.72 | 36.3 | 42.7 | 152 | 3.7 | 1.40 | 0.26 | |
| 最低 | | 18.7 | 17.8 | 6.0 | 7.45 | 33.9 | 39.8 | 74 | 2.7 | 0.05 | <0.02 | |

令和 2年 6月分

西遠工業用水道水質試験結果報告書（初生浄水場）

採水時間 9:00

| 日 | 天候 | 気温 ℃ | 浄水 水質試験結果（配水池） | | | | | | | | | 備考 |
|----|----|---------|----------------|---------|------|-------------------|------------|-------------------|--------------------|-----------|------------------|----|
| | | | 水温 ℃ | 濁度 度 | pH | アルカリ 度 mg/L | 硬度 mg/L | 蒸発 残留物 mg/L | 塩化物 イオン mg/L | 鉄 mg/L | マン ガン mg/L | |
| 1 | 晴 | 22.4 | 20.1 | 0.4 | 7.13 | | | | | | | |
| 2 | 晴 | 24.5 | 19.7 | 0.5 | 7.04 | | | | | | | |
| 3 | 曇 | 26.4 | 20.2 | 0.3 | 7.08 | | | | | | | |
| 4 | 晴 | 23.7 | 20.3 | 0.5 | 7.05 | | | | | | | |
| 5 | 晴 | 25.8 | 20.6 | 0.6 | 7.06 | | | | | | | |
| 6 | 曇 | 26.7 | 20.9 | 0.3 | 7.06 | | | | | | | |
| 7 | 晴 | 23.4 | 21.2 | 0.4 | 7.08 | | | | | | | |
| 8 | 晴 | 25.1 | 21.4 | 0.4 | 7.16 | 32.0 | 41.6 | 74 | 6.7 | 0.03 | <0.02 | |
| 9 | 晴 | 25.6 | 21.2 | 0.3 | 7.09 | | | | | | | |
| 10 | 曇 | 22.0 | 21.5 | 0.3 | 7.08 | | | | | | | |
| 11 | 雨 | 23.9 | 21.6 | 0.2 | 7.13 | | | | | | | |
| 12 | 曇 | 24.5 | 21.5 | 0.3 | 7.11 | | | | | | | |
| 13 | 雨 | 24.2 | 21.6 | 0.6 | 7.00 | | | | | | | |
| 14 | 雨 | 26.0 | 21.6 | 0.8 | 7.06 | | | | | | | |
| 15 | 晴 | 28.5 | 21.6 | 0.7 | 7.06 | | | | | | | |
| 16 | 曇 | 24.9 | 21.8 | 0.4 | 7.03 | | | | | | | |
| 17 | 晴 | 24.9 | 22.2 | 0.5 | 7.01 | | | | | | | |
| 18 | 曇 | 23.4 | 22.0 | 0.9 | 6.77 | | | | | | | |
| 19 | 雨 | 18.7 | 21.6 | 0.7 | 6.69 | | | | | | | |
| 20 | 晴 | 23.4 | 21.8 | 0.9 | 6.68 | | | | | | | |
| 21 | 晴 | 24.8 | 21.5 | 0.3 | 6.72 | | | | | | | |
| 22 | 雨 | 19.3 | 21.8 | 0.3 | 6.77 | 25.2 | 38.2 | 50 | 8.6 | 0.05 | <0.02 | |
| 23 | 晴 | 25.0 | 21.1 | 1.1 | 6.79 | | | | | | | |
| 24 | 晴 | 25.9 | 21.5 | 0.7 | 6.81 | | | | | | | |
| 25 | 曇 | 25.3 | 21.7 | 0.7 | 6.82 | | | | | | | |
| 26 | 曇 | 26.1 | 21.8 | 0.9 | 6.80 | | | | | | | |
| 27 | 晴 | 28.6 | 22.1 | 0.0 | 6.77 | | | | | | | |
| 28 | 雨 | 21.0 | 22.8 | 0.1 | 6.82 | | | | | | | |
| 29 | 晴 | 27.0 | 22.4 | 0.5 | 6.88 | | | | | | | |
| 30 | 雨 | 23.2 | 22.4 | 0.6 | 6.86 | | | | | | | |
| 平均 | | 24.5 | 21.5 | 0.5 | 6.95 | 28.6 | 39.9 | 62 | 7.7 | 0.04 | <0.02 | |
| 最高 | | 28.6 | 22.8 | 1.1 | 7.16 | 32.0 | 41.6 | 74 | 8.6 | 0.05 | <0.02 | |
| 最低 | | 18.7 | 19.7 | 0.0 | 6.68 | 25.2 | 38.2 | 50 | 6.7 | 0.03 | <0.02 | |