

令和 3年 6月分

西遠工業用水道水質試験結果報告書 (初生浄水場)

採水時間 9:00

日	天候	気温 ℃	原 水 水質試験結果 (沈砂池)									備考
			水温 ℃	濁度 度	p H	アルカリ 度 mg/L	硬度 mg/L	蒸 発 残留物 mg/L	塩化物 イオン mg/L	鉄 mg/L	マン ガン mg/L	
1	晴	22.8	16.0	135.0	7.77							
2	曇	21.9	16.3	84.6	7.85							
3	晴	24.1	16.3	70.4	7.83	33.8	37.7	143	2.4	0.52	<0.02	
4	雨	21.0	16.6	62.0	7.80							
5	晴	22.5	16.7	54.8	7.79							
6	雨	18.1	17.0	45.3	7.73							
7	曇	21.2	17.0	47.0	7.83							
8	晴	26.3	17.5	39.6	7.87							
9	晴	25.6	17.9	38.2	7.88							
10	晴	26.5	18.0	39.5	7.80							
11	晴	25.2	18.7	34.5	7.88							
12	晴	23.6	18.6	30.3	7.85							
13	曇	23.4	18.5	29.5	7.82							
14	曇	22.8	18.7	29.1	7.84							
15	晴	25.1	18.5	26.4	7.87							
16	曇	23.6	18.8	28.9	7.85							
17	曇	23.3	18.9	30.8	7.88	34.0	39.1	93	3.2	0.05	<0.02	
18	曇	23.4	19.2	29.1	7.86							
19	雨	19.9	18.9	25.6	7.87							
20	晴	23.9	18.9	19.9	7.84							
21	晴	25.7	19.4	16.8	7.88							
22	曇	23.8	19.5	15.1	7.86							
23	曇	24.7	19.6	12.5	7.91							
24	晴	25.3	19.9	11.9	8.00							
25	曇	23.1	19.8	10.8	7.84							
26	晴	24.9	20.0	9.6	7.78							
27	曇	24.3	19.9	7.9	7.70							
28	晴	23.3	19.8	7.1	7.82							
29	雨	22.6	19.8	7.2	7.70							
30	曇	22.9	20.3	7.9	7.71							
平均		23.5	18.5	33.6	7.83	33.9	38.4	118	2.8	0.28	<0.02	
最高		26.5	20.3	135.0	8.00	34.0	39.1	143	3.2	0.52	<0.02	
最低		18.1	16.0	7.1	7.70	33.8	37.7	93	2.4	0.05	<0.02	

令和 3年 6月分

西遠工業用水道水質試験結果報告書（初生浄水場）

採水時間 9:00

日	天候	気温 ℃	浄水 水質試験結果（配水池）									備考
			水温 ℃	濁度 度	pH	アルカリ 度 mg/L	硬度 mg/L	蒸発 残留物 mg/L	塩化物 イオン mg/L	鉄 mg/L	マン ガン mg/L	
1	晴	22.8	17.9	1.4	7.07							
2	曇	21.9	18.2	1.2	7.06							
3	晴	24.1	17.9	1.3	7.01	25.9	37.6	92	7.8	<0.03	<0.02	
4	雨	21.0	18.8	0.8	7.11							
5	晴	22.5	18.4	0.5	7.04							
6	雨	18.1	19.0	0.4	7.06							
7	曇	21.2	18.9	0.6	7.17							
8	晴	26.3	19.0	0.6	7.16							
9	晴	25.6	19.3	0.7	7.08							
10	晴	26.5	19.7	0.8	7.14							
11	晴	25.2	20.3	0.6	7.20							
12	晴	23.6	20.5	0.5	7.16							
13	曇	23.4	20.7	0.4	7.23							
14	曇	22.8	20.9	0.4	7.24							
15	晴	25.1	20.3	0.3	7.27							
16	曇	23.6	20.9	0.4	7.26							
17	曇	23.3	20.6	0.5	7.23	29.5	38.9	67	6.6	<0.03	<0.02	
18	曇	23.4	20.5	0.6	7.27							
19	雨	19.9	20.5	0.2	7.25							
20	晴	23.9	20.8	0.3	7.24							
21	晴	25.7	20.9	0.4	7.41							
22	曇	23.8	21.0	0.3	7.41							
23	曇	24.7	21.1	0.4	7.37							
24	晴	25.3	21.5	0.3	7.39							
25	曇	23.1	21.5	0.4	7.38							
26	晴	24.9	21.6	0.3	7.33							
27	曇	24.3	21.6	0.3	7.20							
28	晴	23.3	21.7	0.2	7.27							
29	雨	22.6	21.6	0.3	7.23							
30	曇	22.9	21.8	0.3	7.21							
平均		23.5	20.2	0.5	7.22	27.7	38.2	80	7.2	<0.03	<0.02	
最高		26.5	21.8	1.4	7.41	29.5	38.9	92	7.8	<0.03	<0.02	
最低		18.1	17.9	0.2	7.01	25.9	37.6	67	6.6	<0.03	<0.02	