

令和 3年 9月分

西遠工業用水道水質試験結果報告書 (初生浄水場)

採水時間 9:00

日	天候	気温 ℃	原 水 水質試験結果 (沈砂池)									備考
			水温 ℃	濁度 度	p H	アルカリ 度 mg/L	硬度 mg/L	蒸 発 残留物 mg/L	塩化物 イオン mg/L	鉄 mg/L	マン ガン mg/L	
1	曇	28.8	21.3	54.4	7.82							
2	曇	27.9	21.3	43.7	7.87	34.1	37.1	124	2.4	0.12	<0.02	
3	曇	23.0	21.2	49.0	7.86							
4	曇	23.6	21.5	36.3	7.86							
5	曇	23.9	21.5	35.5	7.82							
6	晴	25.2	21.3	45.6	7.91							
7	晴	22.4	20.9	54.7	7.88							
8	晴	24.8	20.9	90.2	7.89							
9	雨	22.3	20.7	105.9	7.88							
10	晴	26.0	20.9	99.4	7.89							
11	曇	25.9	21.0	87.7	7.87							
12	雨	23.4	20.6	59.4	7.90							
13	晴	24.6	20.5	52.6	7.91							
14	曇	24.0	20.3	49.3	7.70							
15	曇	23.0	20.3	44.0	7.75							
16	晴	25.2	20.4	40.0	7.87	35.6	38.7	120	2.8	0.26	<0.02	
17	曇	24.3	20.4	36.6	7.85							
18	雨	24.5	20.6	47.8	7.80							
19	曇	23.9	20.4	21.0	7.69							
20	晴	26.5	20.2	18.5	7.81							
21	晴	23.6	20.4	18.1	7.90							
22	曇	23.6	20.5	14.2	7.86							
23	晴	26.0	20.5	11.2	7.57							
24	晴	26.3	20.6	10.5	7.85							
25	晴	24.3	20.7	12.8	7.89							
26	雨	19.5	20.7	10.9	7.90							
27	晴	22.8	20.3	10.9	7.90							
28	晴	23.8	20.6	7.7	7.89							
29	晴	23.9	20.7	8.4	7.88							
30	曇	25.0	20.7	9.2	7.97							
平均		24.4	20.7	39.5	7.85	34.8	37.9	122	2.6	0.19	<0.02	
最高		28.8	21.5	105.9	7.97	35.6	38.7	124	2.8	0.26	<0.02	
最低		19.5	20.2	7.7	7.57	34.1	37.1	120	2.4	0.12	<0.02	

令和 3年 9月分

西遠工業用水道水質試験結果報告書（初生浄水場）

採水時間 9:00

日	天候	気温 ℃	浄水 水質試験結果（配水池）									備考
			水温 ℃	濁度 度	pH	アルカリ 度 mg/L	硬度 mg/L	蒸発 残留物 mg/L	塩化物 イオン mg/L	鉄 mg/L	マン ガン mg/L	
1	曇	28.8	24.0	1.2	7.06							
2	曇	27.9	24.0	1.2	7.10	29.3	37.4	82	6.6	<0.03	<0.02	
3	曇	23.0	23.7	1.2	7.09							
4	曇	23.6	23.3	0.9	7.09							
5	曇	23.9	23.4	1.1	7.14							
6	晴	25.2	23.7	0.7	7.26							
7	晴	22.4	23.2	1.0	7.16							
8	晴	24.8	22.9	1.3	7.04							
9	雨	22.3	22.6	1.1	7.13							
10	晴	26.0	23.0	1.0	7.14							
11	曇	25.9	23.5	0.9	7.01							
12	雨	23.4	23.7	0.5	7.01							
13	晴	24.6	23.2	0.6	7.06							
14	曇	24.0	23.0	1.2	6.94							
15	曇	23.0	22.2	1.2	7.03							
16	晴	25.2	22.2	1.0	7.16	29.6	38.3	84	7.4	0.05	<0.02	
17	曇	24.3	22.4	1.0	7.09							
18	雨	24.5	22.5	0.8	7.11							
19	曇	23.9	22.5	0.6	7.10							
20	晴	26.5	22.2	0.4	7.13							
21	晴	23.6	22.4	0.6	7.22							
22	曇	23.6	22.2	0.7	7.23							
23	晴	26.0	22.4	0.5	7.20							
24	晴	26.3	22.5	0.6	7.27							
25	晴	24.3	22.6	0.8	7.31							
26	雨	19.5	22.8	0.6	7.33							
27	晴	22.8	22.4	0.3	7.44							
28	晴	23.8	22.1	0.6	7.40							
29	晴	23.9	22.2	0.5	7.43							
30	曇	25.0	22.4	0.5	7.53							
平均		24.4	22.8	0.8	7.17	29.4	37.8	83	7.0	<0.03	<0.02	
最高		28.8	24.0	1.3	7.53	29.6	38.3	84	7.4	0.05	<0.02	
最低		19.5	22.1	0.3	6.94	29.3	37.4	82	6.6	<0.03	<0.02	