

令和 4年 4月分

西遠工業用水道水質試験結果報告書 (初生浄水場)

採水時間 9:00

日	天候	気温 ℃	原 水 水質試験結果 (沈砂池)									備考
			水温 ℃	濁度 度	p H	アルカリ 度 mg/L	硬度 mg/L	蒸 発 残留物 mg/L	塩化物 イオン mg/L	鉄 mg/L	マン ガン mg/L	
1	曇	10.4	9.4	6.8	7.75							
2	曇	10.4	9.4	7.4	7.60							
3	雨	8.0	9.7	7.6	7.57							
4	雨	12.4	9.7	8.1	7.80							
5	晴	14.7	9.8	5.8	7.79							
6	晴	17.0	10.2	7.8	7.76							
7	晴	15.8	10.5	6.7	7.75							
8	晴	18.1	10.9	9.4	7.74							
9	晴	18.1	10.8	8.2	7.63							
10	晴	18.4	10.8	6.2	7.71							
11	晴	19.7	10.9	6.3	7.72							
12	晴	20.4	11.8	5.3	7.77							
13	曇	21.1	11.8	6.3	7.79							
14	曇	20.3	12.3	6.8	7.78	34.8	42.2	68	5.9	<0.03	<0.02	
15	曇	16.9	12.1	5.6	7.75							
16	晴	16.2	12.2	5.0	7.74							
17	雨	12.3	11.8	4.8	7.68							
18	雨	14.6	11.8	4.5	7.83							
19	晴	16.0	11.8	4.6	7.87							
20	晴	18.2	12.3	5.9	7.80							
21	曇	16.1	12.8	5.6	7.81	37.2	44.4	98	5.9	<0.03	<0.02	
22	晴	20.3	13.5	7.2	7.82							
23	晴	21.8	13.9	5.9	7.63							
24	雨	17.7	13.9	7.3	7.74							
25	晴	20.1	13.8	5.9	7.81							
26	雨	19.0	14.1	5.4	7.78							
27	曇	20.5	14.6	8.0	7.80							
28	曇	19.6	14.6	17.8	7.74							
29	曇	18.3	14.6	9.0	7.73							
30	晴	15.9	14.3	9.4	7.60							
平均		16.9	12.0	7.0	7.74	36.0	43.3	83	5.9	<0.03	<0.02	
最高		21.8	14.6	17.8	7.87	37.2	44.4	98	5.9	<0.03	<0.02	
最低		8.0	9.4	4.5	7.57	34.8	42.2	68	5.9	<0.03	<0.02	

令和 4年 4月分

西遠工業用水道水質試験結果報告書（初生浄水場）

採水時間 9:00

日	天候	気温 ℃	浄水 水質試験結果（配水池）									備考
			水温 ℃	濁度 度	pH	アルカリ 度 mg/L	硬度 mg/L	蒸発 残留物 mg/L	塩化物 イオン mg/L	鉄 mg/L	マン ガン mg/L	
1	曇	10.4	12.5	0.6	7.40							
2	曇	10.4	12.4	0.7	7.38							
3	雨	8.0	12.2	0.6	7.46							
4	雨	12.4	11.9	0.5	7.46							
5	晴	14.7	12.4	0.4	7.55							
6	晴	17.0	12.7	0.6	7.43							
7	晴	15.8	12.9	0.6	7.44							
8	晴	18.1	13.3	0.8	7.38							
9	晴	18.1	13.4	0.8	7.38							
10	晴	18.4	13.8	0.5	7.34							
11	晴	19.7	14.1	0.3	7.39							
12	晴	20.4	14.5	0.4	7.38							
13	曇	21.1	15.0	0.7	7.39							
14	曇	20.3	15.7	0.7	7.44	32.6	42.4	87	8.0	<0.03	<0.02	
15	曇	16.9	15.5	0.7	7.38							
16	晴	16.2	15.3	0.7	7.35							
17	雨	12.3	15.3	0.5	7.35							
18	雨	14.6	15.1	0.4	7.43							
19	晴	16.0	14.7	0.5	7.44							
20	晴	18.2	14.9	0.6	7.43							
21	曇	16.1	15.4	0.5	7.49	35.0	43.8	87	7.7	<0.03	<0.02	
22	晴	20.3	15.5	0.5	7.49							
23	晴	21.8	16.0	0.6	7.49							
24	雨	17.7	16.4	0.7	7.46							
25	晴	20.1	16.5	0.5	7.41							
26	雨	19.0	16.6	0.6	7.44							
27	曇	20.5	17.0	0.7	7.40							
28	曇	19.6	16.9	0.8	7.36							
29	曇	18.3	17.1	1.0	7.33							
30	晴	15.9	16.8	0.8	7.47							
平均		16.9	14.7	0.6	7.42	33.8	43.1	87	7.9	<0.03	<0.02	
最高		21.8	17.1	1.0	7.55	35.0	43.8	87	8.0	<0.03	<0.02	
最低		8.0	11.9	0.3	7.33	32.6	42.4	87	7.7	<0.03	<0.02	