

令和 4年 7月分

西遠工業用水道水質試験結果報告書 (初生浄水場)

採水時間 9:00

日	天候	気温 ℃	原 水 水質試験結果 (沈砂池)									備考	
			水温 ℃	濁度 度	p H	アルカリ 度 mg/L	硬度 mg/L	蒸 発 残留物 mg/L	塩化物 イオン mg/L	鉄 mg/L	マン ガン mg/L		
1	晴	29.3	21.4	5.8	7.80								
2	晴	28.2	21.8	5.1	7.68								
3	曇	27.5	21.8	6.1	7.69								
4	雨	25.7	22.0	6.1	7.81								
5	雨	23.5	21.8	5.9	7.74								
6	晴	29.0	21.6	5.8	7.79								
7	曇	25.5	21.9	7.2	7.78	37.6	43.3	112	4.6	<0.03	<0.02		
8	雨	22.0	22.3	6.0	7.73								
9	晴	27.0	22.0	6.1	7.78								
10	曇	25.2	21.9	8.1	7.65								
11	晴	27.8	21.7	9.6	7.78								
12	雨	24.9	21.6	9.8	7.69								
13	晴	28.2	21.7	11.5	7.75								
14	曇	25.8	22.2	11.6	7.78								
15	雨	23.3	22.4	11.5	7.80								
16	曇	24.2	21.9	9.0	7.76								
17	晴	25.8	21.4	9.7	7.66								
18	曇	27.6	22.1	9.1	7.75								
19	雨	26.1	21.8	13.4	7.82								
20	晴	29.3	21.8	8.9	7.86								
21	晴	27.1	21.7	7.9	7.80	35.7	41.0	104	3.9	0.07	<0.02		
22	晴	28.7	21.9	8.3	7.70								
23	晴	28.5	22.1	8.7	7.68								
24	晴	28.1	22.4	9.9	7.75								
25	晴	30.8	22.2	10.5	7.76								
26	雨	24.9	22.5	8.5	8.12								
27	曇	27.8	22.5	9.0	7.85								
28	晴	29.5	21.9	9.1	7.86								
29	晴	29.8	22.1	9.3	7.83								
30	晴	29.7	22.7	6.9	7.86								
31	晴	30.0	22.9	5.4	8.28								
平均		27.1	22.0	8.4	7.79	36.7	42.2	108	4.3	0.04	<0.02		
最高		30.8	22.9	13.4	8.28	37.6	43.3	112	4.6	0.07	<0.02		
最低		22.0	21.4	5.1	7.65	35.7	41.0	104	3.9	<0.03	<0.02		

令和 4年 7月分

西遠工業用水道水質試験結果報告書（初生浄水場）

採水時間 9:00

日	天候	気温 ℃	浄水 水質試験結果（配水池）									備考	
			水温 ℃	濁度 度	pH	アルカリ 度 mg/L	硬度 mg/L	蒸発 残留物 mg/L	塩化物 イオン mg/L	鉄 mg/L	マン ガン mg/L		
1	晴	29.3	24.7	0.5	7.40								
2	晴	28.2	25.2	0.4	7.43								
3	曇	27.5	25.5	0.4	7.53								
4	雨	25.7	25.3	0.4	7.45								
5	雨	23.5	24.7	0.4	7.44								
6	晴	29.0	24.6	0.5	7.39								
7	曇	25.5	24.6	0.7	7.43	37.0	44.3	96	6.1	<0.03	<0.02		
8	雨	22.0	24.9	0.7	7.50								
9	晴	27.0	24.7	0.9	7.52								
10	曇	25.2	24.9	0.6	7.49								
11	晴	27.8	24.7	0.5	7.50								
12	雨	24.9	24.7	0.9	7.32								
13	晴	28.2	24.6	1.0	7.30								
14	曇	25.8	25.0	1.0	7.46								
15	雨	23.3	25.2	1.1	7.55								
16	曇	24.2	24.7	0.8	7.36								
17	晴	25.8	24.7	0.9	7.28								
18	曇	27.6	23.4	0.7	7.43								
19	雨	26.1	24.9	0.6	7.65								
20	晴	29.3	24.7	0.9	7.37								
21	晴	27.1	25.0	0.9	7.34	34.3	40.5	105	5.4	0.04	<0.02		
22	晴	28.7	25.2	0.8	7.32								
23	晴	28.5	25.5	0.9	7.27								
24	晴	28.1	25.8	0.8	7.37								
25	晴	30.8	25.9	0.7	7.36								
26	雨	24.9	26.3	0.8	7.50								
27	曇	27.8	26.1	0.9	7.42								
28	晴	29.5	25.8	0.9	7.45								
29	晴	29.8	25.9	1.1	7.37								
30	晴	29.7	26.5	0.9	7.47								
31	晴	30.0	26.8	0.7	7.56								
平均		27.1	25.2	0.7	7.43	35.7	42.4	101	5.7	<0.03	<0.02		
最高		30.8	26.8	1.1	7.65	37.0	44.3	105	6.1	0.04	<0.02		
最低		22.0	23.4	0.4	7.27	34.3	40.5	96	5.4	<0.03	<0.02		