

令和 4年 9月分

西遠工業用水道水質試験結果報告書 (初生浄水場)

採水時間 9:00

日	天候	気温 ℃	原 水 水質試験結果 (沈砂池)									備考
			水温 ℃	濁度 度	p H	アルカリ 度 mg/L	硬度 mg/L	蒸 発 残留物 mg/L	塩化物 イオン mg/L	鉄 mg/L	マン ガン mg/L	
1	雨	27.1	23.1	5.1	7.90	37.3	43.1	89	3.7	<0.03	<0.02	
2	雨	27.0	22.7	5.5	7.89							
3	晴	27.9	22.2	8.6	7.83							
4	晴	29.0	22.6	7.2	7.86							
5	晴	27.6	22.6	7.6	7.85							
6	曇	27.7	22.6	7.6	7.91							
7	曇	28.2	22.8	8.5	7.93							
8	雨	23.1	22.7	8.3	7.83							
9	曇	25.7	22.3	6.4	7.82							
10	晴	27.1	22.6	6.3	7.70							
11	晴	27.2	22.6	10.4	7.88							
12	晴	27.9	22.5	10.7	7.86							
13	晴	28.8	22.4	10.4	7.83							
14	晴	28.8	22.6	15.2	7.82							
15	曇	25.1	22.6	10.4	7.84	33.2	36.3	72	3.0	0.09	<0.02	
16	晴	27.7	22.2	12.3	7.81							
17	曇	27.5	22.5	8.5	7.84							
18	雨	28.4	22.6	8.1	7.88							
19	曇	28.6	22.7	9.5	7.79							
20	雨	23.1	22.5	10.0	7.86							
21	曇	20.9	21.5	29.9	7.74							
22	曇	20.9	21.2	9.0	7.94							
23	雨	22.0	21.2	16.8	7.81							
24	晴	27.0	21.3	45.9	7.65							
25	晴	25.5	20.8	39.5	7.70							
26	晴	26.0	20.2	23.4	7.76							
27	晴	26.3	20.0	31.4	7.66							
28	曇	24.1	20.0	33.5	7.66							
29	曇	22.9	20.0	36.0	7.70							
30	晴	23.5	19.9	38.4	7.72							
平均		26.1	21.9	16.0	7.81	35.3	39.7	81	3.4	0.06	<0.02	
最高		29.0	23.1	45.9	7.94	37.3	43.1	89	3.7	0.09	<0.02	
最低		20.9	19.9	5.1	7.65	33.2	36.3	72	3.0	<0.03	<0.02	

令和 4年 9月分

西遠工業用水道水質試験結果報告書 (初生浄水場)

採水時間 9:00

日	天候	気温 ℃	浄水 水質試験結果 (配水池)									備考
			水温 ℃	濁度 度	pH	アルカリ 度 mg/L	硬度 mg/L	蒸発 残留物 mg/L	塩化物 イオン mg/L	鉄 mg/L	マン ガン mg/L	
1	雨	27.1	26.3	0.8	7.36	34.2	42.1	73	5.9	<0.03	<0.02	
2	雨	27.0	25.8	0.9	7.33							
3	晴	27.9	25.3	1.5	7.14							
4	晴	29.0	25.6	0.8	7.58							
5	晴	27.6	25.8	0.6	7.49							
6	曇	27.7	25.9	0.8	7.50							
7	曇	28.2	25.8	1.1	7.39							
8	雨	23.1	25.6	1.1	7.38							
9	曇	25.7	25.3	0.9	7.42							
10	晴	27.1	25.3	1.1	7.25							
11	晴	27.2	25.5	0.9	7.32							
12	晴	27.9	25.6	0.8	7.42							
13	晴	28.8	25.6	1.3	7.43							
14	晴	28.8	25.8	1.3	7.30							
15	曇	25.1	25.8	1.5	7.36	31.2	36.9	57	4.9	<0.03	<0.02	
16	晴	27.7	25.3	1.6	7.32							
17	曇	27.5	25.6	1.1	7.22							
18	雨	28.4	25.6	0.9	7.22							
19	曇	28.6	25.8	0.9	7.22							
20	雨	23.1	25.3	1.2	7.28							
21	曇	20.9	24.7	1.0	7.12							
22	曇	20.9	24.1	1.1	7.21							
23	雨	22.0	23.9	0.8	7.33							
24	晴	27.0	23.8	0.9	7.20							
25	晴	25.5	24.1	0.8	6.94							
26	晴	26.0	24.0	0.9	6.96							
27	晴	26.3	23.3	0.9	7.04							
28	曇	24.1	23.4	2.0	7.05							
29	曇	22.9	23.3	1.5	7.09							
30	晴	23.5	23.2	1.4	7.03							
平均		26.1	25.0	1.1	7.26	32.7	39.5	65	5.4	<0.03	<0.02	
最高		29.0	26.3	2.0	7.58	34.2	42.1	73	5.9	<0.03	<0.02	
最低		20.9	23.2	0.6	6.94	31.2	36.9	57	4.9	<0.03	<0.02	