

令和 6年 1月分

西遠工業用水道水質試験結果報告書（初生浄水場）

採水時間 9:00

日	天候	気温 ℃	原 水 水 質 試 験 結 果 (沈砂池)									備考
			水温 ℃	濁度 度	p H	アルカ 度 mg/L	硬度 mg/L	蒸 発 残留物 mg/L	塩化物 イオン mg/L	鉄 mg/L	マン ガン mg/L	
1	晴	8.6	8.1	9.8	7.72							
2	雨	7.8	8.0	10.3	7.68							
3	曇	7.1	7.0	8.7	7.67							
4	晴	8.8	7.9	7.7	7.66	41.7	47.7	111	4.9	0.03	<0.02	
5	晴	7.7	7.9	6.4	7.62							
6	晴	9.3	7.8	6.9	7.66							
7	晴	7.6	6.9	6.3	7.62							
8	晴	3.8	7.5	6.5	7.45							
9	晴	5.5	7.6	4.3	7.74							
10	晴	7.2	7.9	5.9	7.81							
11	曇	7.1	7.8	5.7	7.73							
12	晴	8.0	7.2	5.5	7.64							
13	晴	8.2	7.2	6.7	7.68							
14	晴	1.7	7.0	7.2	7.59							
15	晴	9.0	7.1	6.4	7.64							
16	晴	3.2	6.8	6.6	7.75							
17	晴	5.9	6.6	6.3	7.76							
18	曇	11.3	7.2	6.5	7.77	46.0	53.5	100	5.1	0.05	<0.02	
19	曇	11.6	6.8	7.9	7.70							
20	雨	8.3	7.0	8.4	7.68							
21	雨	11.9	7.2	9.3	7.67							
22	曇	9.7	7.1	9.5	7.69							
23	晴	6.5	7.1	7.1	7.73							
24	晴	0.9	7.0	7.0	7.88							
25	晴	1.9	6.5	10.2	7.85							
26	晴	4.9	6.0	14.3	7.81							
27	晴	5.0	6.1	15.3	7.66							
28	晴	5.1	6.3	15.7	7.71							
29	晴	5.7	6.5	13.9	7.70							
30	晴	6.2	6.6	11.4	7.67							
31	曇	7.4	6.8	9.9	7.72							
平均		6.9	7.1	8.5	7.70	43.8	50.6	106	5.0	0.04	<0.02	
最高		11.9	8.1	15.7	7.88	46.0	53.5	111	5.1	0.05	<0.02	
最低		0.9	6.0	4.3	7.45	41.7	47.7	100	4.9	0.03	<0.02	

令和 6年 1月分

西遠工業用水道水質試験結果報告書 (初生浄水場)

採水時間 9:00

日	天候	気温 ℃	浄水 水質試験結果 (配水池)									備考
			水温 ℃	濁度 度	pH	アルカリ 度 mg/L	硬度 mg/L	蒸発 残留物 mg/L	塩化物 イオン mg/L	鉄 mg/L	マン ガン mg/L	
1	晴	8.6	9.0	0.6	7.17							
2	雨	7.8	9.0	0.6	7.10							
3	曇	7.1	9.2	0.5	7.12							
4	晴	8.8	8.8	0.6	7.15	36.8	46.3	106	8.2	0.04	<0.02	
5	晴	7.7	8.7	0.6	7.20							
6	晴	9.3	8.5	0.5	7.02							
7	晴	7.6	8.9	0.4	7.09							
8	晴	3.8	8.4	0.5	7.25							
9	晴	5.5	8.1	0.4	7.21							
10	晴	7.2	8.2	0.7	7.31							
11	曇	7.1	8.3	0.7	7.26							
12	晴	8.0	8.0	0.9	7.18							
13	晴	8.2	7.8	0.9	7.16							
14	晴	1.7	7.6	1.0	7.13							
15	晴	9.0	7.6	0.7	7.22							
16	晴	3.2	7.5	0.8	7.18							
17	晴	5.9	7.3	0.9	7.29							
18	曇	11.3	7.5	1.0	7.22	42.4	53.0	86	8.1	0.04	<0.02	
19	曇	11.6	7.5	1.1	7.31							
20	雨	8.3	7.7	1.1	7.24							
21	雨	11.9	7.9	1.1	7.27							
22	曇	9.7	8.0	0.8	7.34							
23	晴	6.5	7.9	1.2	7.26							
24	晴	0.9	7.7	1.3	7.30							
25	晴	1.9	7.3	1.6	7.26							
26	晴	4.9	6.8	1.7	7.27							
27	晴	5.0	6.7	1.7	7.21							
28	晴	5.1	6.8	1.5	7.26							
29	晴	5.7	6.8	0.8	7.26							
30	晴	6.2	6.9	1.4	7.25							
31	曇	7.4	7.1	1.3	7.22							
平均		6.9	7.9	0.9	7.22	39.6	49.6	96	8.2	0.04	<0.02	
最高		11.9	9.2	1.7	7.34	42.4	53.0	106	8.2	0.04	<0.02	
最低		0.9	6.7	0.4	7.02	36.8	46.3	86	8.1	0.04	<0.02	