

令和 6年 8月分

西遠工業用水道水質試験結果報告書 (初生浄水場)

採水時間 9:00

日	天候	気温 ℃	原水水質試験結果 (沈砂池)									備考
			水温 ℃	濁度 度	pH	アルカリ 度 mg/L	硬度 mg/L	蒸発 残留物 mg/L	塩化物 イオン mg/L	鉄 mg/L	マン ガン mg/L	
1	晴	31.7	23.4	10.0	7.74	35.3	39.1	88	2.9	<0.03	<0.02	
2	晴	31.2	23.6	9.1	7.77							
3	曇	30.0	24.8	8.4	7.78							
4	晴	30.9	24.5	7.1	7.82							
5	晴	32.6	24.2	7.0	7.82							
6	晴	31.2	24.7	5.1	7.85							
7	曇	31.3	24.8	6.6	7.86							
8	晴	29.4	24.9	5.0	7.80							
9	晴	31.0	25.0	5.1	7.80							
10	晴	30.7	25.5	6.3	7.83							
11	晴	31.8	25.5	10.8	7.89							
12	晴	31.2	26.0	7.1	7.77							
13	晴	32.9	25.7	6.6	7.83							
14	晴	31.8	25.8	5.4	7.85							
15	曇	30.1	26.2	4.6	7.88							
16	曇	33.2	26.0	6.9	7.88	39.0	45.4	103	3.8	<0.03	<0.02	
17	晴	32.5	26.0	9.5	7.89							
18	晴	31.9	26.5	4.9	7.81							
19	曇	31.4	26.0	5.3	7.83							
20	雨	24.3	25.8	4.8	7.86							
21	晴	32.1	25.7	5.5	7.88							
22	晴	-	25.8	6.1	7.83							
23	雨	26.5	25.8	6.6	7.85							
24	雨	27.8	26.7	6.2	7.91							
25	晴	31.5	26.5	5.7	7.85							
26	曇	28.6	26.0	5.4	7.86							
27	雨	28.6	25.8	5.1	7.85							
28	雨	23.6	25.0	6.3	7.71							
29	雨	25.1	22.8	18.0	7.67							
30	曇	26.8	23.9	8.2	7.80							
31	曇	36.8	23.5	17.5	7.74							
平均		30.3	25.2	7.3	7.82	37.2	42.2	96	3.4	<0.03	<0.02	
最高		36.8	26.7	18.0	7.91	39.0	45.4	103	3.8	<0.03	<0.02	
最低		23.6	22.8	4.6	7.67	35.3	39.1	88	2.9	<0.03	<0.02	

令和 6年 8月分

西遠工業用水道水質試験結果報告書（初生浄水場）

採水時間 9:00

日	天候	気温 ℃	浄水 水質試験結果（配水池）									備考
			水温 ℃	濁度 度	pH	アルカリ 度 mg/L	硬度 mg/L	蒸発 残留物 mg/L	塩化物 イオン mg/L	鉄 mg/L	マン ガン mg/L	
1	晴	31.7	24.8	0.7	7.17	36.0	39.1	85	6.1	<0.03	<0.02	
2	晴	31.2	24.9	0.6	7.19							
3	曇	30.0	26.2	0.7	7.17							
4	晴	30.9	25.5	0.2	7.25							
5	晴	32.6	25.7	0.4	7.28							
6	晴	31.2	25.8	0.5	7.31							
7	曇	31.3	25.8	0.5	7.31							
8	晴	29.4	26.1	0.6	7.27							
9	晴	31.0	26.0	0.6	7.29							
10	晴	30.7	26.0	0.5	7.32							
11	晴	31.8	26.5	0.7	7.33							
12	晴	31.2	27.2	0.4	7.33							
13	晴	32.9	26.8	0.3	7.37							
14	晴	31.8	27.1	0.3	7.38							
15	曇	30.1	27.3	0.3	7.40							
16	曇	33.2	27.3	0.5	7.39	36.0	44.2	102	6.5	<0.03	<0.02	
17	晴	32.5	27.5	0.5	7.35							
18	晴	31.9	28.0	0.4	7.38							
19	曇	31.4	27.4	0.3	7.38							
20	雨	24.3	27.0	0.4	7.40							
21	晴	32.1	26.8	0.4	7.39							
22	晴	-	26.8	0.6	7.34							
23	雨	26.5	27.0	0.4	7.35							
24	雨	27.8	27.9	0.3	7.38							
25	晴	31.5	27.5	0.3	7.38							
26	曇	28.6	27.0	0.2	7.40							
27	雨	28.6	26.7	0.4	7.40							
28	雨	23.6	25.7	0.2	7.29							
29	雨	25.1	24.2	1.1	7.11							
30	曇	26.8	24.3	0.6	7.24							
31	曇	36.8	24.0	0.7	7.10							
平均		30.3	26.3	0.5	7.31	36.0	41.6	94	6.3	<0.03	<0.02	
最高		36.8	28.0	1.1	7.40	36.0	44.2	102	6.5	<0.03	<0.02	
最低		23.6	24.0	0.2	7.10	36.0	39.1	85	6.1	<0.03	<0.02	