

令和 8年 5月分

西遠工業用水道水質試験結果報告書（初生浄水場）

採水時間 9:00

日	天候	気温 ℃	原 水 水質試験結果（沈砂池）									備考
			水温 ℃	濁度 度	p H	アルカリ 度 mg/L	硬度 mg/L	蒸 発 残留物 mg/L	塩化物 イオン mg/L	鉄 mg/L	マン ガン mg/L	
1	雨	16.0	14.2	11.6	7.78							
2	晴	17.8	14.6	10.7	7.81							
3	曇	21.0	14.5	7.6	7.84							
4	曇	18.5	15.1	7.9	7.78							
5	晴	19.1	14.7	23.7	7.81							
6	曇	21.2	14.7	11.4	7.80							
7	晴	23.9	14.3	13.4	7.73	32.3	38.8	66	3.1	0.27	0.03	
8	曇	25.0	14.8	19.4	7.76							
9	晴	16.0	22.0	24.1	7.75							
10	晴	17.0	14.8	31.4	7.69							
11	曇	21.1	14.6	28.9	7.72							
12	晴	23.6	15.0	27.0	7.70							
13	晴	22.1	15.0	23.2	7.72							
14	晴	23.8	15.2	22.6	7.72							
15	晴	22.1	15.6	23.7	7.73							
16	晴	21.3	15.5	23.5	7.69							
17	晴	24.5	15.9	21.8	7.70							
18	晴	26.8	15.9	20.5	7.75							
19	晴	24.3	16.2	18.3	7.76							
20	晴	25.8	16.4	17.4	7.77							
21	雨	23.7	16.8	15.8	7.78	34.6	40.5	65	3.2	0.26	0.02	
22	曇	19.1	16.7	14.1	7.80							
23	曇	17.3	20.3	13.5	7.76							
24	晴	21.6	17.5	10.9	7.81							
25	晴	24.0	17.2	11.1	7.80							
26	晴	25.8	17.5	9.5	7.80							
27	曇	23.9	17.7	10.5	7.80							
28	雨	23.8	18.0	11.4	7.77							
29	晴	27.1	18.2	10.3	7.82							
30	晴	26.3	19.0	11.1	7.81							
31	曇	24.8	19.2	12.8	7.83							
平均		22.2	16.4	16.7	7.77	33.4	39.6	66	3.2	0.26	0.02	
最高		27.1	22.0	31.4	7.84	34.6	40.5	66	3.2	0.27	0.03	
最低		16.0	14.2	7.6	7.69	32.3	38.8	65	3.1	0.26	0.02	

令和 8年 5月分

西遠工業用水道水質試験結果報告書 (初生浄水場)

採水時間 9:00

日	天候	気温 ℃	浄水 水質試験結果 (配水池)									備考
			水温 ℃	濁度 度	p H	アルカリ 度 mg/L	硬度 mg/L	蒸発 残留物 mg/L	塩化物 イオン mg/L	鉄 mg/L	マン ガン mg/L	
1	雨	16.0	16.4	0.2	7.38							
2	晴	17.8	16.7	0.3	7.40							
3	曇	21.0	16.5	0.3	7.45							
4	曇	18.5	17.2	0.2	7.45							
5	晴	19.1	17.0	0.2	7.48							
6	曇	21.2	17.5	0.2	7.49							
7	晴	23.9	16.6	0.4	7.31	29.4	39.0	58	6.5	0.03	<0.02	
8	曇	25.0	17.2	0.4	7.34							
9	晴	16.0	17.2	0.4	7.29							
10	晴	17.0	17.4	0.4	7.36							
11	曇	21.1	17.4	0.4	7.34							
12	晴	23.6	17.5	0.4	7.22							
13	晴	22.1	18.0	0.6	7.25							
14	晴	23.8	18.0	0.7	7.24							
15	晴	22.1	18.5	0.7	7.25							
16	晴	21.3	18.5	0.4	7.25							
17	晴	24.5	19.0	0.5	7.25							
18	晴	26.8	19.1	0.3	7.30							
19	晴	24.3	19.3	0.5	7.22							
20	晴	25.8	19.5	0.6	7.25							
21	雨	23.7	19.8	0.4	7.29	29.6	39.5	60	6.5	0.07	<0.02	
22	曇	19.1	19.6	1.2	7.25							
23	曇	17.3	17.6	0.4	7.28							
24	晴	21.6	19.5	0.3	7.33							
25	晴	24.0	19.6	0.3	7.37							
26	晴	25.8	19.8	0.5	7.34							
27	曇	23.9	20.1	0.7	7.35							
28	雨	23.8	20.1	0.8	7.30							
29	晴	27.1	20.2	0.6	7.31							
30	晴	26.3	21.1	2.1	7.39							
31	曇	24.8	21.8	1.3	7.42							
平均		22.2	18.5	0.5	7.33	29.5	39.2	59	6.5	0.05	<0.02	
最高		27.1	21.8	2.1	7.49	29.6	39.5	60	6.5	0.07	<0.02	
最低		16.0	16.4	0.2	7.22	29.4	39.0	58	6.5	0.03	<0.02	