

令和 8年 9月分

西遠工業用水道水質試験結果報告書（初生浄水場）

採水時間 9:00

日	天候	気温 ℃	原 水 水質試験結果（沈砂池）									備考
			水温 ℃	濁度 度	p H	アルカリ 度 mg/L	硬度 mg/L	蒸 発 残留物 mg/L	塩化物 イオン mg/L	鉄 mg/L	マン ガン mg/L	
1	曇	29.4	25.1	4.7	7.85							
2	晴	31.6	25.1	4.4	7.90							
3	曇	29.8	25.0	4.6	7.87	37.6	50.3	130	5.1	0.15	<0.02	
4	雨	25.5	24.8	5.2	7.91							
5	曇	22.9	24.3	6.2	7.90							
6	曇	27.0	24.5	4.8	7.93							
7	雨	23.5	23.7	6.1	7.91							
8	曇	27.3	24.0	4.7	7.90							
9	雨	27.5	23.9	6.0	7.89							
10	雨	22.3	22.6	26.5	7.84							
11	雨	22.1	22.1	88.7	7.73							
12	曇	23.6	22.0	141.9	7.77							
13	曇	23.8	21.5	123.0	7.81							
14	晴	29.8	21.0	107.8	7.82							
15	雨	22.8	20.8	86.4	7.82							
16	雨	23.2	20.9	63.5	7.83							
17	晴	26.1	20.7	51.9	7.82	35.5	39.4	101	2.5	1.90	0.04	
18	晴	25.6	21.0	46.6	7.83							
19	曇	25.3	21.0	46.1	7.80							
20	曇	27.5	21.5	41.7	7.87							
21	雨	25.0	21.3	35.7	7.87							
22	晴	27.7	21.0	32.0	7.92							
23	曇	23.1	21.4	27.7	7.87							
24	晴	27.4	20.7	26.2	7.84							
25	晴	26.6	21.0	21.1	7.85							
26	曇	23.9	21.5	20.8	7.88							
27	曇	22.8	20.5	19.9	7.81							
28	曇	25.2	20.3	17.1	7.84							
29	雨	21.9	20.3	18.3	7.84							
30	曇	21.5	20.2	23.5	7.87							
平均		25.4	22.1	37.1	7.85	36.6	44.8	116	3.8	1.02	0.02	
最高		31.6	25.1	141.9	7.93	37.6	50.3	130	5.1	1.90	0.04	
最低		21.5	20.2	4.4	7.73	35.5	39.4	101	2.5	0.15	<0.02	

令和 8年 9月分

西遠工業用水道水質試験結果報告書（初生浄水場）

採水時間 9:00

日	天候	気温 ℃	浄 水 水質試験結果（配水池）									備考
			水温 ℃	濁度 度	p H	アルカリ 度 mg/L	硬度 mg/L	蒸 発 残留物 mg/L	塩化物 イオン mg/L	鉄 mg/L	マン ガン mg/L	
1	曇	29.4	26.7	0.2	7.56							
2	晴	31.6	26.7	0.2	7.59							
3	曇	29.8	26.6	0.2	7.58	38.8	49.3	127	6.9	0.05	<0.02	
4	雨	25.5	26.3	0.3	7.56							
5	曇	22.9	26.1	0.3	7.60							
6	曇	27.0	26.0	0.6	7.65							
7	雨	23.5	24.7	0.3	7.65							
8	曇	27.3	24.8	0.3	7.54							
9	雨	27.5	25.1	0.2	7.54							
10	雨	22.3	24.9	0.4	7.42							
11	雨	22.1	24.2	0.7	7.33							
12	曇	23.6	24.1	1.2	7.20							
13	曇	23.8	23.5	0.5	7.26							
14	晴	29.8	23.4	0.6	7.18							
15	雨	22.8	23.2	0.7	7.24							
16	雨	23.2	23.0	0.9	7.20							
17	晴	26.1	22.5	0.7	7.20	31.4	39.9	57	6.0	0.07	<0.02	
18	晴	25.6	23.0	0.7	7.25							
19	曇	25.3	23.0	0.8	7.26							
20	曇	27.5	24.0	0.5	7.33							
21	雨	25.0	23.7	0.5	7.37							
22	晴	27.7	23.0	0.6	7.31							
23	曇	23.1	23.2	0.5	7.35							
24	晴	27.4	22.8	0.4	7.30							
25	晴	26.6	23.5	0.6	7.46							
26	曇	23.9	23.5	0.5	7.44							
27	曇	22.8	23.0	0.5	7.45							
28	曇	25.2	22.4	0.3	7.40							
29	雨	21.9	22.4	0.4	7.35							
30	曇	21.5	22.0	0.3	7.38							
平均		25.4	24.0	0.5	7.40	35.1	44.6	92	6.4	0.06	<0.02	
最高		31.6	26.7	1.2	7.65	38.8	49.3	127	6.9	0.07	<0.02	
最低		21.5	22.0	0.2	7.18	31.4	39.9	57	6.0	0.05	<0.02	