

令和2年10月分

中遠工業用水道水質試験結果報告書

採水時間 9:00

日	水質試験結果(着水井(原水))											備考
	天候	気温 ℃	水温 ℃	濁度 度	pH	アルカリ度 mg/l	硬度 mg/l	蒸発残留物 mg/l	塩化物イオン mg/l	鉄 mg/l	マンガン mg/l	
1	曇	20.5	23.3	2.6	7.73	—	—	—	—	—	—	
2	晴	22.8	23.0	1.7	7.71	—	—	—	—	—	—	
3	晴	26.5	22.1	2.1	7.78	—	—	—	—	—	—	
4	曇	21.5	22.0	2.0	7.65	—	—	—	—	—	—	
5	曇	23.3	23.0	2.0	7.75	—	—	—	—	—	—	
6	晴	21.0	22.6	2.0	7.76	42.6	44.0	93	4.3	0.10	<0.02	
7	晴	21.2	22.5	1.9	7.74	—	—	—	—	—	—	
8	雨	16.6	22.1	2.7	7.74	—	—	—	—	—	—	
9	雨	16.6	21.8	1.6	7.66	—	—	—	—	—	—	
10	雨	18.0	20.7	2.7	7.80	—	—	—	—	—	—	
11	晴	25.8	20.3	11.3	7.66	—	—	—	—	—	—	
12	晴	24.1	20.8	11.1	7.73	—	—	—	—	—	—	
13	晴	22.5	20.5	12.1	7.65	—	—	—	—	—	—	
14	曇	23.1	20.3	14.5	7.57	—	—	—	—	—	—	
15	曇	22.1	20.2	16.6	7.58	—	—	—	—	—	—	
16	曇	18.7	20.0	15.2	7.65	—	—	—	—	—	—	
17	雨	16.0	18.6	14.4	7.55	—	—	—	—	—	—	
18	曇	18.5	18.3	15.6	7.59	—	—	—	—	—	—	
19	曇	15.8	19.3	13.7	7.67	—	—	—	—	—	—	
20	曇	16.1	19.0	15.5	7.69	35.1	37.9	110	3.7	0.73	0.02	
21	晴	17.3	18.8	14.5	7.71	—	—	—	—	—	—	
22	曇	19.6	19.0	15.0	7.63	—	—	—	—	—	—	
23	雨	19.6	19.2	37.0	7.68	—	—	—	—	—	—	
24	晴	18.0	17.5	20.6	7.71	—	—	—	—	—	—	
25	晴	18.0	16.8	18.0	7.76	—	—	—	—	—	—	
26	晴	15.1	18.0	14.6	7.76	—	—	—	—	—	—	
27	晴	16.4	18.0	15.2	7.76	—	—	—	—	—	—	
28	晴	15.8	17.9	10.3	7.72	—	—	—	—	—	—	
29	晴	17.7	17.8	8.7	7.73	—	—	—	—	—	—	
30	晴	15.5	17.8	9.8	7.70	—	—	—	—	—	—	
31	晴	18.0	15.5	9.8	7.61	—	—	—	—	—	—	
平均		19.4	19.9	10.8	7.69	38.8	41.0	102	4.0	0.42	<0.02	
最高		26.5	23.3	37.0	7.80	42.6	44.0	110	4.3	0.73	0.02	
最低		15.1	15.5	1.6	7.55	35.1	37.9	93	3.7	0.10	<0.02	

令和2年10月分

中遠工業用水道水質試験結果報告書

採水時間 9:00

日	水質試験結果(配水池(浄水))											備考
	天候	気温 ℃	水温 ℃	濁度 度	pH	アルカリ度 mg/l	硬度 mg/l	蒸発残留物 mg/l	塩化物イオン mg/l	鉄 mg/l	マンガン mg/l	
1	曇	20.5	24.2	1.1	7.51	—	—	—	—	—	—	
2	晴	22.8	24.1	0.8	7.47	—	—	—	—	—	—	
3	晴	26.5	24.1	0.7	7.56	—	—	—	—	—	—	
4	曇	21.5	23.5	0.4	7.53	—	—	—	—	—	—	
5	曇	23.3	24.1	0.6	7.57	—	—	—	—	—	—	
6	晴	21.0	23.7	0.5	7.55	37.9	44.4	91	8.7	<0.03	<0.02	
7	晴	21.2	23.6	0.5	7.47	—	—	—	—	—	—	
8	雨	16.6	23.1	0.5	7.45	—	—	—	—	—	—	
9	雨	16.6	22.6	0.4	7.44	—	—	—	—	—	—	
10	雨	18.0	22.4	0.3	7.48	—	—	—	—	—	—	
11	晴	25.8	22.3	0.2	7.44	—	—	—	—	—	—	
12	晴	24.1	22.3	0.3	7.39	—	—	—	—	—	—	
13	晴	22.5	22.1	0.3	7.34	—	—	—	—	—	—	
14	曇	23.1	21.8	0.3	7.25	—	—	—	—	—	—	
15	曇	22.1	21.6	0.4	7.22	—	—	—	—	—	—	
16	曇	18.7	21.1	0.4	7.29	—	—	—	—	—	—	
17	雨	16.0	21.0	0.5	7.29	—	—	—	—	—	—	
18	曇	18.5	20.7	0.4	7.27	—	—	—	—	—	—	
19	曇	15.8	20.5	0.3	7.32	—	—	—	—	—	—	
20	曇	16.1	20.1	0.2	7.30	29.2	37.3	94	8.2	<0.03	<0.02	
21	晴	17.3	20.1	0.4	7.34	—	—	—	—	—	—	
22	曇	19.6	20.1	0.4	7.30	—	—	—	—	—	—	
23	雨	19.6	20.3	0.2	7.31	—	—	—	—	—	—	
24	晴	18.0	20.1	0.3	7.32	—	—	—	—	—	—	
25	晴	18.0	19.6	0.5	7.39	—	—	—	—	—	—	
26	晴	15.1	19.3	0.3	7.42	—	—	—	—	—	—	
27	晴	16.4	19.3	0.3	7.41	—	—	—	—	—	—	
28	晴	15.8	19.2	0.2	7.41	—	—	—	—	—	—	
29	晴	17.7	19.2	0.3	7.45	—	—	—	—	—	—	
30	晴	15.5	19.1	0.2	7.37	—	—	—	—	—	—	
31	晴	18.0	18.5	0.4	7.42	—	—	—	—	—	—	
平均		19.4	21.4	0.4	7.40	33.6	40.8	92	8.4	<0.03	<0.02	
最高		26.5	24.2	1.1	7.57	37.9	44.4	94	8.7	<0.03	<0.02	
最低		15.1	18.5	0.2	7.22	29.2	37.3	91	8.2	<0.03	<0.02	