

中遠工業用水道水質試験結果報告書

採水時間 9:00

日	水質試験結果(着水井(原水))											備考
	天候	気温 ℃	水温 ℃	濁度 度	pH	アルカリ度 mg/l	硬度 mg/l	蒸発残留物 mg/l	塩化物イオン mg/l	鉄 mg/l	マンガン mg/l	
1	晴	6.0	8.5	1.6	7.78	—	—	—	—	—	—	
2	晴	2.8	9.6	1.6	7.70	—	—	—	—	—	—	
3	晴	6.0	8.1	1.5	7.68	—	—	—	—	—	—	
4	晴	6.1	9.3	1.8	7.61	—	—	—	—	—	—	
5	晴	6.4	9.3	1.6	7.65	42.2	48.5	85	5.9	0.09	<0.02	
6	晴	5.5	9.3	1.6	7.67	—	—	—	—	—	—	
7	曇	4.5	9.2	1.5	7.52	—	—	—	—	—	—	
8	晴	-1.2	8.8	1.8	7.62	—	—	—	—	—	—	
9	晴	2.0	7.1	2.0	7.41	—	—	—	—	—	—	
10	晴	2.0	7.0	2.6	7.56	—	—	—	—	—	—	
11	曇	4.5	7.0	1.8	7.66	—	—	—	—	—	—	
12	雨	3.8	8.5	1.8	7.73	—	—	—	—	—	—	
13	晴	4.0	8.3	1.9	7.60	—	—	—	—	—	—	
14	晴	7.5	8.4	1.8	7.72	—	—	—	—	—	—	
15	晴	7.1	8.6	2.0	7.73	—	—	—	—	—	—	
16	晴	15.5	7.7	3.4	7.61	—	—	—	—	—	—	
17	曇	9.0	7.2	2.9	7.61	—	—	—	—	—	—	
18	晴	3.4	8.5	2.4	7.68	—	—	—	—	—	—	
19	晴	4.1	8.6	2.0	7.65	41.7	43.6	88	7.0	0.10	<0.02	
20	晴	1.9	8.1	2.7	7.67	—	—	—	—	—	—	
21	晴	3.9	8.1	2.7	7.60	—	—	—	—	—	—	
22	晴	10.0	8.3	3.0	7.64	—	—	—	—	—	—	
23	雨	9.0	7.4	3.8	7.62	—	—	—	—	—	—	
24	曇	10.5	7.5	3.0	7.61	—	—	—	—	—	—	
25	晴	8.4	8.8	2.7	7.68	—	—	—	—	—	—	
26	晴	7.5	8.8	2.6	7.69	—	—	—	—	—	—	
27	雨	12.1	9.3	2.4	7.69	—	—	—	—	—	—	
28	雨	9.8	9.3	2.3	7.63	—	—	—	—	—	—	
29	晴	2.4	9.1	2.2	7.65	—	—	—	—	—	—	
30	晴	5.0	7.1	2.7	7.62	—	—	—	—	—	—	
31	晴	3.0	7.1	2.5	7.51	—	—	—	—	—	—	
平均		5.9	8.3	2.3	7.64	42.0	46.0	86	6.4	0.10	<0.02	
最高		15.5	9.6	3.8	7.78	42.2	48.5	88	7.0	0.10	<0.02	
最低		-1.2	7.0	1.5	7.41	41.7	43.6	85	5.9	0.09	<0.02	

中遠工業用水道水質試験結果報告書

採水時間 9:00

日	水質試験結果(配水池(浄水))											備考
	天候	気温 ℃	水温 ℃	濁度 度	pH	アルカリ度 mg/l	硬度 mg/l	蒸発残留物 mg/l	塩化物イオン mg/l	鉄 mg/l	マンガン mg/l	
1	晴	6.0	11.3	0.2	7.54	—	—	—	—	—	—	
2	晴	2.8	11.0	0.1	7.46	—	—	—	—	—	—	
3	晴	6.0	10.8	0.1	7.48	—	—	—	—	—	—	
4	晴	6.1	10.7	0.1	7.31	—	—	—	—	—	—	
5	晴	6.4	10.8	0.2	7.41	38.3	47.4	92	9.5	<0.03	<0.02	
6	晴	5.5	10.6	0.1	7.42	—	—	—	—	—	—	
7	曇	4.5	10.6	0.2	7.34	—	—	—	—	—	—	
8	晴	-1.2	10.2	0.2	7.40	—	—	—	—	—	—	
9	晴	2.0	9.0	0.2	7.47	—	—	—	—	—	—	
10	晴	2.0	7.8	0.2	7.48	—	—	—	—	—	—	
11	曇	4.5	9.0	0.3	7.46	—	—	—	—	—	—	
12	雨	3.8	9.6	0.2	7.54	—	—	—	—	—	—	
13	晴	4.0	9.6	0.2	7.44	—	—	—	—	—	—	
14	晴	7.5	9.7	0.2	7.50	—	—	—	—	—	—	
15	晴	7.1	10.0	0.2	7.53	—	—	—	—	—	—	
16	晴	15.5	10.1	0.2	7.48	—	—	—	—	—	—	
17	曇	9.0	9.9	0.2	7.49	—	—	—	—	—	—	
18	晴	3.4	10.0	0.1	7.45	—	—	—	—	—	—	
19	晴	4.1	9.9	0.2	7.39	38.2	43.8	85	9.6	<0.03	<0.02	
20	晴	1.9	9.5	0.2	7.41	—	—	—	—	—	—	
21	晴	3.9	9.5	0.2	7.42	—	—	—	—	—	—	
22	晴	10.0	9.7	0.2	7.40	—	—	—	—	—	—	
23	雨	9.0	9.9	0.2	7.38	—	—	—	—	—	—	
24	曇	10.5	10.5	0.3	7.34	—	—	—	—	—	—	
25	晴	8.4	10.0	0.1	7.43	—	—	—	—	—	—	
26	晴	7.5	10.0	0.3	7.42	—	—	—	—	—	—	
27	雨	12.1	10.5	0.1	7.49	—	—	—	—	—	—	
28	雨	9.8	10.5	0.2	7.44	—	—	—	—	—	—	
29	晴	2.4	10.3	0.2	7.36	—	—	—	—	—	—	
30	晴	5.0	10.0	0.2	7.44	—	—	—	—	—	—	
31	晴	3.0	9.6	0.2	7.48	—	—	—	—	—	—	
平均		5.9	10.0	0.2	7.44	38.2	45.6	88	9.6	<0.03	<0.02	
最高		15.5	11.3	0.3	7.54	38.3	47.4	92	9.6	<0.03	<0.02	
最低		-1.2	7.8	0.1	7.31	38.2	43.8	85	9.5	<0.03	<0.02	