

令和3年4月分

中遠工業用水道水質試験結果報告書

採水時間 9:00

日	水質試験結果(着水井(原水))											備考
	天候	気温 ℃	水温 ℃	濁度 度	pH	アルカリ度 mg/l	硬度 mg/l	蒸発残留物 mg/l	塩化物イオン mg/l	鉄 mg/l	マンガン mg/l	
1	晴	17.8	13.5	14.6	7.53	—	—	—	—	—	—	
2	晴	16.8	13.7	11.8	7.52	—	—	—	—	—	—	
3	晴	18.0	13.0	11.1	7.50	—	—	—	—	—	—	
4	曇	18.5	13.1	8.8	7.49	—	—	—	—	—	—	
5	晴	19.3	13.9	9.1	7.59	—	—	—	—	—	—	
6	晴	11.6	13.9	8.3	7.60	—	—	—	—	—	—	
7	晴	13.5	14.1	6.9	7.63	—	—	—	—	—	—	
8	晴	15.0	14.1	7.9	7.61	31.8	34.1	69	3.6	0.26	<0.02	
9	晴	14.0	14.0	7.0	7.58	—	—	—	—	—	—	
10	晴	14.5	13.0	5.7	7.43	—	—	—	—	—	—	
11	晴	16.0	13.0	6.2	7.51	—	—	—	—	—	—	
12	晴	15.4	14.2	6.6	7.64	—	—	—	—	—	—	
13	雨	14.8	14.3	4.6	7.69	—	—	—	—	—	—	
14	雨	18.1	14.7	5.0	7.65	—	—	—	—	—	—	
15	曇	12.0	14.5	4.4	7.64	—	—	—	—	—	—	
16	曇	15.5	14.4	4.6	7.63	—	—	—	—	—	—	
17	雨	14.0	13.4	3.2	7.44	—	—	—	—	—	—	
18	晴	13.0	13.3	3.5	7.64	—	—	—	—	—	—	
19	晴	13.2	14.1	11.1	7.62	—	—	—	—	—	—	
20	晴	16.0	14.4	5.4	7.57	30.8	35.0	71	3.2	0.27	0.02	
21	晴	18.5	14.6	3.6	7.60	—	—	—	—	—	—	
22	晴	17.8	15.0	7.4	7.61	—	—	—	—	—	—	
23	晴	15.0	15.1	7.1	7.60	—	—	—	—	—	—	
24	曇	18.5	14.3	5.8	7.51	—	—	—	—	—	—	
25	晴	19.8	14.3	4.6	7.52	—	—	—	—	—	—	
26	晴	14.9	15.4	5.3	7.65	—	—	—	—	—	—	
27	晴	15.9	15.4	6.9	7.63	—	—	—	—	—	—	
28	曇	18.5	15.3	5.3	7.64	—	—	—	—	—	—	
29	雨	16.3	16.1	4.5	7.49	—	—	—	—	—	—	
30	晴	14.8	15.3	28.4	7.61	—	—	—	—	—	—	
平均		15.9	14.2	7.5	7.58	31.3	34.6	70	3.4	0.26	<0.02	
最高		19.8	16.1	28.4	7.69	31.8	35.0	71	3.6	0.27	0.02	
最低		11.6	13.0	3.2	7.43	30.8	34.1	69	3.2	0.26	<0.02	

令和3年4月分

中遠工業用水道水質試験結果報告書

採水時間 9:00

日	水質試験結果(配水池(浄水))											備考
	天候	気温 ℃	水温 ℃	濁度 度	pH	アルカリ度 mg/l	硬度 mg/l	蒸発残留物 mg/l	塩化物イオン mg/l	鉄 mg/l	マンガン mg/l	
1	晴	17.8	14.5	0.7	7.11	—	—	—	—	—	—	
2	晴	16.8	14.5	0.5	7.14	—	—	—	—	—	—	
3	晴	18.0	14.7	0.5	7.18	—	—	—	—	—	—	
4	曇	18.5	14.9	0.6	7.21	—	—	—	—	—	—	
5	晴	19.3	14.7	0.5	7.21	—	—	—	—	—	—	
6	晴	11.6	14.8	0.6	7.23	—	—	—	—	—	—	
7	晴	13.5	14.7	0.5	7.35	—	—	—	—	—	—	
8	晴	15.0	14.9	0.6	7.27	27.0	34.0	61	8.1	<0.03	<0.02	
9	晴	14.0	14.9	0.6	7.29	—	—	—	—	—	—	
10	晴	16.0	14.6	0.8	7.27	—	—	—	—	—	—	
11	晴	16.0	14.8	0.5	7.31	—	—	—	—	—	—	
12	晴	15.4	15.0	0.6	7.30	—	—	—	—	—	—	
13	雨	14.8	15.1	0.7	7.36	—	—	—	—	—	—	
14	雨	18.1	15.4	0.4	7.32	—	—	—	—	—	—	
15	曇	12.0	15.2	0.6	7.38	—	—	—	—	—	—	
16	曇	15.5	15.1	0.7	7.28	—	—	—	—	—	—	
17	雨	14.0	15.2	0.8	7.31	—	—	—	—	—	—	
18	晴	13.0	15.0	0.5	7.32	—	—	—	—	—	—	
19	晴	13.2	14.8	0.5	7.36	—	—	—	—	—	—	
20	晴	16.0	15.1	0.7	7.26	27.1	34.9	68	7.9	0.03	<0.02	
21	晴	18.5	15.4	0.9	7.26	—	—	—	—	—	—	
22	晴	17.8	15.6	0.8	7.22	—	—	—	—	—	—	
23	晴	15.0	15.6	0.4	7.20	—	—	—	—	—	—	
24	曇	18.5	15.8	0.5	7.22	—	—	—	—	—	—	
25	晴	19.8	15.9	0.3	7.26	—	—	—	—	—	—	
26	晴	14.9	16.0	0.2	7.36	—	—	—	—	—	—	
27	晴	15.9	16.0	0.6	7.25	—	—	—	—	—	—	
28	曇	18.5	16.0	0.7	7.33	—	—	—	—	—	—	
29	雨	16.3	16.0	0.6	7.28	—	—	—	—	—	—	
30	晴	14.8	15.9	0.6	7.30	—	—	—	—	—	—	
平均		16.0	15.2	0.6	7.27	27.0	34.4	64	8.0	<0.03	<0.02	
最高		19.8	16.0	0.9	7.38	27.1	34.9	68	8.1	0.03	<0.02	
最低		11.6	14.5	0.2	7.11	27.0	34.0	61	7.9	<0.03	<0.02	