

令和3年12月分

中遠工業用水道水質試験結果報告書

採水時間 9:00

日	水質試験結果(着水井(原水))											備考
	天候	気温 ℃	水温 ℃	濁度 度	pH	アルカリ度 mg/l	硬度 mg/l	蒸発残留物 mg/l	塩化物イオン mg/l	鉄 mg/l	マンガン mg/l	
1	晴	14.7	13.3	4.6	7.74	42.0	49.0	74	5.1	0.34	0.02	
2	晴	6.5	12.4	5.0	7.72	—	—	—	—	—	—	
3	晴	7.3	12.2	6.8	7.71	—	—	—	—	—	—	
4	晴	12.5	11.6	6.3	7.50	—	—	—	—	—	—	
5	晴	8.0	11.1	7.7	7.48	—	—	—	—	—	—	
6	雨	13.2	11.7	6.2	7.72	—	—	—	—	—	—	
7	雨	11.6	11.8	6.9	7.70	—	—	—	—	—	—	
8	雨	11.0	11.8	8.0	7.72	—	—	—	—	—	—	
9	晴	9.7	11.6	7.6	7.70	—	—	—	—	—	—	
10	晴	9.6	11.3	6.1	7.71	—	—	—	—	—	—	
11	晴	8.5	12.4	6.1	7.58	—	—	—	—	—	—	
12	晴	15.0	12.8	5.4	7.55	—	—	—	—	—	—	
13	晴	9.8	11.3	4.9	7.71	—	—	—	—	—	—	
14	曇	8.5	10.8	5.2	7.70	39.5	44.3	80	4.9	0.33	<0.02	
15	晴	8.1	10.7	4.7	7.68	—	—	—	—	—	—	
16	晴	7.5	10.6	6.1	7.69	—	—	—	—	—	—	
17	雨	11.6	11.0	5.6	7.70	—	—	—	—	—	—	
18	晴	4.0	9.0	5.6	7.39	—	—	—	—	—	—	
19	晴	6.0	9.3	4.7	7.58	—	—	—	—	—	—	
20	晴	5.8	10.0	6.6	7.71	—	—	—	—	—	—	
21	晴	8.1	10.0	5.6	7.75	—	—	—	—	—	—	
22	晴	9.0	9.9	5.7	7.71	—	—	—	—	—	—	
23	晴	6.1	9.7	5.9	7.71	—	—	—	—	—	—	
24	晴	7.7	9.6	6.2	7.69	—	—	—	—	—	—	
25	晴	12.0	9.2	6.3	7.58	—	—	—	—	—	—	
26	曇	4.0	8.6	5.7	7.52	—	—	—	—	—	—	
27	晴	-0.2	9.0	4.9	7.67	—	—	—	—	—	—	
28	晴	4.8	8.8	5.0	7.65	—	—	—	—	—	—	
29	晴	6.8	7.8	4.1	7.57	—	—	—	—	—	—	
30	晴	7.6	8.8	4.0	7.67	—	—	—	—	—	—	
31	晴	4.5	7.8	4.0	7.57	—	—	—	—	—	—	
平均		8.4	10.5	5.7	7.65	40.8	46.6	77	5.0	0.34	<0.02	
最高		15.0	13.3	8.0	7.75	42.0	49.0	80	5.1	0.34	0.02	
最低		-0.2	7.8	4.0	7.39	39.5	44.3	74	4.9	0.33	<0.02	

令和3年12月分

中遠工業用水道水質試験結果報告書

採水時間 9:00

日	水質試験結果(配水池(浄水))											備考
	天候	気温 ℃	水温 ℃	濁度 度	pH	アルカリ度 mg/l	硬度 mg/l	蒸発残留物 mg/l	塩化物イオン mg/l	鉄 mg/l	マンガン mg/l	
1	晴	14.7	15.0	0.2	7.45	39.0	48.1	66	10.0	<0.03	<0.02	
2	晴	6.5	14.5	0.3	7.46	—	—	—	—	—	—	
3	晴	7.3	14.2	0.3	7.42	—	—	—	—	—	—	
4	晴	12.5	14.2	0.4	7.44	—	—	—	—	—	—	
5	晴	8.0	13.8	0.4	7.37	—	—	—	—	—	—	
6	雨	13.2	13.7	0.2	7.35	—	—	—	—	—	—	
7	雨	11.6	13.8	0.2	7.36	—	—	—	—	—	—	
8	雨	11.0	13.8	0.3	7.38	—	—	—	—	—	—	
9	晴	9.7	13.6	0.3	7.40	—	—	—	—	—	—	
10	晴	9.6	13.7	0.4	7.36	—	—	—	—	—	—	
11	晴	8.5	13.5	0.2	7.35	—	—	—	—	—	—	
12	晴	15.0	13.5	0.2	7.38	—	—	—	—	—	—	
13	晴	9.8	13.5	0.2	7.36	—	—	—	—	—	—	
14	曇	8.5	13.2	0.4	7.41	34.8	44.4	75	9.6	0.03	<0.02	
15	晴	8.1	13.0	0.2	7.38	—	—	—	—	—	—	
16	晴	7.5	12.8	0.3	7.44	—	—	—	—	—	—	
17	雨	11.6	13.0	0.3	7.37	—	—	—	—	—	—	
18	晴	4.0	12.6	0.2	7.24	—	—	—	—	—	—	
19	晴	6.0	12.3	0.4	7.46	—	—	—	—	—	—	
20	晴	5.8	12.1	0.3	7.46	—	—	—	—	—	—	
21	晴	8.1	12.1	0.3	7.42	—	—	—	—	—	—	
22	晴	9.0	12.0	0.3	7.46	—	—	—	—	—	—	
23	晴	6.1	11.9	0.3	7.37	—	—	—	—	—	—	
24	晴	7.7	11.8	0.3	7.40	—	—	—	—	—	—	
25	晴	12.0	11.9	0.5	7.39	—	—	—	—	—	—	
26	曇	4.0	11.5	0.5	7.41	—	—	—	—	—	—	
27	晴	-0.2	11.0	0.4	7.38	—	—	—	—	—	—	
28	晴	4.8	10.8	0.4	7.37	—	—	—	—	—	—	
29	晴	6.8	10.5	0.7	7.36	—	—	—	—	—	—	
30	晴	7.6	10.8	0.3	7.36	—	—	—	—	—	—	
31	晴	4.5	10.6	0.5	7.37	—	—	—	—	—	—	
平均		8.4	12.7	0.3	7.39	36.9	46.2	70	9.8	<0.03	<0.02	
最高		15.0	15.0	0.7	7.46	39.0	48.1	75	10.0	0.03	<0.02	
最低		-0.2	10.5	0.2	7.24	34.8	44.4	66	9.6	<0.03	<0.02	