

令和4年7月分

中遠工業用水道水質試験結果報告書

採水時間 9:00

日	水質試験結果(着水井(原水))											備考
	天候	気温 ℃	水温 ℃	濁度 度	pH	アルカリ度 mg/l	硬度 mg/l	蒸発残留物 mg/l	塩化物イオン mg/l	鉄 mg/l	マンガン mg/l	
1	晴	29.7	23.5	3.3	7.71	—	—	—	—	—	—	
2	晴	30.0	23.6	2.4	7.79	—	—	—	—	—	—	
3	曇	28.0	23.7	2.4	7.72	—	—	—	—	—	—	
4	雨	26.1	23.7	3.2	7.59	—	—	—	—	—	—	
5	雨	23.9	23.4	3.5	7.58	40.1	44.4	68	5.5	0.31	0.03	
6	晴	27.7	23.1	10.7	7.59	—	—	—	—	—	—	
7	曇	26.5	23.3	7.7	7.58	—	—	—	—	—	—	
8	曇	23.6	23.3	6.4	7.54	—	—	—	—	—	—	
9	晴	27.5	22.8	5.1	7.63	—	—	—	—	—	—	
10	曇	23.0	22.7	8.2	7.60	—	—	—	—	—	—	
11	晴	27.4	23.0	8.5	7.55	—	—	—	—	—	—	
12	雨	26.0	23.1	8.1	7.56	—	—	—	—	—	—	
13	晴	27.0	23.0	7.4	7.58	—	—	—	—	—	—	
14	曇	25.6	23.3	7.4	7.53	—	—	—	—	—	—	
15	雨	23.9	23.5	9.0	7.58	—	—	—	—	—	—	
16	曇	24.0	22.5	21.9	7.62	—	—	—	—	—	—	
17	晴	27.5	21.8	68.1	7.61	—	—	—	—	—	—	
18	晴	26.3	22.5	37.4	7.59	—	—	—	—	—	—	
19	雨	26.3	23.0	18.2	7.61	34.8	33.0	84	3.4	0.89	0.05	
20	晴	27.2	22.7	45.5	7.58	—	—	—	—	—	—	
21	晴	29.5	23.2	16.0	7.57	—	—	—	—	—	—	
22	晴	26.8	23.4	11.7	7.61	—	—	—	—	—	—	
23	晴	28.8	23.0	10.4	7.57	—	—	—	—	—	—	
24	晴	30.0	23.3	8.9	7.60	—	—	—	—	—	—	
25	晴	28.0	23.8	8.2	7.58	—	—	—	—	—	—	
26	雨	25.8	24.3	7.8	7.62	—	—	—	—	—	—	
27	晴	28.6	23.4	20.0	7.48	—	—	—	—	—	—	
28	晴	29.1	23.6	12.8	7.56	—	—	—	—	—	—	
29	晴	28.5	23.8	9.3	7.58	—	—	—	—	—	—	
30	晴	33.0	23.6	7.1	7.63	—	—	—	—	—	—	
31	晴	32.0	24.0	6.0	7.56	—	—	—	—	—	—	
平均		27.3	23.3	13.0	7.60	37.4	38.7	76	4.4	0.60	0.04	
最高		33.0	24.3	68.1	7.79	40.1	44.4	84	5.5	0.89	0.05	
最低		23.0	21.8	2.4	7.48	34.8	33.0	68	3.4	0.31	0.03	

令和4年7月分

中遠工業用水道水質試験結果報告書

採水時間 9:00

日	水質試験結果(配水池(浄水))											備考
	天候	気温 ℃	水温 ℃	濁度 度	pH	アルカリ度 mg/l	硬度 mg/l	蒸発残留物 mg/l	塩化物イオン mg/l	鉄 mg/l	マンガン mg/l	
1	晴	29.7	24.0	0.7	7.50	—	—	—	—	—	—	
2	晴	30.0	24.3	0.7	7.51	—	—	—	—	—	—	
3	曇	28.0	24.5	0.6	7.54	—	—	—	—	—	—	
4	雨	26.1	24.4	0.6	7.48	—	—	—	—	—	—	
5	雨	23.9	24.1	0.7	7.44	38.3	45.6	68	7.6	0.03	<0.02	
6	晴	27.7	24.0	0.6	7.45	—	—	—	—	—	—	
7	曇	26.5	24.0	0.8	7.40	—	—	—	—	—	—	
8	曇	23.6	23.9	0.6	7.38	—	—	—	—	—	—	
9	晴	27.5	23.8	0.4	7.40	—	—	—	—	—	—	
10	曇	23.0	24.4	0.5	7.40	—	—	—	—	—	—	
11	晴	27.4	23.9	0.6	7.41	—	—	—	—	—	—	
12	雨	26.0	24.0	0.7	7.38	—	—	—	—	—	—	
13	晴	27.0	23.8	0.7	7.37	—	—	—	—	—	—	
14	曇	25.6	24.0	0.6	7.35	—	—	—	—	—	—	
15	雨	23.9	24.1	0.5	7.37	—	—	—	—	—	—	
16	曇	24.0	24.0	0.5	7.37	—	—	—	—	—	—	
17	晴	27.5	23.7	0.4	7.39	—	—	—	—	—	—	
18	晴	26.3	23.7	0.6	7.35	—	—	—	—	—	—	
19	雨	26.3	23.8	0.7	7.36	27.1	34.0	66	6.5	0.05	<0.02	
20	晴	27.2	23.8	0.6	7.32	—	—	—	—	—	—	
21	晴	29.5	23.9	0.6	7.29	—	—	—	—	—	—	
22	晴	26.8	24.1	0.6	7.33	—	—	—	—	—	—	
23	晴	28.8	24.2	0.4	7.33	—	—	—	—	—	—	
24	晴	30.0	24.5	0.7	7.39	—	—	—	—	—	—	
25	晴	28.0	24.6	0.6	7.31	—	—	—	—	—	—	
26	雨	25.8	25.0	0.8	7.39	—	—	—	—	—	—	
27	晴	28.6	24.8	0.7	7.30	—	—	—	—	—	—	
28	晴	29.1	24.7	1.0	7.29	—	—	—	—	—	—	
29	晴	28.5	24.6	0.7	7.31	—	—	—	—	—	—	
30	晴	33.0	24.8	0.7	7.33	—	—	—	—	—	—	
31	晴	32.0	25.1	0.5	7.33	—	—	—	—	—	—	
平均		27.3	24.2	0.6	7.38	32.7	39.8	67	7.0	0.04	<0.02	
最高		33.0	25.1	1.0	7.54	38.3	45.6	68	7.6	0.05	<0.02	
最低		23.0	23.7	0.4	7.29	27.1	34.0	66	6.5	0.03	<0.02	