

令和4年9月分

中遠工業用水道水質試験結果報告書

採水時間 9:00

| 日 | 水質試験結果(着水井(原水)) | | | | | | | | | | | 備考 |
|----|-----------------|---------|---------|---------|------|---------------|------------|---------------|----------------|-----------|--------------|----|
| | 天候 | 気温 ℃ | 水温 ℃ | 濁度 度 | pH | アルカリ度 mg/l | 硬度 mg/l | 蒸発残留物 mg/l | 塩化物イオン mg/l | 鉄 mg/l | マンガン mg/l | |
| 1 | 曇 | 27.8 | 24.8 | 3.8 | 7.67 | — | — | — | — | — | — | |
| 2 | 雨 | 27.2 | 24.3 | 51.9 | 7.54 | — | — | — | — | — | — | |
| 3 | 晴 | 28.5 | 23.0 | 40.0 | 7.71 | — | — | — | — | — | — | |
| 4 | 晴 | 31.0 | 23.3 | 15.7 | 7.69 | — | — | — | — | — | — | |
| 5 | 曇 | 28.5 | 24.2 | 9.0 | 7.66 | — | — | — | — | — | — | |
| 6 | 雨 | 26.1 | 24.3 | 6.4 | 7.65 | 36.8 | 38.7 | 72 | 3.6 | 0.38 | 0.02 | |
| 7 | 雨 | 27.8 | 24.5 | 6.3 | 7.62 | — | — | — | — | — | — | |
| 8 | 雨 | 27.0 | 24.1 | 5.7 | 7.61 | — | — | — | — | — | — | |
| 9 | 曇 | 29.2 | 24.1 | 6.7 | 7.62 | — | — | — | — | — | — | |
| 10 | 晴 | 29.0 | 23.3 | 6.6 | 7.65 | — | — | — | — | — | — | |
| 11 | 晴 | 30.0 | 24.6 | 10.6 | 7.50 | — | — | — | — | — | — | |
| 12 | 晴 | 26.3 | 24.2 | 7.0 | 7.64 | — | — | — | — | — | — | |
| 13 | 晴 | 27.5 | 24.5 | 5.0 | 7.56 | — | — | — | — | — | — | |
| 14 | 晴 | 27.4 | 24.4 | 6.9 | 7.57 | — | — | — | — | — | — | |
| 15 | 曇 | 24.9 | 24.3 | 5.8 | 7.54 | — | — | — | — | — | — | |
| 16 | 晴 | 26.0 | 24.2 | 4.6 | 7.63 | — | — | — | — | — | — | |
| 17 | 曇 | 28.0 | 23.5 | 6.0 | 7.50 | — | — | — | — | — | — | |
| 18 | 曇 | 29.5 | 23.6 | 5.7 | 7.69 | — | — | — | — | — | — | |
| 19 | 曇 | 27.7 | 24.4 | 4.0 | 7.70 | — | — | — | — | — | — | |
| 20 | 雨 | 25.1 | 24.3 | 14.0 | 7.59 | 33.8 | 34.8 | 79 | 2.8 | 0.69 | 0.03 | |
| 21 | 雨 | 21.1 | 23.4 | 62.8 | 7.54 | — | — | — | — | — | — | |
| 22 | 曇 | 25.1 | 23.0 | 23.1 | 7.63 | — | — | — | — | — | — | |
| 23 | 雨 | 21.5 | 23.1 | 15.0 | 7.59 | — | — | — | — | — | — | |
| 24 | 晴 | 27.0 | 22.8 | 405.2 | 7.18 | — | — | — | — | — | — | |
| 25 | 晴 | 29.0 | 21.8 | 155.0 | 7.55 | — | — | — | — | — | — | |
| 26 | 晴 | 24.1 | 22.7 | 40.6 | 7.60 | — | — | — | — | — | — | |
| 27 | 晴 | 24.6 | 22.7 | 41.1 | 7.65 | — | — | — | — | — | — | |
| 28 | 晴 | 24.2 | 22.6 | 35.6 | 7.61 | — | — | — | — | — | — | |
| 29 | 曇 | 23.2 | 22.6 | 20.9 | 7.57 | — | — | — | — | — | — | |
| 30 | 晴 | 21.9 | 22.3 | 22.8 | 7.61 | — | — | — | — | — | — | |
| 平均 | | 26.5 | 23.6 | 34.8 | 7.60 | 35.3 | 36.8 | 76 | 3.2 | 0.54 | 0.02 | |
| 最高 | | 31.0 | 24.8 | 405.2 | 7.71 | 36.8 | 38.7 | 79 | 3.6 | 0.69 | 0.03 | |
| 最低 | | 21.1 | 21.8 | 3.8 | 7.18 | 33.8 | 34.8 | 72 | 2.8 | 0.38 | 0.02 | |

令和4年9月分

中遠工業用水道水質試験結果報告書

採水時間 9:00

| 日 | 水質試験結果(配水池(浄水)) | | | | | | | | | | | 備考 |
|----|-----------------|---------|---------|---------|------|---------------|------------|---------------|----------------|-----------|--------------|----|
| | 天候 | 気温 ℃ | 水温 ℃ | 濁度 度 | pH | アルカリ度 mg/l | 硬度 mg/l | 蒸発残留物 mg/l | 塩化物イオン mg/l | 鉄 mg/l | マンガン mg/l | |
| 1 | 曇 | 27.8 | 25.7 | 0.6 | 7.44 | — | — | — | — | — | — | |
| 2 | 雨 | 27.2 | 25.6 | 0.5 | 7.42 | — | — | — | — | — | — | |
| 3 | 晴 | 28.5 | 25.8 | 0.8 | 7.37 | — | — | — | — | — | — | |
| 4 | 晴 | 31.0 | 25.0 | 0.7 | 7.31 | — | — | — | — | — | — | |
| 5 | 曇 | 28.5 | 25.1 | 0.7 | 7.36 | — | — | — | — | — | — | |
| 6 | 雨 | 26.1 | 25.3 | 0.7 | 7.30 | 31.8 | 36.1 | 57 | 6.7 | 0.03 | <0.02 | |
| 7 | 雨 | 27.8 | 25.4 | 0.6 | 7.38 | — | — | — | — | — | — | |
| 8 | 雨 | 27.0 | 25.1 | 0.8 | 7.37 | — | — | — | — | — | — | |
| 9 | 曇 | 29.2 | 25.0 | 0.6 | 7.38 | — | — | — | — | — | — | |
| 10 | 晴 | 29.0 | 25.0 | 0.6 | 7.37 | — | — | — | — | — | — | |
| 11 | 晴 | 30.0 | 25.0 | 0.5 | 7.38 | — | — | — | — | — | — | |
| 12 | 晴 | 26.3 | 25.2 | 0.3 | 7.39 | — | — | — | — | — | — | |
| 13 | 晴 | 27.5 | 25.2 | 0.6 | 7.39 | — | — | — | — | — | — | |
| 14 | 晴 | 27.4 | 25.3 | 0.6 | 7.35 | — | — | — | — | — | — | |
| 15 | 曇 | 24.9 | 25.2 | 0.4 | 7.37 | — | — | — | — | — | — | |
| 16 | 晴 | 26.0 | 25.0 | 0.7 | 7.40 | — | — | — | — | — | — | |
| 17 | 曇 | 28.0 | 25.0 | 0.6 | 7.37 | — | — | — | — | — | — | |
| 18 | 曇 | 29.5 | 25.1 | 0.5 | 7.43 | — | — | — | — | — | — | |
| 19 | 曇 | 27.7 | 25.3 | 0.3 | 7.52 | — | — | — | — | — | — | |
| 20 | 雨 | 25.1 | 25.2 | 0.5 | 7.43 | 30.1 | 35.4 | 55 | 5.4 | <0.03 | <0.02 | |
| 21 | 雨 | 21.1 | 24.7 | 0.7 | 7.31 | — | — | — | — | — | — | |
| 22 | 曇 | 25.1 | 24.1 | 0.6 | 7.24 | — | — | — | — | — | — | |
| 23 | 雨 | 21.5 | 24.0 | 0.6 | 7.33 | — | — | — | — | — | — | |
| 24 | 晴 | 27.0 | 24.0 | 0.6 | 7.42 | — | — | — | — | — | — | |
| 25 | 晴 | 29.0 | 24.2 | 1.0 | 7.11 | — | — | — | — | — | — | |
| 26 | 晴 | 24.1 | 24.0 | 0.6 | 7.00 | — | — | — | — | — | — | |
| 27 | 晴 | 24.6 | 23.9 | 0.4 | 7.15 | — | — | — | — | — | — | |
| 28 | 晴 | 24.2 | 23.7 | 0.6 | 7.16 | — | — | — | — | — | — | |
| 29 | 曇 | 23.2 | 23.5 | 0.5 | 7.18 | — | — | — | — | — | — | |
| 30 | 晴 | 21.9 | 23.3 | 0.6 | 7.25 | — | — | — | — | — | — | |
| 平均 | | 26.5 | 24.8 | 0.6 | 7.33 | 31.0 | 35.8 | 56 | 6.0 | <0.03 | <0.02 | |
| 最高 | | 31.0 | 25.8 | 1.0 | 7.52 | 31.8 | 36.1 | 57 | 6.7 | 0.03 | <0.02 | |
| 最低 | | 21.1 | 23.3 | 0.3 | 7.00 | 30.1 | 35.4 | 55 | 5.4 | <0.03 | <0.02 | |