

令和5年1月分

中遠工業用水道水質試験結果報告書

採水時間 9:00

日	水質試験結果(着水井(原水))											備考
	天候	気温 ℃	水温 ℃	濁度 度	pH	アルカリ度 mg/l	硬度 mg/l	蒸発残留物 mg/l	塩化物イオン mg/l	鉄 mg/l	マンガン mg/l	
1	晴	8.0	8.6	3.3	7.76	—	—	—	—	—	—	
2	晴	5.6	9.7	3.6	7.69	—	—	—	—	—	—	
3	晴	2.5	9.5	2.1	7.66	—	—	—	—	—	—	
4	晴	4.7	9.6	1.6	7.68	—	—	—	—	—	—	
5	晴	3.3	9.4	1.7	7.71	—	—	—	—	—	—	
6	晴	3.2	9.4	1.4	7.72	—	—	—	—	—	—	
7	晴	6.5	9.2	3.7	7.38	—	—	—	—	—	—	
8	晴	8.5	8.0	2.6	7.54	—	—	—	—	—	—	
9	晴	7.2	9.2	1.7	7.67	—	—	—	—	—	—	
10	晴	5.0	9.2	1.9	7.67	—	—	—	—	—	—	
11	晴	2.7	9.1	1.6	7.63	39.8	44.2	76	6.1	0.07	<0.02	
12	晴	3.6	9.1	1.5	7.67	—	—	—	—	—	—	
13	晴	6.3	9.1	1.7	7.65	—	—	—	—	—	—	
14	雨	12.0	8.3	10.5	7.58	—	—	—	—	—	—	
15	曇	11.5	8.3	2.6	7.86	—	—	—	—	—	—	
16	雨	11.3	9.9	1.5	7.56	—	—	—	—	—	—	
17	晴	5.3	9.5	2.3	7.54	—	—	—	—	—	—	
18	曇	9.1	9.5	1.5	7.56	—	—	—	—	—	—	
19	晴	6.9	9.4	1.5	7.53	—	—	—	—	—	—	
20	晴	5.9	9.4	2.9	7.53	—	—	—	—	—	—	
21	晴	6.0	7.8	3.5	7.63	—	—	—	—	—	—	
22	曇	5.0	7.8	3.1	7.62	—	—	—	—	—	—	
23	雨	5.9	9.0	2.6	7.60	—	—	—	—	—	—	
24	曇	7.5	9.2	1.6	7.59	40.4	42.1	93	6.5	0.09	0.02	
25	晴	-2.7	8.7	1.5	7.62	—	—	—	—	—	—	
26	晴	0.1	9.2	1.7	7.64	—	—	—	—	—	—	
27	曇	3.6	8.7	2.5	7.67	—	—	—	—	—	—	
28	晴	4.0	6.7	7.1	7.63	—	—	—	—	—	—	
29	晴	4.5	6.5	6.3	7.62	—	—	—	—	—	—	
30	晴	1.1	8.6	1.1	7.59	—	—	—	—	—	—	
31	晴	1.0	9.0	1.9	7.55	—	—	—	—	—	—	
平均		5.3	8.9	2.7	7.62	40.1	43.2	84	6.3	0.08	<0.02	
最高		12.0	9.9	10.5	7.86	40.4	44.2	93	6.5	0.09	0.02	
最低		-2.7	6.5	1.1	7.38	39.8	42.1	76	6.1	0.07	<0.02	

令和5年1月分

中遠工業用水道水質試験結果報告書

採水時間 9:00

日	水質試験結果(配水池(浄水))											備考
	天候	気温 ℃	水温 ℃	濁度 度	pH	アルカリ度 mg/l	硬度 mg/l	蒸発残留物 mg/l	塩化物イオン mg/l	鉄 mg/l	マンガン mg/l	
1	晴	8.0	10.8	0.3	7.55	—	—	—	—	—	—	
2	晴	5.6	10.9	0.1	7.53	—	—	—	—	—	—	
3	晴	2.5	10.7	0.2	7.54	—	—	—	—	—	—	
4	晴	4.7	10.7	0.1	7.54	—	—	—	—	—	—	
5	晴	3.3	10.4	0.2	7.55	—	—	—	—	—	—	
6	晴	3.2	10.2	0.0	7.47	—	—	—	—	—	—	
7	晴	6.5	10.2	0.2	7.51	—	—	—	—	—	—	
8	晴	8.5	10.2	0.2	7.51	—	—	—	—	—	—	
9	晴	7.2	10.3	0.2	7.51	—	—	—	—	—	—	
10	晴	5.0	10.4	0.1	7.50	—	—	—	—	—	—	
11	晴	2.7	10.0	0.1	7.52	37.1	44.4	78	8.9	<0.03	<0.02	
12	晴	3.6	9.9	0.2	7.46	—	—	—	—	—	—	
13	晴	6.3	10.0	0.2	7.50	—	—	—	—	—	—	
14	雨	12.0	10.3	0.1	7.46	—	—	—	—	—	—	
15	曇	11.5	10.6	0.2	7.43	—	—	—	—	—	—	
16	雨	11.3	10.6	<0.1	7.36	—	—	—	—	—	—	
17	晴	5.3	10.5	<0.1	7.36	—	—	—	—	—	—	
18	曇	9.1	10.5	0.2	7.40	—	—	—	—	—	—	
19	晴	6.9	10.3	0.2	7.39	—	—	—	—	—	—	
20	晴	5.9	10.3	0.2	7.38	—	—	—	—	—	—	
21	晴	6.0	10.1	0.4	7.39	—	—	—	—	—	—	
22	曇	5.0	9.8	0.2	7.38	—	—	—	—	—	—	
23	雨	5.9	10.0	<0.1	7.48	—	—	—	—	—	—	
24	曇	7.5	10.0	0.1	7.48	37.9	42.9	84	8.1	<0.03	<0.02	
25	晴	-2.7	9.4	0.3	7.57	—	—	—	—	—	—	
26	晴	0.1	9.0	0.2	7.51	—	—	—	—	—	—	
27	曇	3.6	9.0	0.2	7.50	—	—	—	—	—	—	
28	晴	4.0	8.9	0.1	7.45	—	—	—	—	—	—	
29	晴	4.5	8.7	0.2	7.42	—	—	—	—	—	—	
30	晴	1.1	8.9	<0.1	7.41	—	—	—	—	—	—	
31	晴	1.0	8.7	0.2	7.47	—	—	—	—	—	—	
平均		5.3	10.0	0.2	7.47	37.5	43.6	81	8.5	<0.03	<0.02	
最高		12.0	10.9	0.4	7.57	37.9	44.4	84	8.9	<0.03	<0.02	
最低		-2.7	8.7	<0.1	7.36	37.1	42.9	78	8.1	<0.03	<0.02	