

令和5年4月分

中遠工業用水道水質試験結果報告書

採水時間 9:00

日	水質試験結果(着水井(原水))											備考
	天候	気温 ℃	水温 ℃	濁度 度	pH	アルカリ度 mg/l	硬度 mg/l	蒸発残留物 mg/l	塩化物イオン mg/l	鉄 mg/l	マンガン mg/l	
1	晴	19.5	12.2	4.8	7.52	—	—	—	—	—	—	
2	晴	18.0	12.5	4.1	7.50	—	—	—	—	—	—	
3	晴	14.3	13.6	3.7	7.55	—	—	—	—	—	—	
4	晴	13.8	13.9	3.4	7.55	33.8	37.9	69	4.9	0.22	0.02	
5	晴	16.9	14.0	3.3	7.58	—	—	—	—	—	—	
6	雨	15.6	14.1	3.0	7.55	—	—	—	—	—	—	
7	雨	18.9	14.2	3.2	7.54	—	—	—	—	—	—	
8	晴	17.0	13.4	39.8	7.54	—	—	—	—	—	—	
9	晴	14.5	13.0	35.0	7.43	—	—	—	—	—	—	
10	晴	12.8	13.9	9.8	7.58	—	—	—	—	—	—	
11	晴	17.1	14.2	6.6	7.62	—	—	—	—	—	—	
12	曇	18.6	14.5	5.8	7.61	—	—	—	—	—	—	
13	晴	12.8	14.5	4.3	7.62	—	—	—	—	—	—	
14	晴	14.2	14.6	3.6	7.58	—	—	—	—	—	—	
15	雨	12.5	13.9	2.8	7.62	—	—	—	—	—	—	
16	晴	18.5	14.0	3.4	7.66	—	—	—	—	—	—	
17	晴	14.3	14.7	4.2	7.58	31.2	34.9	72	4.5	0.25	0.02	
18	晴	14.5	14.8	3.6	7.56	—	—	—	—	—	—	
19	晴	19.0	15.0	3.4	7.57	—	—	—	—	—	—	
20	晴	18.7	15.3	3.2	7.56	—	—	—	—	—	—	
21	晴	18.8	15.6	3.0	7.53	—	—	—	—	—	—	
22	曇	16.1	15.0	6.3	7.64	—	—	—	—	—	—	
23	曇	16.0	14.5	5.2	7.62	—	—	—	—	—	—	
24	曇	15.5	15.5	4.1	7.58	—	—	—	—	—	—	
25	曇	15.0	15.2	5.6	7.54	—	—	—	—	—	—	
26	雨	15.0	15.3	5.7	7.61	—	—	—	—	—	—	
27	晴	14.3	15.1	12.0	7.61	—	—	—	—	—	—	
28	晴	17.0	15.6	6.7	7.60	—	—	—	—	—	—	
29	曇	22.0	15.2	6.2	7.63	—	—	—	—	—	—	
30	雨	19.0	15.1	5.9	7.53	—	—	—	—	—	—	
平均		16.3	14.4	7.1	7.57	32.5	36.4	70	4.7	0.24	0.02	
最高		22.0	15.6	39.8	7.66	33.8	37.9	72	4.9	0.25	0.02	
最低		12.5	12.2	2.8	7.43	31.2	34.9	69	4.5	0.22	0.02	

令和5年4月分

中遠工業用水道水質試験結果報告書

採水時間 9:00

日	水質試験結果(配水池(浄水))											備考
	天候	気温 ℃	水温 ℃	濁度 度	pH	アルカリ度 mg/l	硬度 mg/l	蒸発残留物 mg/l	塩化物イオン mg/l	鉄 mg/l	マンガン mg/l	
1	晴	19.5	14.3	0.3	7.48	—	—	—	—	—	—	
2	晴	18.0	14.5	0.4	7.47	—	—	—	—	—	—	
3	晴	14.3	14.7	0.1	7.46	—	—	—	—	—	—	
4	晴	13.8	15.0	0.1	7.47	31.5	38.3	55	7.4	<0.03	<0.02	
5	晴	16.9	15.2	0.2	7.43	—	—	—	—	—	—	
6	雨	15.6	15.2	0.1	7.39	—	—	—	—	—	—	
7	雨	18.9	15.3	<0.1	7.36	—	—	—	—	—	—	
8	晴	17.0	15.0	0.2	7.31	—	—	—	—	—	—	
9	晴	14.5	14.9	0.2	7.34	—	—	—	—	—	—	
10	晴	12.8	14.9	0.2	7.29	—	—	—	—	—	—	
11	晴	17.1	15.2	0.1	7.33	—	—	—	—	—	—	
12	曇	18.6	15.6	0.1	7.38	—	—	—	—	—	—	
13	晴	12.8	15.6	0.2	7.37	—	—	—	—	—	—	
14	晴	14.2	15.8	<0.1	7.38	—	—	—	—	—	—	
15	雨	12.5	15.8	0.4	7.38	—	—	—	—	—	—	
16	晴	18.5	15.8	0.4	7.40	—	—	—	—	—	—	
17	晴	14.3	16.0	0.1	7.34	29.7	37.8	66	7.3	<0.03	<0.02	
18	晴	14.5	16.0	0.1	7.39	—	—	—	—	—	—	
19	晴	19.0	16.3	0.2	7.33	—	—	—	—	—	—	
20	晴	18.7	16.4	<0.1	7.35	—	—	—	—	—	—	
21	晴	18.8	16.9	0.2	7.31	—	—	—	—	—	—	
22	曇	16.1	18.0	0.2	7.30	—	—	—	—	—	—	
23	曇	16.0	16.7	0.2	7.29	—	—	—	—	—	—	
24	曇	15.5	16.6	0.1	7.27	—	—	—	—	—	—	
25	曇	15.0	16.3	0.1	7.28	—	—	—	—	—	—	
26	雨	15.0	16.1	0.2	7.32	—	—	—	—	—	—	
27	晴	14.3	16.0	<0.1	7.32	—	—	—	—	—	—	
28	晴	17.0	16.4	0.1	7.30	—	—	—	—	—	—	
29	曇	22.0	16.8	0.2	7.29	—	—	—	—	—	—	
30	雨	19.0	17.1	0.2	7.28	—	—	—	—	—	—	
平均		16.3	15.8	0.2	7.35	30.6	38.0	60	7.4	<0.03	<0.02	
最高		22.0	18.0	0.4	7.48	31.5	38.3	66	7.4	<0.03	<0.02	
最低		12.5	14.3	<0.1	7.27	29.7	37.8	55	7.3	<0.03	<0.02	