

令和7年3月分

中遠工業用水道水質試験結果報告書

採水時間 9:00

日	水質試験結果(着水井(原水))											備考
	天候	気温 ℃	水温 ℃	濁度 度	pH	アルカリ度 mg/l	硬度 mg/l	蒸発残留物 mg/l	塩化物イオン mg/l	鉄 mg/l	マンガン mg/l	
1	晴	15.0	9.1	8.3	7.59	—	—	—	—	—	—	
2	曇	15.6	9.5	7.8	7.56	—	—	—	—	—	—	
3	雨	15.0	10.4	7.4	7.58	—	—	—	—	—	—	
4	雨	6.6	9.8	6.6	7.57	43.2	46.1	90	8.4	0.38	0.08	
5	曇	12.2	9.8	6.8	7.58	—	—	—	—	—	—	
6	曇	9.1	9.8	5.8	7.56	—	—	—	—	—	—	
7	晴	6.1	9.6	6.2	7.58	—	—	—	—	—	—	
8	雨	7.9	9.6	5.8	7.61	—	—	—	—	—	—	
9	晴	8.0	9.7	7.2	7.58	—	—	—	—	—	—	
10	晴	7.7	9.8	6.3	7.61	—	—	—	—	—	—	
11	雨	10.6	10.1	7.3	7.59	—	—	—	—	—	—	
12	曇	12.5	10.3	7.4	7.59	—	—	—	—	—	—	
13	晴	14.0	10.4	8.7	7.57	—	—	—	—	—	—	
14	晴	11.0	10.6	7.4	7.58	—	—	—	—	—	—	
15	曇	11.6	10.6	6.4	7.63	—	—	—	—	—	—	
16	雨	10.8	10.5	7.5	7.58	—	—	—	—	—	—	
17	晴	7.6	10.6	6.9	7.58	39.7	42.1	80	7.4	0.39	0.07	
18	晴	6.3	10.3	6.3	7.58	—	—	—	—	—	—	
19	晴	4.5	10.4	6.9	7.58	—	—	—	—	—	—	
20	晴	7.2	10.3	5.5	7.61	—	—	—	—	—	—	
21	晴	6.1	10.5	7.4	7.57	—	—	—	—	—	—	
22	晴	14.0	10.9	5.8	7.64	—	—	—	—	—	—	
23	晴	16.5	11.1	7.7	7.65	—	—	—	—	—	—	
24	晴	15.1	11.8	5.1	7.59	—	—	—	—	—	—	
25	晴	14.3	11.9	4.4	7.62	—	—	—	—	—	—	
26	晴	15.8	12.1	5.7	7.61	—	—	—	—	—	—	
27	晴	16.3	12.3	5.4	7.59	—	—	—	—	—	—	
28	晴	18.3	13.3	5.1	7.62	—	—	—	—	—	—	
29	曇	10.6	12.5	5.2	7.61	—	—	—	—	—	—	
30	晴	13.0	12.8	5.9	7.61	—	—	—	—	—	—	
31	曇	9.4	12.6	5.7	7.64	—	—	—	—	—	—	
平均		11.2	10.7	6.5	7.60	41.4	44.1	85	7.9	0.38	0.08	
最高		18.3	13.3	8.7	7.65	43.2	46.1	90	8.4	0.39	0.08	
最低		4.5	9.1	4.4	7.56	39.7	42.1	80	7.4	0.38	0.07	

令和7年3月分

中遠工業用水道水質試験結果報告書

採水時間 9:00

日	水質試験結果(配水池(浄水))											備考
	天候	気温 ℃	水温 ℃	濁度 度	pH	アルカリ度 mg/l	硬度 mg/l	蒸発残留物 mg/l	塩化物イオン mg/l	鉄 mg/l	マンガン mg/l	
1	晴	15.0	10.4	0.2	7.45	—	—	—	—	—	—	
2	曇	15.6	10.8	0.3	7.44	—	—	—	—	—	—	
3	雨	15.0	11.6	0.3	7.48	—	—	—	—	—	—	
4	雨	6.6	11.1	0.3	7.37	41.0	45.7	93	13.3	<0.03	<0.02	
5	曇	12.2	11.1	0.3	7.40	—	—	—	—	—	—	
6	曇	9.1	11.1	0.3	7.42	—	—	—	—	—	—	
7	晴	6.1	11.0	0.4	7.44	—	—	—	—	—	—	
8	雨	7.9	11.0	0.3	7.55	—	—	—	—	—	—	
9	晴	8.0	11.0	0.3	7.42	—	—	—	—	—	—	
10	晴	7.7	11.3	0.3	7.47	—	—	—	—	—	—	
11	雨	10.6	11.6	0.4	7.45	—	—	—	—	—	—	
12	曇	12.5	11.7	0.4	7.42	—	—	—	—	—	—	
13	晴	14.0	12.0	0.3	7.44	—	—	—	—	—	—	
14	晴	11.0	12.0	0.4	7.44	—	—	—	—	—	—	
15	曇	11.6	12.1	0.3	7.49	—	—	—	—	—	—	
16	雨	10.8	11.9	0.3	7.42	—	—	—	—	—	—	
17	晴	7.6	12.0	0.3	7.43	38.3	41.4	72	10.6	<0.03	<0.02	
18	晴	6.3	11.7	0.3	7.42	—	—	—	—	—	—	
19	晴	4.5	11.6	0.3	7.44	—	—	—	—	—	—	
20	晴	7.2	11.6	0.2	7.44	—	—	—	—	—	—	
21	晴	6.1	11.6	0.2	7.46	—	—	—	—	—	—	
22	晴	14.0	12.1	0.3	7.52	—	—	—	—	—	—	
23	晴	16.5	12.5	0.3	7.58	—	—	—	—	—	—	
24	晴	15.1	13.0	0.2	7.45	—	—	—	—	—	—	
25	晴	14.3	13.3	0.3	7.45	—	—	—	—	—	—	
26	晴	15.8	13.6	0.3	7.45	—	—	—	—	—	—	
27	晴	16.3	13.6	0.4	7.44	—	—	—	—	—	—	
28	晴	18.3	14.1	0.4	7.43	—	—	—	—	—	—	
29	曇	10.6	14.0	0.3	7.44	—	—	—	—	—	—	
30	晴	13.0	13.8	0.3	7.45	—	—	—	—	—	—	
31	曇	9.4	13.8	0.2	7.47	—	—	—	—	—	—	
平均		11.2	12.1	0.3	7.45	39.6	43.6	82	12.0	<0.03	<0.02	
最高		18.3	14.1	0.4	7.58	41.0	45.7	93	13.3	<0.03	<0.02	
最低		4.5	10.4	0.2	7.37	38.3	41.4	72	10.6	<0.03	<0.02	