

令和8年5月分

中遠工業用水道水質試験結果報告書

採水時間 9:00

| 日 | 水質試験結果(着水井(原水)) | | | | | | | | | | | 備考 |
|----|-----------------|---------|---------|---------|------|---------------|------------|---------------|----------------|-----------|--------------|----|
| | 天候 | 気温 ℃ | 水温 ℃ | 濁度 度 | pH | アルカリ度 mg/l | 硬度 mg/l | 蒸発残留物 mg/l | 塩化物イオン mg/l | 鉄 mg/l | マンガン mg/l | |
| 1 | 雨 | 15.8 | 16.3 | 8.9 | 7.58 | — | — | — | — | — | — | |
| 2 | 晴 | 15.7 | 16.3 | 13.6 | 7.60 | — | — | — | — | — | — | |
| 3 | 曇 | 21.5 | 16.6 | 8.9 | 7.59 | — | — | — | — | — | — | |
| 4 | 雨 | 18.8 | 16.9 | 39.4 | 7.57 | — | — | — | — | — | — | |
| 5 | 晴 | 16.3 | 16.4 | 28.7 | 7.59 | — | — | — | — | — | — | |
| 6 | 曇 | 18.8 | 16.5 | 16.7 | 7.57 | — | — | — | — | — | — | |
| 7 | 晴 | 20.5 | 16.6 | 12.8 | 7.57 | — | — | — | — | — | — | |
| 8 | 曇 | 22.5 | 17.0 | 13.6 | 7.55 | — | — | — | — | — | — | |
| 9 | 晴 | 17.8 | 16.8 | 15.3 | 7.55 | — | — | — | — | — | — | |
| 10 | 晴 | 20.5 | 17.0 | 18.0 | 7.54 | — | — | — | — | — | — | |
| 11 | 晴 | 21.3 | 17.1 | 17.0 | 7.55 | — | — | — | — | — | — | |
| 12 | 晴 | 20.0 | 17.1 | 16.6 | 7.54 | 29.9 | 30.7 | 68 | 2.5 | 0.78 | 0.04 | |
| 13 | 晴 | 19.2 | 17.3 | 10.7 | 7.52 | — | — | — | — | — | — | |
| 14 | 晴 | 20.5 | 17.6 | 13.5 | 7.53 | — | — | — | — | — | — | |
| 15 | 晴 | 20.0 | 17.8 | 8.6 | 7.54 | — | — | — | — | — | — | |
| 16 | 晴 | 21.9 | 17.8 | 14.7 | 7.54 | — | — | — | — | — | — | |
| 17 | 晴 | 23.0 | 18.0 | 12.1 | 7.54 | — | — | — | — | — | — | |
| 18 | 晴 | 22.1 | 18.4 | 12.4 | 7.53 | — | — | — | — | — | — | |
| 19 | 晴 | 22.1 | 18.6 | 11.3 | 7.54 | — | — | — | — | — | — | |
| 20 | 晴 | 23.1 | 18.8 | 8.8 | 7.57 | — | — | — | — | — | — | |
| 21 | 雨 | 23.2 | 19.5 | 11.2 | 7.56 | — | — | — | — | — | — | |
| 22 | 雨 | 18.3 | 19.1 | 5.1 | 7.57 | — | — | — | — | — | — | |
| 23 | 曇 | 17.6 | 18.9 | 9.1 | 7.59 | — | — | — | — | — | — | |
| 24 | 晴 | 22.2 | 19.0 | 7.7 | 7.59 | — | — | — | — | — | — | |
| 25 | 晴 | 22.5 | 19.3 | 6.6 | 7.59 | — | — | — | — | — | — | |
| 26 | 晴 | 23.6 | 19.6 | 6.2 | 7.59 | 37.6 | 37.1 | 62 | 3.3 | 0.38 | 0.03 | |
| 27 | 曇 | 24.7 | 20.0 | 6.1 | 7.58 | — | — | — | — | — | — | |
| 28 | 雨 | 23.3 | 19.9 | 5.9 | 7.58 | — | — | — | — | — | — | |
| 29 | 晴 | 25.6 | 20.0 | 6.1 | 7.58 | — | — | — | — | — | — | |
| 30 | 晴 | 25.1 | 20.1 | 6.7 | 7.59 | — | — | — | — | — | — | |
| 31 | 曇 | 23.8 | 20.4 | 6.2 | 7.59 | — | — | — | — | — | — | |
| 平均 | | 21.0 | 18.1 | 12.2 | 7.57 | 33.8 | 33.9 | 65 | 2.9 | 0.58 | 0.04 | |
| 最高 | | 25.6 | 20.4 | 39.4 | 7.60 | 37.6 | 37.1 | 68 | 3.3 | 0.78 | 0.04 | |
| 最低 | | 15.7 | 16.3 | 5.1 | 7.52 | 29.9 | 30.7 | 62 | 2.5 | 0.38 | 0.03 | |

令和8年5月分

中遠工業用水道水質試験結果報告書

採水時間 9:00

| 日 | 水質試験結果(配水池(浄水)) | | | | | | | | | | | 備考 |
|----|-----------------|---------|---------|---------|------|---------------|------------|---------------|----------------|-----------|--------------|----|
| | 天候 | 気温 ℃ | 水温 ℃ | 濁度 度 | pH | アルカリ度 mg/l | 硬度 mg/l | 蒸発残留物 mg/l | 塩化物イオン mg/l | 鉄 mg/l | マンガン mg/l | |
| 1 | 雨 | 15.8 | 17.0 | 0.3 | 7.45 | — | — | — | — | — | — | |
| 2 | 晴 | 15.7 | 16.8 | 0.2 | 7.46 | — | — | — | — | — | — | |
| 3 | 曇 | 21.5 | 17.1 | 0.3 | 7.45 | — | — | — | — | — | — | |
| 4 | 雨 | 18.8 | 17.3 | 0.4 | 7.45 | — | — | — | — | — | — | |
| 5 | 晴 | 16.3 | 17.1 | 0.3 | 7.44 | — | — | — | — | — | — | |
| 6 | 曇 | 18.8 | 17.3 | 0.1 | 7.36 | — | — | — | — | — | — | |
| 7 | 晴 | 20.5 | 17.3 | 0.2 | 7.38 | — | — | — | — | — | — | |
| 8 | 曇 | 22.5 | 17.7 | 0.2 | 7.36 | — | — | — | — | — | — | |
| 9 | 晴 | 17.8 | 17.6 | 0.2 | 7.41 | — | — | — | — | — | — | |
| 10 | 晴 | 20.5 | 17.5 | 0.3 | 7.41 | — | — | — | — | — | — | |
| 11 | 晴 | 21.3 | 17.8 | 0.2 | 7.43 | — | — | — | — | — | — | |
| 12 | 晴 | 20.0 | 18.0 | 0.3 | 7.34 | 26.4 | 30.6 | 53 | 7.3 | 0.03 | <0.02 | |
| 13 | 晴 | 19.2 | 18.0 | 0.3 | 7.32 | — | — | — | — | — | — | |
| 14 | 晴 | 20.5 | 18.2 | 0.3 | 7.37 | — | — | — | — | — | — | |
| 15 | 晴 | 20.0 | 18.5 | <0.1 | 7.37 | — | — | — | — | — | — | |
| 16 | 晴 | 21.9 | 18.6 | 0.2 | 7.37 | — | — | — | — | — | — | |
| 17 | 晴 | 23.0 | 18.4 | 0.3 | 7.40 | — | — | — | — | — | — | |
| 18 | 晴 | 22.1 | 19.0 | 0.3 | 7.40 | — | — | — | — | — | — | |
| 19 | 晴 | 22.1 | 19.1 | 0.3 | 7.39 | — | — | — | — | — | — | |
| 20 | 晴 | 23.1 | 19.3 | 0.2 | 7.39 | — | — | — | — | — | — | |
| 21 | 雨 | 23.2 | 19.8 | 0.4 | 7.40 | — | — | — | — | — | — | |
| 22 | 雨 | 18.3 | 19.7 | 0.2 | 7.41 | — | — | — | — | — | — | |
| 23 | 曇 | 17.6 | 19.3 | 0.2 | 7.45 | — | — | — | — | — | — | |
| 24 | 晴 | 22.2 | 19.3 | 0.2 | 7.44 | — | — | — | — | — | — | |
| 25 | 晴 | 22.5 | 19.6 | <0.1 | 7.48 | — | — | — | — | — | — | |
| 26 | 晴 | 23.6 | 20.0 | 0.2 | 7.50 | 33.4 | 36.6 | 56 | 6.2 | <0.03 | <0.02 | |
| 27 | 曇 | 24.7 | 20.1 | 0.2 | 7.47 | — | — | — | — | — | — | |
| 28 | 雨 | 23.3 | 20.3 | 0.2 | 7.48 | — | — | — | — | — | — | |
| 29 | 晴 | 25.6 | 20.5 | 0.4 | 7.49 | — | — | — | — | — | — | |
| 30 | 晴 | 25.1 | 20.5 | 0.1 | 7.48 | — | — | — | — | — | — | |
| 31 | 曇 | 23.8 | 20.6 | 0.2 | 7.52 | — | — | — | — | — | — | |
| 平均 | | 21.0 | 18.6 | 0.2 | 7.42 | 29.9 | 33.6 | 54 | 6.8 | <0.03 | <0.02 | |
| 最高 | | 25.6 | 20.6 | 0.4 | 7.52 | 33.4 | 36.6 | 56 | 7.3 | 0.03 | <0.02 | |
| 最低 | | 15.7 | 16.8 | <0.1 | 7.32 | 26.4 | 30.6 | 53 | 6.2 | <0.03 | <0.02 | |