

令和 5年 4月分

湖西工業用水道水質試験結果報告書 (梅田浄水場)

採水時間 9:00

日	天候	気温 ℃	原 水 水質試験結果 (沈砂池)									備考
			水温 ℃	濁度 度	p H	アルカ 度 mg/l	硬度 mg/l	蒸 発 残留物 mg/l	塩化物 イオン mg/l	鉄 mg/l	マン ガン mg/l	
1	晴	17.4	13.0	0.5	7.35							
2	晴	18.8	12.9	0.4	7.41							
3	曇	11.8	13.3	0.4	7.46							
4	晴	16.5	13.3	0.4	7.50							
5	曇	17.5	13.5	0.4	7.53							
6	曇	16.0	13.7	0.4	7.51							
7	雨	17.0	13.9	0.5	7.52							
8	晴	15.2	14.2	1.0	7.36							
9	晴	12.6	13.6	2.5	7.05							
10	晴	16.5	13.7	0.9	7.37							
11	晴	17.9	12.2	0.6	7.23							
12	曇	19.5	13.2	0.4	7.31							
13	晴	14.0	13.4	0.4	7.40	16.5	18.9	52	3.8	<0.03	<0.02	
14	晴	17.5	13.6	0.4	7.40							
15	雨	12.5	14.3	0.4	7.43							
16	晴	17.1	14.5	0.4	7.51							
17	晴	14.5	14.3	0.4	7.41							
18	晴	16.4	14.4	0.6	7.50							
19	曇	18.2	14.4	0.3	7.39							
20	晴	20.0	14.4	0.4	7.36	17.0	18.1	54	3.7	<0.03	<0.02	
21	晴	20.5	14.5	0.3	7.42							
22	曇	14.1	15.0	0.4	7.40							
23	晴	18.3	15.7	0.4	7.32							
24	曇	14.5	15.7	0.4	7.34							
25	雨	12.9	14.9	0.4	7.32							
26	雨	14.0	14.7	0.4	7.34							
27	晴	15.1	13.2	3.8	7.23							
28	晴	20.0	14.4	1.2	7.49							
29	曇	20.0	13.4	0.8	7.14							
30	雨	18.8	14.4	0.5	7.19							
平均		16.5	14.0	0.7	7.37	16.8	18.5	53	3.8	<0.03	<0.02	
最高		20.5	15.7	3.8	7.53	17.0	18.9	54	3.8	<0.03	<0.02	
最低		11.8	12.2	0.3	7.05	16.5	18.1	52	3.7	<0.03	<0.02	

令和 5年 4月分

湖西工業用水道水質試験結果報告書（梅田浄水場）

採水時間 9:00

日	天候	気温 ℃	浄水 水質試験結果（配水池）									備考
			水温 ℃	濁度 度	pH	アルカリ 度 mg/l	硬度 mg/l	蒸発 残留物 mg/l	塩化物 イオン mg/l	鉄 mg/l	マン ガン mg/l	
1	晴	17.4	13.1	0.5	7.38							
2	晴	18.8	13.4	0.4	7.47							
3	曇	11.8	13.6	0.4	7.56							
4	晴	16.5	13.7	0.4	7.58							
5	曇	17.5	14.0	0.4	7.62							
6	曇	16.0	14.1	0.4	7.64							
7	雨	17.0	14.3	0.4	7.57							
8	晴	15.2	14.2	0.4	7.47							
9	晴	12.6	13.9	1.1	7.34							
10	晴	16.5	13.4	1.3	7.25							
11	晴	17.9	13.5	0.8	7.30							
12	曇	19.5	13.5	0.5	7.38							
13	晴	14.0	13.5	0.4	7.44	13.6	16.9	46	3.7	<0.03	<0.02	
14	晴	17.5	13.9	0.3	7.59							
15	雨	12.5	14.3	0.4	7.64							
16	晴	17.1	14.5	0.4	7.58							
17	晴	14.5	14.6	0.4	7.70							
18	晴	16.4	14.7	0.4	7.74							
19	曇	18.2	14.9	0.3	7.60							
20	晴	20.0	15.0	0.4	7.52	16.7	18.0	36	3.7	<0.03	<0.02	
21	晴	20.5	15.3	0.4	7.57							
22	曇	14.1	15.4	0.3	7.65							
23	晴	18.3	15.6	0.3	7.63							
24	曇	14.5	16.0	0.3	7.66							
25	雨	12.9	15.8	0.4	7.56							
26	雨	14.0	15.2	0.4	7.54							
27	晴	15.1	14.4	0.8	7.37							
28	晴	20.0	14.1	1.2	7.31							
29	曇	20.0	14.8	1.0	7.30							
30	雨	18.8	14.9	0.7	7.27							
平均		16.5	14.4	0.5	7.51	15.2	17.4	41	3.7	<0.03	<0.02	
最高		20.5	16.0	1.3	7.74	16.7	18.0	46	3.7	<0.03	<0.02	
最低		11.8	13.1	0.3	7.25	13.6	16.9	36	3.7	<0.03	<0.02	