

V 予祭灯及びフェロモントラップ調査結果
I イネ

予祭灯誘殺結果:ヒメトビウナカ

	島田市 中河		磐田市 長須賀		磐田市 加茂		浜松市西区 雄踏町	
	本年	平年	本年	平年	本年	平年	本年	平年
4月								
1 半旬	—	—	—	—	—	—	—	—
2 半旬	—	—	—	—	—	—	—	—
3 半旬	—	—	—	—	—	—	—	—
4 半旬	—	—	—	—	—	—	—	—
5 半旬	—	—	—	—	—	—	—	—
6 半旬	—	—	—	—	—	—	—	—
5月								
1 半旬	0	0.0	0	0.0	0	0.0	0	0.0
2 半旬	0	0.0	0	0.0	0	0.0	0	0.0
3 半旬	0	0.0	0	0.0	0	0.0	0	0.0
4 半旬	0	0.0	0	0.1	0	0.0	0	0.0
5 半旬	0	0.1	0	0.0	0	0.0	0	0.0
6 半旬	0	0.0	0	0.0	1	0.6	1	0.0
6月								
1 半旬	0	0.1	0	0.1	0	0.4	0	0.0
2 半旬	0	0.7	0	0.1	0	0.0	0	0.1
3 半旬	1	0.3	0	0.0	3	0.1	0	0.5
4 半旬	2	1.0	0	0.6	1	0.1	0	0.0
5 半旬	3	0.4	0	0.1	3	0.3	0	0.4
6 半旬	1	1.4	0	0.0	11	0.5	1	0.7
7月								
1 半旬	3	1.8	1	0.6	2	0.9	0	0.5
2 半旬	2	1.7	0	1.1	19	0.6	2	1.2
3 半旬	2	4.2	0	0.8	12	0.3	2	2.1
4 半旬	6	3.4	0	0.4	2	0.1	3	2.0
5 半旬	4	4.7	0	0.1	10	0.0	4	1.2
6 半旬	17	2.9	1	4.9	4	1.4	3	2.8
8月								
1 半旬	13	14.7	0	2.8	0	3.5	5	3.7
2 半旬	4	21.3	0	3.0	0	1.1	9	4.1
3 半旬	10	11.7	0	2.9	0	0.3	12	3.9
4 半旬	5	8.3	0	0.8	0	0.3	1	2.2
5 半旬	13	3.4	0	0.4	0	0.3	4	1.8
6 半旬	3	3.2	0	1.4	0	0.9	1	3.4
9月								
1 半旬	20	2.9	0	5.7	11	0.6	0	1.4
2 半旬	22	5.0	0	2.8	0	0.6	6	2.1
3 半旬	8	4.7	0	0.9	5	0.6	1	1.1
4 半旬	10	1.3	4	0.2	2	0.8	1	0.2
5 半旬	38	1.7	0	0.0	5	0.7	4	0.5
6 半旬	4	0.4	1	0.0	6	0.4	3	0.2

予祭灯誘殺結果:セジロウナカ

	島田市 中河		磐田市 長須賀		磐田市 加茂		浜松市西区 雄踏町	
	本年	平年	本年	平年	本年	平年	本年	平年
4月								
1 半旬	—	—	—	—	—	—	—	—
2 半旬	—	—	—	—	—	—	—	—
3 半旬	—	—	—	—	—	—	—	—
4 半旬	—	—	—	—	—	—	—	—
5 半旬	—	—	—	—	—	—	—	—
6 半旬	—	—	—	—	—	—	—	—
5月								
1 半旬	0	0.0	0	0.0	0	0.0	0	0.0
2 半旬	0	0.0	0	0.0	0	0.0	0	0.0
3 半旬	0	0.0	0	0.0	0	0.0	0	0.0
4 半旬	0	0.0	0	0.0	0	0.0	0	0.0
5 半旬	0	0.0	0	0.0	0	0.0	0	0.0
6 半旬	0	0.0	0	0.0	1	0.0	0	0.0
6月								
1 半旬	0	0.0	0	0.0	0	0.1	0	0.0
2 半旬	0	0.2	0	0.0	0	0.3	0	0.0
3 半旬	1	0.1	0	0.4	0	0.1	3	0.0
4 半旬	0	0.8	0	0.2	0	0.0	0	0.0
5 半旬	0	0.4	0	0.1	0	0.3	0	0.8
6 半旬	1	0.5	0	0.2	2	0.3	0	0.1
7月								
1 半旬	3	1.2	0	0.4	10	0.6	0	0.6
2 半旬	15	2.5	5	0.9	7	0.4	14	0.7
3 半旬	2	3.4	0	0.1	13	0.9	0	1.9
4 半旬	1	3.3	0	0.2	1	0.5	0	1.3
5 半旬	2	1.9	0	0.2	2	0.9	0	2.3
6 半旬	1	3.2	0	1.1	0	1.4	0	2.9
8月								
1 半旬	4	17.0	0	1.8	0	1.0	0	4.1
2 半旬	0	13.3	0	0.9	0	0.9	1	3.0
3 半旬	1	11.2	0	1.9	0	3.8	0	2.9
4 半旬	2	7.8	0	3.4	0	4.2	3	4.8
5 半旬	0	7.4	0	1.0	0	4.6	1	2.4
6 半旬	0	6.5	0	1.6	0	3.9	1	3.2
9月								
1 半旬	2	4.8	0	3.2	0	2.4	0	3.0
2 半旬	0	4.7	0	2.6	0	3.6	0	2.8
3 半旬	0	9.1	0	1.2	0	2.4	0	5.3
4 半旬	0	5.6	0	1.0	0	1.1	0	2.6
5 半旬	15	4.0	0	3.4	0	1.4	0	2.8
6 半旬	5	2.5	0	1.3	5	2.6	0	2.8

予祭灯誘殺結果：トビイロウンカ

	島田市 中河		磐田市 長須賀		磐田市 加茂		浜松市西区 雄踏町	
	本年	平年	本年	平年	本年	平年	本年	平年
4月								
1 半旬	—	—	—	—	—	—	—	—
2 半旬	—	—	—	—	—	—	—	—
3 半旬	—	—	—	—	—	—	—	—
4 半旬	—	—	—	—	—	—	—	—
5 半旬	—	—	—	—	—	—	—	—
6 半旬	—	—	—	—	—	—	—	—
5月								
1 半旬	0	0.0	0	0.0	0	0.0	0	0.0
2 半旬	0	0.0	0	0.0	0	0.0	0	0.0
3 半旬	0	0.0	0	0.0	0	0.0	0	0.0
4 半旬	0	0.0	0	0.0	0	0.0	0	0.0
5 半旬	0	0.2	0	0.0	0	0.1	0	0.0
6 半旬	0	0.0	0	0.0	0	0.0	0	0.0
6月								
1 半旬	0	0.0	0	0.0	0	0.1	0	0.0
2 半旬	0	0.0	0	0.0	0	0.0	0	0.0
3 半旬	0	0.3	0	0.0	0	0.0	0	0.3
4 半旬	0	1.4	0	0.3	0	0.2	0	1.3
5 半旬	0	7.6	0	0.9	0	1.1	0	2.0
6 半旬	0	1.4	0	0.5	1	1.7	0	1.1
7月								
1 半旬	0	0.6	0	0.1	4	1.4	0	0.2
2 半旬	0	0.6	0	0.1	2	0.4	0	0.6
3 半旬	0	0.7	0	0.0	0	0.1	0	0.4
4 半旬	0	1.0	0	0.4	0	0.2	0	0.4
5 半旬	0	1.7	0	0.0	0	0.7	0	0.2
6 半旬	0	0.5	0	0.4	0	0.6	0	0.7
8月								
1 半旬	0	0.5	0	0.2	0	1.0	0	1.1
2 半旬	0	0.2	0	0.1	0	0.9	0	0.4
3 半旬	0	0.1	0	0.1	0	0.5	0	1.3
4 半旬	0	0.4	0	0.1	0	0.3	0	0.5
5 半旬	0	0.4	0	0.1	0	0.2	0	0.3
6 半旬	0	2.4	0	0.5	0	0.9	0	3.8
9月								
1 半旬	0	1.0	0	0.8	0	0.9	0	6.1
2 半旬	0	3.9	0	1.9	0	0.3	0	6.8
3 半旬	0	5.2	0	0.9	0	1.2	0	4.9
4 半旬	0	4.0	0	0.5	0	0.7	0	2.9
5 半旬	0	4.0	0	0.7	0	0.9	0	1.8
6 半旬	1	25.7	0	0.8	0	1.0	0	6.1

予祭灯誘殺結果：ツマグロヨロコバイ

	島田市 中河		磐田市 長須賀		磐田市 加茂		浜松市西区 雄踏町	
	本年	平年	本年	平年	本年	平年	本年	平年
4月								
1 半旬	—	—	—	—	—	—	—	—
2 半旬	—	—	—	—	—	—	—	—
3 半旬	—	—	—	—	—	—	—	—
4 半旬	—	—	—	—	—	—	—	—
5 半旬	—	—	—	—	—	—	—	—
6 半旬	—	—	—	—	—	—	—	—
5月								
1 半旬	0	0.0	0	0.0	0	0.0	0	0.0
2 半旬	0	0.0	0	0.0	0	0.0	0	0.0
3 半旬	0	0.0	0	0.0	0	0.0	0	0.0
4 半旬	1	0.0	2	0.0	0	0.0	1	0.0
5 半旬	3	0.8	23	0.0	0	0.0	5	0.0
6 半旬	2	0.8	11	0.1	0	0.1	39	2.6
6月								
1 半旬	1	0.0	0	0.0	0	0.1	26	1.7
2 半旬	4	0.2	0	0.1	0	0.2	10	2.3
3 半旬	1	0.0	1	0.2	8	0.5	53	2.3
4 半旬	0	0.1	0	0.1	1	0.0	3	10.0
5 半旬	0	0.2	1	0.2	13	0.4	2	2.6
6 半旬	2	0.5	5	0.0	11	0.5	12	0.6
7月								
1 半旬	4	5.5	0	0.1	7	1.2	18	3.2
2 半旬	10	12.2	2	0.8	53	1.6	68	15.6
3 半旬	5	31.3	9	5.2	85	3.1	245	26.5
4 半旬	55	15.8	11	3.3	13	1.2	215	52.2
5 半旬	9	12.1	1	2.9	19	2.8	84	24.4
6 半旬	18	4.0	7	3.2	20	1.6	30	18.7
8月								
1 半旬	2	2.7	10	2.8	8	4.2	34	5.8
2 半旬	0	2.5	2	1.1	0	1.0	70	11.4
3 半旬	6	4.3	5	0.7	0	0.6	105	15.6
4 半旬	3	6.0	0	1.0	0	0.9	31	21.0
5 半旬	1	4.3	0	1.3	0	0.6	35	12.8
6 半旬	0	2.4	1	0.5	0	1.3	43	17.0
9月								
1 半旬	0	2.1	0	1.4	6	0.2	9	8.3
2 半旬	3	9.0	0	8.3	0	0.0	13	40.8
3 半旬	1	55.7	1	1.6	8	0.2	56	46.0
4 半旬	2	20.1	5	0.7	4	0.3	51	7.9
5 半旬	1	12.9	0	0.3	0	0.4	24	8.3
6 半旬	4	4.3	2	0.3	1	0.0	1	2.4

予祭灯誘殺結果：イネミズウムシ

	島田市 中河		磐田市 長須賀		磐田市 加茂		浜松市西区 雄踏町	
	本年	平年	本年	平年	本年	平年	本年	平年
4月								
1 半旬	—		—		—		—	
2 半旬	—		—		—		—	
3 半旬	—		—		—		—	
4 半旬	—		—		—		—	
5 半旬	—		—		—		—	
6 半旬	—		—		—		—	
5月								
1 半旬	0	0.0	0	0.0	0	0.1	0	0.0
2 半旬	0	0.0	0	0.0	0	0.5	0	0.0
3 半旬	0	0.0	0	0.0	0	0.1	0	0.1
4 半旬	0	0.0	0	0.0	0	0.3	0	0.5
5 半旬	0	0.0	0	0.0	0	0.1	0	0.0
6 半旬	0	0.0	0	0.0	0	0.1	0	0.3
6月								
1 半旬	0	0.0	0	0.0	0	0.0	0	0.1
2 半旬	0	0.0	0	0.0	0	0.1	0	0.1
3 半旬	0	0.0	0	0.0	0	0.0	0	0.0
4 半旬	0	0.0	0	0.0	0	0.0	0	0.3
5 半旬	0	0.1	0	0.0	0	0.0	0	0.0
6 半旬	0	0.0	0	0.0	0	0.0	0	0.0
7月								
1 半旬	0	0.0	0	0.0	0	0.0	0	0.0
2 半旬	0	0.1	0	0.2	0	0.3	0	0.0
3 半旬	0	0.0	0	0.4	0	0.5	0	0.2
4 半旬	0	0.0	0	0.1	0	0.9	1	0.2
5 半旬	0	0.0	0	0.1	3	10.6	1	0.0
6 半旬	0	0.0	0	0.3	2	4.5	0	0.0
8月								
1 半旬	0	0.0	0	0.1	0	3.2	0	0.0
2 半旬	0	0.0	0	0.0	0	1.9	0	0.1
3 半旬	0	0.0	7	0.0	0	0.2	0	0.0
4 半旬	0	0.0	0	0.0	0	0.5	0	0.0
5 半旬	0	0.0	0	0.1	0	0.1	0	0.0
6 半旬	0	0.1	0	0.1	0	0.1	0	0.0
9月								
1 半旬	0	0.0	0	0.0	0	0.0	0	0.0
2 半旬	0	0.0	0	0.0	0	0.0	0	0.0
3 半旬	0	0.0	0	0.0	0	0.0	0	0.0
4 半旬	0	0.0	0	0.0	0	0.0	0	0.0
5 半旬	0	0.0	0	0.0	0	0.0	0	0.0
6 半旬	0	0.0	0	0.0	0	0.0	0	0.0

予祭灯誘殺結果：コブノメイガ

	島田市 中河		磐田市 長須賀		磐田市 加茂		浜松市西区 雄踏町	
	本年	平年	本年	平年	本年	平年	本年	平年
4月								
1 半旬	—		—		—		—	
2 半旬	—		—		—		—	
3 半旬	—		—		—		—	
4 半旬	—		—		—		—	
5 半旬	—		—		—		—	
6 半旬	—		—		—		—	
5月								
1 半旬	0	0.1	0	0.0	0	0.0	0	0.0
2 半旬	0	0.1	0	0.0	0	0.0	0	0.0
3 半旬	0	0.0	0	0.0	0	0.0	0	0.0
4 半旬	0	0.0	0	0.0	0	0.0	0	0.0
5 半旬	0	0.0	0	0.0	0	0.0	0	0.0
6 半旬	0	0.0	0	0.0	0	0.0	0	0.0
6月								
1 半旬	0	0.0	0	0.0	0	0.0	0	0.0
2 半旬	0	0.0	0	0.0	0	0.0	0	0.0
3 半旬	0	0.0	0	0.0	0	0.0	0	0.0
4 半旬	0	0.0	0	0.0	0	0.0	0	0.0
5 半旬	0	0.0	0	0.0	0	0.0	0	0.0
6 半旬	0	0.0	0	0.0	0	0.0	0	0.0
7月								
1 半旬	0	0.0	0	0.2	0	0.0	0	0.0
2 半旬	0	0.2	3	0.0	0	0.0	0	0.0
3 半旬	0	0.2	1	0.3	0	0.1	0	0.0
4 半旬	0	0.1	0	0.1	0	0.1	0	0.0
5 半旬	0	0.3	0	0.2	0	0.0	0	0.0
6 半旬	0	0.2	0	0.3	0	0.0	0	0.0
8月								
1 半旬	0	0.3	0	0.2	0	0.1	0	0.0
2 半旬	0	0.6	0	0.2	0	0.0	0	0.0
3 半旬	0	0.7	6	0.3	0	0.6	0	0.0
4 半旬	0	0.4	0	0.2	0	0.7	0	0.0
5 半旬	0	0.3	1	0.8	0	0.2	0	0.0
6 半旬	0	0.4	0	0.6	0	0.0	0	0.0
9月								
1 半旬	0	0.9	0	0.3	0	0.2	0	0.0
2 半旬	0	0.5	0	0.1	0	0.1	0	0.0
3 半旬	0	0.5	0	0.5	0	0.0	0	0.0
4 半旬	0	0.2	0	0.5	0	0.0	0	0.0
5 半旬	0	0.6	0	0.1	0	0.0	0	0.0
6 半旬	0	0.0	0	0.4	0	0.1	0	0.0

予察灯・フェロモントラップ誘殺結果：ニカメイガ

		予察灯						フェロモントラップ					
		島田市 中河		磐田市 長須賀		磐田市 加茂		浜松市西 区雄踏町		焼津市		掛川市	
		本年	平年	本年	平年	本年	平年	本年	平年	本年	平年	本年	平年
4月	1 半旬	—	—	—	—	—	—	—	—	—	—	—	—
	2 半旬	—	—	—	—	—	—	—	—	—	—	—	—
	3 半旬	—	—	—	—	—	—	—	—	—	—	—	—
	4 半旬	—	—	—	—	—	—	—	—	—	—	—	—
	5 半旬	—	—	—	—	—	—	—	—	—	—	—	—
	6 半旬	—	—	—	—	—	—	—	—	—	—	—	—
5月	1 半旬	0	0.3	7	0.1	0	0.0	0	0.0	2	0.0	0	0.0
	2 半旬	0	0.5	26	0.9	0	0.0	0	0.0	2	0.3	0	0.0
	3 半旬	1	0.6	3	1.7	0	0.0	0	0.0	0	0.7	0	0.0
	4 半旬	0	0.6	28	1.1	0	0.0	0	0.0	1	0.4	0	0.0
	5 半旬	0	0.3	8	0.5	0	0.0	0	0.0	1	0.7	0	0.0
	6 半旬	0	0.1	4	0.6	0	0.0	0	0.0	1	0.9	0	0.0
6月	1 半旬	0	0.3	1	0.6	0	0.8	0	0.8	1	1.1	0	0.0
	2 半旬	0	0.3	0	0.4	0	0.2	0	0.2	0	1.0	0	0.1
	3 半旬	2	0.4	1	0.3	1	0.1	0	1.2	0	0.2	0	0.1
	4 半旬	0	0.3	0	1.0	1	0.3	0	1.1	0	0.0	0	0.1
	5 半旬	5	0.1	0	0.6	0	0.1	0	1.0	0	0.3	0	0.1
	6 半旬	1	0.5	0	0.9	0	0.0	0	0.7	0	0.2	0	0.1
7月	1 半旬	0	0.1	0	1.1	0	0.0	0	0.4	2	0.4	0	0.0
	2 半旬	1	0.1	1	0.7	0	0.0	0	0.5	0	0.3	0	0.1
	3 半旬	0	0.2	0	0.8	0	0.3	0	0.7	0	0.1	0	0.3
	4 半旬	1	0.2	0	0.6	0	0.0	0	0.5	0	0.1	0	0.3
	5 半旬	1	0.1	0	0.9	3	0.0	4	0.6	0	0.1	0	0.1
	6 半旬	0	0.2	1	0.4	2	0.0	4	0.7	0	0.0	0	0.2
8月	1 半旬	0	0.2	0	0.4	0	0.2	0	0.5	0	0.0	0	0.7
	2 半旬	0	0.1	0	0.3	0	0.0	0	0.0	0	0.3	0	0.5
	3 半旬	0	0.0	0	0.1	0	0.0	0	0.2	0	0.3	0	0.4
	4 半旬	0	0.0	1	0.0	0	0.0	0	0.2	0	0.3	1	0.4
	5 半旬	0	0.0	0	0.9	0	0.1	0	0.3	0	0.5	0	0.3
	6 半旬	0	0.1	0	3.3	0	0.0	3	0.4	0	0.6	0	0.1
9月	1 半旬	1	0.2	0	1.7	0	0.1	0	0.9	0	0.4	0	0.1
	2 半旬	0	0.4	0	1.3	0	0.1	0	1.2	0	0.0	0	0.0
	3 半旬	0	0.9	0	1.6	0	0.2	0	0.8	0	0.0	0	0.1
	4 半旬	0	0.0	0	0.4	0	0.0	0	0.0	0	0.3	0	0.0
	5 半旬	0	0.1	0	0.3	0	0.0	0	0.1	0	0.3	0	0.0
	6 半旬	0	0.1	0	0.0	0	0.0	0	0.0	0	0.1	0	0.0

2 野菜、花き

イチゴ、他
フレモントラップ誘殺結果：ハスモンヨトウ

	ハスモンヨトウ	シロイモジヨトウ	コナガ	オオタバコガ	静岡市		御前崎市	
					4年	平年	4年	平年
6月	1 半旬	141	0	37	14	4.4	8	12.7
	2 半旬	60	1	38	9	7.0	8	14.8
	3 半旬	338	0	34	12	6.9	20	13.1
	4 半旬	312	0	35	10	10.5	21	20.1
	5 半旬	140	0	28	27	13.0	10	30.1
	6 半旬	287	0	40	19	14.6	21	21.6
7月	1 半旬	361	0	72	39	34.3	17	60.0
	2 半旬	274	0	75	57	37.6	47	45.3
	3 半旬	101	0	22	40	43.7	10	33.1
	4 半旬	29	0	27	49	34.9	2	27.6
	5 半旬	35	0	13	79	40.2	7	16.7
	6 半旬	32	1	6	74	58.9	10	42.4
8月	1 半旬	1	—	—	38	56.6	33	19.7
	2 半旬	17	—	—	52	56.9	18	20.1
	3 半旬	22	—	—	36	55.5	25	30.0
	4 半旬	14	—	—	51	76.7	1	43.5
	5 半旬	0	—	—	65	49.6	29	45.5
	6 半旬	0	—	—	143	100.2	24	75.4
9月	1 半旬	1	—	—	127	135.7	10	90.2
	2 半旬	0	—	—	301	144.3	41	94.9
	3 半旬	0	—	—	63	100.5	42	71.0
	4 半旬	0	—	—	148	124.5	11	88.7
	5 半旬	0	—	—	490	133.3	193	104.1
	6 半旬	0	—	—	147	140.2	88	99.0
10月	1 半旬	0	—	—	187	136.4	143	67.6
	2 半旬	0	—	—	258	156.8	74	92.0
	3 半旬	0	—	—	332	185.9	116	97.0
	4 半旬	0	—	—	172	195.9	107	131.3
	5 半旬	0	—	—	264	197.2	247	135.2
	6 半旬	0	—	—	245	240.8	150	170.5
11月	1 半旬	0	—	—	233	167.0	178	115.3
	2 半旬	0	—	—	255	145.8	155	100.3
	3 半旬	0	—	—	127	135.4	71	59.6
	4 半旬	0	—	—	91	114.2	35	74.1
	5 半旬	0	—	—	147	90.2	86	55.9
	6 半旬	0	—	—	188	60.1	36	41.1

※日平均による換算

フレモントラップ誘殺結果（農林技術研究所内畑地）

	ハスモンヨトウ	シロイモジヨトウ	コナガ	オオタバコガ
4月	1 半旬	5	3	0
	2 半旬	2	2	0
	3 半旬	1	2	0
	4 半旬	0	2	0
	5 半旬	2	3	1
	6 半旬	3	3	0
5月	1 半旬	2	2	0
	2 半旬	6	2	1
	3 半旬	1	3	1
	4 半旬	3	2	2
	5 半旬	4	5	3
	6 半旬	7	4	4
6月	1 半旬	11	14	10
	2 半旬	14	10	10
	3 半旬	29	7	4
	4 半旬	17	5	7
	5 半旬	19	10	1
	6 半旬	12	19	1
7月	1 半旬	35	34	4
	2 半旬	65	16	0
	3 半旬	34	15	0
	4 半旬	31	27	2
	5 半旬	36	20	2
	6 半旬	85	19	2
8月	1 半旬	65	46	0
	2 半旬	87	32	0
	3 半旬	26	67	0
	4 半旬	37	9	0
	5 半旬	148	39	0
	6 半旬	207	4	0
9月	1 半旬	76	32	0
	2 半旬	444	48	0
	3 半旬	125	27	0
	4 半旬	75	45	0
	5 半旬	516	36	0
	6 半旬	234	30	0

※日平均による換算

キャベツ 他

フェロモントラップ誘殺結果：コナガ

2023年度	函南町		平年
	本年	前年	
10月	8.6	0.4	—
1半旬	7.9	2.1	—
2半旬	4.4	2.1	6.4
3半旬	4.1	2.4	8.2
4半旬	5.0	2.9	10.0
5半旬	3.4	1.7	15.0
6半旬	2.3	1.4	11.5
11月	2.7	0.9	10.6
1半旬	3.6	0.0	9.9
2半旬	2.5	0.0	9.3
3半旬	0.5	0.0	13.0
4半旬	0.0	0.0	12.8
5半旬	0.0	0.0	11.1
6半旬	0.0	0.0	14.3
12月	0.6	0.3	12.8
1半旬	1.4	0.7	11.8
2半旬	0.6	0.6	16.4
3半旬	0.9	0.9	15.5
4半旬	0.5	1.1	10.0
5半旬	0.0	1.4	7.6
6半旬	0.0	0.7	8.3
1月	0.0	0.3	5.1
1半旬	0.0	0.0	5.3
2半旬	0.0	0.0	7.9

※ 日平均による換算

ダイコン

フェロモントラップ誘殺結果：コナガ

	浜松市中央区 西丘町		牧之原市 静波	
	本年	前年	本年	前年
8月	—	—	—	—
1半旬	—	—	—	—
2半旬	—	—	—	—
3半旬	—	—	—	—
4半旬	—	—	—	—
5半旬	—	—	—	—
6半旬	—	—	—	—
9月	0	0.3	—	2.9
1半旬	0	0.4	—	2.4
2半旬	0	0.8	—	2.3
3半旬	13	1.2	—	2.7
4半旬	30	1.4	—	2.1
5半旬	48	2.4	—	2.2
6半旬	76	2.3	0	2.6
10月	178	5.2	0	2.4
1半旬	152	8.5	0	2.5
2半旬	75	6.7	0	2.8
3半旬	11	10.9	1	3.5
4半旬	9	17.2	0	4.5
5半旬	4	18.7	0	4.8
6半旬	4	19.4	0	3.8
11月	19	20.6	0	3.9
1半旬	24	19.6	0	4.3
2半旬	25	20.9	1	4.6
3半旬	14	16.9	0	3.7
4半旬	9	14.7	1	3.6
5半旬	7	8.6	2	3.3
6半旬	6	3.4	2	2.9
12月	9	4.4	3	2.7
1半旬	8	3.5	2	2.5
2半旬	4	1.3	1	1.5
3半旬	—	—	1	2.9
4半旬	—	—	1	2.0
5半旬	—	—	0	1.7
6半旬	—	—	0	1.8
1月	—	—	0	4.3
1半旬	—	—	0	3.4

※ 日平均による換算

※ 牧之原市では令和3年度から調査期間を10月～1月に変更したため、1月は過去2年分の平均値

キク

フェロモントラップ誘殺結果：オオタバコガ

	浜松市中央区 協和町		浜松市中央区 伊佐地町	
	本年	前年	本年	前年
5月	4	0.9	7	3.4
1半旬	4	0.8	7	2.8
2半旬	0	0.8	1	3.4
3半旬	0	0.9	0	3.9
4半旬	1	0.9	0	4.1
5半旬	1	0.5	1	3.9
6半旬	1	0.3	2	1.6
6月	1	0.6	3	1.9
1半旬	1	1.2	4	3.2
2半旬	1	2.1	10	4.9
3半旬	2	3.6	4	7.8
4半旬	2	5.7	2	15.7
5半旬	1	7.0	1	14.8
6半旬	1	4.6	2	8.6
7月	6	6.7	3	10.9
1半旬	9	10.1	3	14.5
2半旬	10	10.7	3	9.8
3半旬	4	9.6	1	10.9
4半旬	10	10.6	0	10.2
5半旬	16	12.1	1	8.3
6半旬	21	8.6	2	7.7
8月	22	8.4	1	8.2
1半旬	18	7.1	1	8.3
2半旬	13	8.7	2	16.1
3半旬	5	7.8	1	13.4
4半旬	8	6.7	4	12.9
5半旬	9	3.6	4	8.6
6半旬	9	6.5	4	12.0
9月	11	5.5	14	15.6
1半旬	15	9.3	22	16.9
2半旬	18	11.5	26	17.9
3半旬	19	11.3	19	19.0
4半旬	24	11.6	19	19.4
5半旬	23	8.2	18	19.4
6半旬	18	6.9	18	14.8
10月	27	6.6	23	12.6

※ 日平均による換算

3 チャ
予祭灯誘殺結果
：チャハマキ

フェロモントラップ誘殺結果：チャハマキ

4月	富士市岩本		静岡市葵区 内茂		川根本町 久野脇		菊川市古谷		掛川市吉岡		袋井市豊沢		磐田市 大久保	
	2023年	平年	2023年	平年	2023年	平年	2023年	平年	2023年	平年	2023年	平年	2023年	平年
1 半旬	259	157.1	—	—	300	85.8	40	11.8	13	46.9	18	51.5	3	28.4
2 半旬	223	89.4	—	—	251	106.6	8	47.5	11	38.4	24	65.2	5	24.1
3 半旬	173	71.5	—	—	206	93.7	10	37.6	5	27.1	19	78.5	21	22.5
4 半旬	118	49.2	—	—	140	67.6	7	46.5	16	21.2	19	59.4	10	7.3
5 半旬	12	31.9	—	—	19	60.4	6	48.7	0	13.7	4	72.4	4	15.0
6 半旬	94	18.1	—	—	80	29.4	6	31.6	0	6.3	3	31.8	7	4.1
1 半旬	156	48.9	20	40.3	28	70.0	61	78.8	49	2.3	20	31.2	15	22.9
2 半旬	105	35.7	19	37.6	155	69.8	38	44.0	23	4.1	6	40.1	20	10.4
3 半旬	61	46.7	22	21.6	19	39.5	15	24.2	3	3.9	4	30.3	13	6.5
4 半旬	7	27.1	17	17.1	37	27.0	22	16.6	1	0.7	2	13.1	11	2.0
5 半旬	1	13.8	9	7.3	5	21.8	14	10.3	0	0.1	0	4.3	1	0.9
6 半旬	2	22.7	6	5.3	6	15.4	7	6.7	0	0.1	2	3.9	1	0.4
1 半旬	21	26.1	14	17.5	8	38.0	22	11.1	0	0.8	0	5.3	1	7.7
2 半旬	82	56.2	12	10.9	37	67.6	33	11.5	0	1.2	1	8.2	3	8.0
3 半旬	32	60.0	18	24.8	65	97.4	38	21.7	1	2.8	0	48.0	5	16.0
4 半旬	40	78.4	6	40.7	55	146.9	53	26.5	1	13.2	2	76.8	22	39.8
5 半旬	18	49.0	13	51.3	24	64.7	15	24.4	0	13.8	0	75.5	16	20.9
6 半旬	1	42.3	19	60.5	52	49.1	3	19.5	5	25.7	12	42.8	12	14.9
1 半旬	75	47.1	65	108.4	51	138.8	73	54.5	1	4.4	4	37.2	13	48.1
2 半旬	5	22.2	14	21.8	19	37.3	45	36.9	4	2.3	1	16.6	8	14.2
3 半旬	3	15.5	10	20.5	14	23.7	51	35.9	5	1.0	0	8.7	11	5.8
4 半旬	11	24.0	2	12.2	17	25.4	30	19.6	1	1.1	0	15.0	4	9.5
5 半旬	3	32.9	8	15.1	6	40.2	13	15.1	0	0.4	0	4.8	3	3.2
6 半旬	3	32.3	3	11.2	27	42.4	3	19.3	6	1.5	0	10.3	6	8.4
1 半旬	17	72.2	21	20.1	52	70.8	8	43.9	0	7.7	1	27.9	20	32.9
2 半旬	1	40.1	4	15.5	5	38.9	1	35.3	0	6.8	0	21.5	1	24.3
3 半旬	0	13.3	3	4.4	6	12.9	5	23.5	1	5.1	2	12.1	0	6.2
4 半旬	12	12.1	1	3.4	0	9.5	4	16.1	2	2.8	0	11.6	1	5.1
5 半旬	5	16.9	0	2.0	13	13.1	0	8.8	4	0.7	0	5.5	2	4.6
6 半旬	26	25.0	3	3.1	72	31.5	0	7.4	0	2.7	3	6.4	3	3.3
1 半旬	98	81.5	2	17.3	80	61.3	36	24.8	1	5.9	1	17.4	2	18.7
2 半旬	38	95.5	3	49.3	11	69.3	5	31.4	6	7.5	0	22.5	1	9.7
3 半旬	12	77.7	0	26.1	11	81.8	26	39.7	0	15.4	1	20.3	1	14.0
4 半旬	3	72.2	1	37.2	15	86.0	11	57.2	0	9.9	1	30.1	14	6.6
5 半旬	3	54.1	0	27.0	23	59.2	41	60.8	2	11.4	0	34.8	11	8.5
6 半旬	27	62.9	4	20.3	36	61.9	18	55.8	2	6.0	0	36.1	8	13.3
1 半旬	※	78.9	12	30.7	3	86.2	44	97.2	5	7.1	5	32.0	5	24.0
2 半旬	176	101.5	1	22.4	21	72.7	13	65.4	5	16.3	3	39.9	7	25.2
3 半旬	232	101.9	0	16.3	8	38.7	24	37.3	6	13.4	3	39.4	10	28.1
4 半旬	295	118.1	7	19.2	6	43.6	12	24.7	7	19.2	7	35.9	7	37.1
5 半旬	320	125.4	0	13.1	2	23.8	1	18.5	5	31.1	1	18.8	7	19.6
6 半旬	224	85.1	5	10.8	9	16.9	11	14.3	2	15.5	12	25.1	4	17.2

※ 10.1 半旬は欠測。

予祭灯誘殺結果

：チャノコカクモンハマキ

	菊川市 (茶研七)	
	2023年	平年
4月		
1 半旬	13	0.1
2 半旬	11	0.8
3 半旬	39	1.1
4 半旬	58	8.2
5 半旬	54	23.2
6 半旬	22	34.1
5月		
1 半旬	29	35.8
2 半旬	8	23.3
3 半旬	3	14.8
4 半旬	2	3.8
5 半旬	0	1.1
6 半旬	1	0.6
6月		
1 半旬	1	0.5
2 半旬	2	3.5
3 半旬	84	12.0
4 半旬	129	45.9
5 半旬	66	65.4
6 半旬	37	41.7
7月		
1 半旬	8	18.0
2 半旬	3	7.4
3 半旬	2	1.3
4 半旬	35	2.9
5 半旬	61	11.5
6 半旬	50	76.3
8月		
1 半旬	67	128.9
2 半旬	13	116.8
3 半旬	2	39.2
4 半旬	16	14.2
5 半旬	13	5.9
6 半旬	140	19.3
9月		
1 半旬	141	57.8
2 半旬	135	71.5
3 半旬	116	94.8
4 半旬	23	86.2
5 半旬	8	57.8
6 半旬	18	56.6
10月		
1 半旬	7	25.3
2 半旬	44	15.7
3 半旬	53	24.2
4 半旬	148	42.7
5 半旬	20	20.1
6 半旬	21	8.5

フェロモントラップ誘殺結果：チャノコカクモンハマキ

	富士市岩本		静岡市葵区 内牧		川根本町 久野脇		菊川市古谷		掛川市吉岡		袋井市豊沢		磐田市 大久保	
	2023年	平年	2023年	平年	2023年	平年	2023年	平年	2023年	平年	2023年	平年	2023年	平年
4月														
1 半旬	32	60.4	—	—	85	32.2	99	11.4	22	66.2	3	25.7	14	49.4
2 半旬	36	64.9	—	—	71	59.7	82	25.9	44	116.6	38	41.6	62	113.8
3 半旬	61	143.7	—	—	123	121.8	275	52.2	60	194.6	193	104.2	257	197.0
4 半旬	130	185.2	—	—	60	183.1	262	90.8	276	242.6	322	187.9	239	361.7
5 半旬	87	213.9	—	—	76	261.7	205	235.5	140	411.6	152	220.1	120	435.9
6 半旬	161	164.1	—	—	80	218.9	85	272.4	52	464.3	183	198.8	300	354.1
5月														
1 半旬	114	149.3	44	88.6	34	158.2	72	298.7	142	325.2	114	163.9	141	241.7
2 半旬	89	86.0	67	61.8	16	82.1	28	149.6	35	125.2	12	87.3	57	104.7
3 半旬	43	62.6	13	67.8	10	46.4	0	65.8	9	68.0	6	87.9	15	128.4
4 半旬	8	24.3	5	29.2	4	22.9	2	14.4	5	18.6	4	36.2	8	39.3
5 半旬	1	11.8	4	8.7	2	7.1	0	4.5	4	3.9	0	10.1	0	5.1
6 半旬	3	8.8	9	5.6	2	5.0	3	1.9	15	4.6	0	9.8	1	3.5
6月														
1 半旬	6	32.5	34	4.7	11	10.4	7	3.6	34	20.5	7	12.6	10	27.2
2 半旬	42	60.4	61	15.1	23	48.6	19	13.8	125	64.4	4	22.9	20	43.1
3 半旬	97	79.2	58	34.5	91	109.4	70	55.1	93	169.3	13	77.5	51	112.4
4 半旬	138	137.2	21	82.6	60	116.7	46	122.8	123	217.2	56	119.1	125	197.2
5 半旬	111	75.3	5	72.3	50	70.4	57	131.5	15	161.7	23	163.8	87	249.4
6 半旬	34	51.5	10	41.2	33	44.0	33	108.0	4	111.2	29	126.4	37	125.2
7月														
1 半旬	5	25.5	11	22.2	62	23.8	3	45.1	3	18.8	0	37.2	0	42.3
2 半旬	1	10.1	5	10.2	37	16.1	2	17.5	3	4.6	1	10.2	0	3.2
3 半旬	11	12.3	17	2.8	65	17.6	2	7.9	7	5.6	0	4.3	1	7.2
4 半旬	41	46.1	18	5.1	14	18.9	6	9.5	7	10.1	0	3.7	4	14.4
5 半旬	65	88.7	29	13.9	20	39.8	2	20.1	12	28.2	2	12.6	2	40.7
6 半旬	45	98.8	13	23.4	35	41.2	10	53.1	5	39.7	1	17.3	8	110.8
8月														
1 半旬	15	70.0	7	13.7	24	31.8	9	73.5	100	34.3	1	32.4	34	145.0
2 半旬	9	39.2	0	7.3	12	17.9	6	60.4	13	34.7	3	15.0	8	95.6
3 半旬	9	34.7	1	7.4	3	12.6	13	23.0	10	20.5	2	6.3	0	42.3
4 半旬	51	29.6	8	5.1	2	10.3	7	14.4	7	10.9	4	5.0	1	20.3
5 半旬	21	36.7	5	3.3	17	18.1	4	11.8	21	16.4	0	6.9	10	37.2
6 半旬	60	40.5	9	14.7	89	66.1	6	46.6	6	111.5	1	23.8	10	68.0
9月														
1 半旬	18	62.3	15	24.3	99	101.8	40	84.7	5	199.3	0	32.0	14	159.1
2 半旬	37	60.8	16	32.6	68	101.6	22	118.1	4	165.5	3	51.6	80	123.7
3 半旬	35	50.9	9	37.2	34	108.2	19	141.4	0	78.5	7	33.8	8	143.0
4 半旬	12	44.8	19	33.5	38	71.5	4	134.7	2	67.0	1	15.5	5	144.9
5 半旬	53	38.2	25	33.0	75	50.9	33	87.2	2	48.1	5	29.5	20	94.8
6 半旬	62	59.9	45	18.8	92	42.0	54	39.3	1	24.8	3	22.1	79	100.1
10月														
1 半旬	※	58.9	40	20.0	51	53.4	73	30.5	2	30.7	13	26.9	232	132.2
2 半旬	240	74.3	22	16.1	94	68.1	84	42.6	3	63.4	38	42.0	386	167.4
3 半旬	130	89.6	10	21.9	30	52.3	128	83.6	4	87.8	53	47.4	343	211.4
4 半旬	85	97.2	43	26.4	48	50.9	248	84.7	5	106.3	67	36.4	494	215.3
5 半旬	64	114.6	27	16.5	27	53.5	87	106.7	3	82.8	28	53.8	407	286.4
6 半旬	71	58.9	28	10.9	57	23.7	112	115.9	4	114.5	72	73.2	368	207.0

※ 10.1 半旬は欠測。

フェロモントラップ誘殺結果
：チャノホソガ

	菊川市 (茶研セ)	
	2023年	過去9年平均
4月		
1 半旬	104	320.6
2 半旬	179	236.8
3 半旬	87	148.3
4 半旬	17	103.7
5 半旬	8	210.8
6 半旬	25	69.8
5月		
1 半旬	1	152.2
2 半旬	15	98.9
3 半旬	0	79.3
4 半旬	2	17.4
5 半旬	112	365.7
6 半旬	519	888.2
6月		
1 半旬	267	923.6
2 半旬	223	953.0
3 半旬	334	600.6
4 半旬	85	550.2
5 半旬	22	689.5
6 半旬	34	300.4
7月		
1 半旬	319	766.2
2 半旬	607	962.1
3 半旬	410	1486.7
4 半旬	310	1345.2
5 半旬	452	821.2
6 半旬	13	803.9
8月		
1 半旬	20	356.0
2 半旬	10	475.6
3 半旬	342	585.5
4 半旬	171	448.0
5 半旬	54	294.0
6 半旬	18	401.2
9月		
1 半旬	100	247.6
2 半旬	133	235.6
3 半旬	121	268.4
4 半旬	1	597.2
5 半旬	28	902.7
6 半旬	117	789.1
10月		
1 半旬	43	703.2
2 半旬	6	487.9
3 半旬	116	449.8
4 半旬	58	332.6
5 半旬	101	283.1
6 半旬	139	211.9

フェロモントラップ誘殺結果:チャノホソガ

	富士市岩本		川根本町 久野脇		菊川市古谷	
	2023年	平年	2023年	平年	2023年	平年
4月						
1 半旬	271	309.6	214	195.0	462	148.7
2 半旬	164	182.6	183	84.8	152	176.4
3 半旬	27	75.0	93	155.5	93	144.5
4 半旬	12	82.5	29	49.0	44	107.8
5 半旬	3	61.8	4	39.0	18	75.4
6 半旬	0	44.1	13	25.4	7	52.5
5月						
1 半旬	0	7.5	3	18.4	5	21.0
2 半旬	1	3.1	10	10.9	4	10.3
3 半旬	97	28.2	4	10.0	3	6.0
4 半旬	195	218.1	52	51.8	9	18.8
5 半旬	740	488.1	192	395.6	146	139.5
6 半旬	559	679.8	463	712.9	236	380.8
6月						
1 半旬	454	639.3	1748	755.9	292	382.6
2 半旬	166	400.5	546	554.7	469	306.2
3 半旬	76	222.6	518	486.0	84	254.7
4 半旬	28	225.3	315	307.8	77	140.5
5 半旬	370	409.9	250	219.2	12	61.8
6 半旬	644	682.9	576	246.9	152	117.2
7月						
1 半旬	620	782.4	1348	293.4	85	310.8
2 半旬	407	743.6	1460	548.3	217	328.9
3 半旬	180	427.0	1174	450.9	622	342.4
4 半旬	93	234.2	302	517.2	131	358.8
5 半旬	88	166.4	276	289.9	4	185.0
6 半旬	207	160.8	343	247.0	65	114.1
8月						
1 半旬	183	281.7	265	258.3	141	97.4
2 半旬	109	188.5	266	251.5	35	340.2
3 半旬	38	280.3	318	275.1	74	277.3
4 半旬	80	161.3	220	388.2	86	164.4
5 半旬	9	87.1	286	318.5	8	113.5
6 半旬	13	207.6	279	320.0	23	93.2
9月						
1 半旬	85	335.9	74	171.4	50	71.7
2 半旬	76	315.0	77	194.6	2	116.2
3 半旬	55	319.1	88	225.4	48	128.4
4 半旬	25	241.8	100	333.5	55	167.7
5 半旬	29	111.5	460	456.9	73	171.5
6 半旬	141	127.5	1554	446.2	143	100.2
10月						
1 半旬	※	268.6	446	392.1	127	101.7
2 半旬	142	287.7	325	289.1	122	176.6
3 半旬	110	319.6	241	213.4	132	190.1
4 半旬	20	273.7	204	120.5	189	220.7
5 半旬	167	220.7	38	86.6	101	193.5
6 半旬	183	188.8	84	87.1	425	246.3

※ 10.1半旬は欠測。

予察灯誘殺結果
：ヨモギエダシヤク

	菊川市 (茶研セ)	
	2023年	平年
4月		
1 半旬	1	0.0
2 半旬	1	0.0
3 半旬	2	0.0
4 半旬	1	0.2
5 半旬	4	0.8
6 半旬	4	1.4
5月		
1 半旬	27	2.6
2 半旬	30	3.8
3 半旬	22	6.8
4 半旬	64	26.7
5 半旬	124	16.4
6 半旬	81	22.6
6月		
1 半旬	41	12.0
2 半旬	20	8.1
3 半旬	21	2.7
4 半旬	5	1.1
5 半旬	11	1.1
6 半旬	14	2.3
7月		
1 半旬	16	11.8
2 半旬	38	24.5
3 半旬	18	17.7
4 半旬	36	11.7
5 半旬	4	8.2
6 半旬	9	5.1
8月		
1 半旬	3	4.3
2 半旬	11	12.7
3 半旬	10	46.4
4 半旬	43	44.4
5 半旬	38	44.6
6 半旬	14	20.3
9月		
1 半旬	4	9.1
2 半旬	15	5.6
3 半旬	7	5.9
4 半旬	6	5.8
5 半旬	19	6.5
6 半旬	15	4.8
10月		
1 半旬	15	3.8
2 半旬	6	0.8
3 半旬	8	0.6
4 半旬	0	0.3
5 半旬	1	0.1
6 半旬	0	0.0

予察灯誘殺結果
：ナガチャコガネ

	菊川市 (茶研セ)	
	2023年	平年
4月		
1 半旬	0	0.0
2 半旬	0	0.0
3 半旬	0	0.0
4 半旬	0	0.0
5 半旬	0	0.0
6 半旬	0	0.0
5月		
1 半旬	0	0.0
2 半旬	0	0.0
3 半旬	0	0.1
4 半旬	0	0.1
5 半旬	0	0.2
6 半旬	0	1.2
6月		
1 半旬	3	4.2
2 半旬	35	13.4
3 半旬	45	28.3
4 半旬	12	32.9
5 半旬	5	21.0
6 半旬	2	11.6
7月		
1 半旬	0	4.1
2 半旬	0	1.0
3 半旬	0	0.3
4 半旬	0	0.6
5 半旬	0	0.1
6 半旬	0	0.2
8月		
1 半旬	0	0.5
2 半旬	0	0.2
3 半旬	0	0.0
4 半旬	0	0.0
5 半旬	0	0.0
6 半旬	0	0.0
9月		
1 半旬	0	0.0
2 半旬	0	0.0
3 半旬	0	0.0
4 半旬	0	0.0
5 半旬	0	0.0
6 半旬	0	0.0
10月		
1 半旬	0	0.0
2 半旬	0	0.0
3 半旬	0	0.0
4 半旬	0	0.0
5 半旬	0	0.0
6 半旬	0	0.0

4 果樹

なし

フレモントトラップ誘殺結果（浜松市北区都田町）

5月	チバハキ		コカモハマキ		チバハキ		ツヤカミシ		カキ		5月
	本年	平年	本年	平年	本年	平年	本年	平年	本年	平年	
1 半旬	1	3	17	17	3	17	0	7	0	0	0
2 半旬	1	2	12	12	1	12	0	6	0	0	0
3 半旬	3	1	5	19	0	7	0	7	0	0	0
4 半旬	6	2	3	6	0	4	0	4	0	0	0
5 半旬	8	7	1	2	1	3	0	3	0	0	0
6 半旬	13	12	1	3	0	3	0	3	0	0	0
6月											
1 半旬	9	14	1	16	0	1	0	1	0	0	0
2 半旬	13	13	1	34	1	1	0	1	0	0	0
3 半旬	14	10	4	44	2	3	0	3	0	0	0
4 半旬	7	7	5	35	1	6	0	6	0	0	0
5 半旬	8	6	4	23	7	8	0	8	0	0	0
6 半旬	13	10	5	13	8	8	0	8	0	0	0
7月											
1 半旬	18	19	3	9	3	6	0	6	0	0	0
2 半旬	11	22	3	1	2	6	0	6	0	0	0
3 半旬	13	23	2	5	2	7	0	7	0	0	0
4 半旬	15	20	1	11	4	5	0	5	0	0	0
5 半旬	16	19	1	9	5	4	0	4	0	0	0
6 半旬	27	20	2	12	4	5	0	5	0	0	0
8月											
1 半旬	15	15	1	7	4	6	0	6	0	0	0
2 半旬	10	22	3	5	4	3	0	3	0	0	0
3 半旬	28	23	3	9	4	3	0	3	0	0	0
4 半旬	15	25	1	2	3	3	0	3	0	0	0
5 半旬	12	30	1	0	2	3	0	3	0	0	0
6 半旬	19	36	1	2	3	3	0	3	0	0	0
9月											
1 半旬	30	25	0	4	3	2	0	2	0	0	0
2 半旬	27	24	1	3	4	2	0	2	0	0	0
3 半旬	24	23	4	3	7	1	0	1	0	0	0
4 半旬	19	19	6	5	12	1	0	1	0	0	0
5 半旬	16	16	7	6	14	2	0	2	0	0	0
6 半旬	9	9	3	14	15	2	0	2	0	0	0
10月											
1 半旬	4	6	7	19	25	2	0	2	0	0	0
2 半旬	2	5	6	16	29	1	0	1	0	0	0
3 半旬	3	4	5	7	34	1	1	1	0	0	0
4 半旬	2	3	5	3	29	1	0	3	0	0	0
5 半旬	0	6	10	0	28	0	0	1	0	0	0
6 半旬	0	6	11	0	27	0	0	0	0	0	0

その他

フレモントトラップ誘殺結果（磐田市富丘）

5月	チバハキ		ツヤカミシ		5月
	本年	平年	本年	平年	
1 半旬	0	3	0	3	2
2 半旬	0	5	0	5	0
3 半旬	0	38	0	38	0
4 半旬	2	27	1	27	1
5 半旬	0	8	0	8	0
6 半旬	0	28	0	28	0
6月					
1 半旬	0	43	0	43	0
2 半旬	1	38	0	38	0
3 半旬	0	18	0	18	0
4 半旬	0	21	0	21	0
5 半旬	1	55	0	55	0
6 半旬	1	68	0	68	0
7月					
1 半旬	2	108	0	108	0
2 半旬	0	61	0	61	0
3 半旬	1	180	0	180	0
4 半旬	1	89	0	89	0
5 半旬	0	74	0	74	0
6 半旬	0	49	0	49	0
8月					
1 半旬	0	19	0	19	0
2 半旬	0	32	0	32	0
3 半旬	1	15	0	15	0
4 半旬	3	5	0	5	0
5 半旬	9	3	0	3	0
6 半旬	8	3	0	3	0
9月					
1 半旬	50	7	1	7	16
2 半旬	7	4	0	4	8
3 半旬	7	4	6	4	11
4 半旬	34	7	5	7	11
5 半旬	8	5	22	5	21
6 半旬	15	11	155	11	40
10月					
1 半旬	7	16	61	16	46
2 半旬	0	8	11	8	67
3 半旬	0	2	30	2	28
4 半旬	0	1	13	1	20
5 半旬	0	1	5	1	8
6 半旬	0	0	3	0	1

かき
予察灯誘殺結果

	予察灯誘殺結果											
	チャバネアオカメムシ			ツヤオカメムシ			クサギカメムシ			コガネムシ類		
	本年	平年	誘殺地	本年	平年	誘殺地	本年	平年	誘殺地	本年	平年	誘殺地
5月	1 半旬	1	2	0	1	7	0	0	0	0	0	0
	2 半旬	3	1	0	5	9	0	0	0	1	0	0
	3 半旬	0	31	0	17	19	0	0	0	1	0	0
	4 半旬	3	17	0	52	143	0	2	0	0	0	0
	5 半旬	0	11	4	5	41	0	0	0	0	0	0
	6 半旬	0	40	0	29	126	0	0	0	0	0	1
6月	1 半旬	5	24	3	11	26	0	0	0	0	0	1
	2 半旬	7	34	0	3	10	0	0	0	0	0	2
	3 半旬	6	21	2	14	26	0	0	0	1	8	13
	4 半旬	0	20	0	3	4	0	0	0	1	3	0
	5 半旬	1	29	0	13	0	0	1	0	1	8	7
	6 半旬	4	47	1	10	7	0	2	0	2	9	13
7月	1 半旬	8	35	2	34	7	0	3	0	15	0	8
	2 半旬	13	46	1	29	10	0	3	3	22	6	45
	3 半旬	7	99	1	30	8	0	1	0	40	44	16
	4 半旬	22	64	12	27	8	0	3	0	58	115	87
	5 半旬	31	63	3	31	5	0	1	0	32	65	33
	6 半旬	16	54	4	83	13	7	2	2	46	37	80
8月	1 半旬	32	89	29	78	22	16	22	40	62	13	61
	2 半旬	142	64	33	218	37	6	21	8	106	22	45
	3 半旬	319	67	113	145	34	11	27	73	79	87	153
	4 半旬	453	44	276	138	22	17	49	21	77	152	61
	5 半旬	843	64	396	307	11	18	22	206	97	35	64
	6 半旬	391	79	148	528	6	19	30	80	84	62	96
9月	1 半旬	189	60	161	182	50	54	15	35	38	30	49
	2 半旬	112	56	79	213	68	8	9	14	22	68	44
	3 半旬	228	32	146	143	51	0	2	9	8	56	41
	4 半旬	221	27	580	195	78	3	1	20	2	14	23
	5 半旬	127	35	137	175	148	1	1	2	3	5	18
	6 半旬	100	25	151	164	237	0	0	2	2	1	18
10月	1 半旬	15	13	94	74	161	0	0	1	2	1	4
	2 半旬	1	10	0	66	161	0	0	0	1	0	1
	3 半旬	3	3	0	30	121	0	0	0	0	1	0
	4 半旬	1	1	0	1	97	53	0	0	0	0	0
	5 半旬	0	1	0	2	49	87	0	0	0	0	0
	6 半旬	0	0	0	1	10	57	0	0	0	0	0

その他
予察灯誘殺結果 (磐田市富丘)

	チャバネアオカメムシ						ツヤオカメムシ					
	本年		平年		誘殺地		本年		平年		誘殺地	
	本年	平年	本年	平年	本年	平年	本年	平年	本年	平年	本年	平年
5月	1 半旬	1	2	0	0	0	0	0	0	0	0	0
	2 半旬	3	1	0	5	9	0	0	0	1	0	0
	3 半旬	0	31	0	17	19	0	0	0	1	0	0
	4 半旬	3	17	0	52	143	0	2	0	0	0	0
	5 半旬	0	11	4	5	41	0	0	0	0	0	0
	6 半旬	0	40	0	29	126	0	0	0	0	0	1
6月	1 半旬	5	24	3	11	26	0	0	0	0	0	1
	2 半旬	7	34	0	3	10	0	0	0	0	0	2
	3 半旬	6	21	2	14	26	0	0	0	1	8	13
	4 半旬	0	20	0	3	4	0	0	0	1	3	0
	5 半旬	1	29	0	13	0	0	1	0	1	8	7
	6 半旬	4	47	1	10	7	0	2	0	2	9	13
7月	1 半旬	8	35	2	34	7	0	3	0	15	0	8
	2 半旬	13	46	1	29	10	0	3	3	22	6	45
	3 半旬	7	99	1	30	8	0	1	0	40	44	16
	4 半旬	22	64	12	27	8	0	3	0	58	115	87
	5 半旬	31	63	3	31	5	0	1	0	32	65	33
	6 半旬	16	54	4	83	13	7	2	2	46	37	80
8月	1 半旬	32	89	29	78	22	16	22	40	62	13	61
	2 半旬	142	64	33	218	37	6	21	8	106	22	45
	3 半旬	319	67	113	145	34	11	27	73	79	87	153
	4 半旬	453	44	276	138	22	17	49	21	77	152	61
	5 半旬	843	64	396	307	11	18	22	206	97	35	64
	6 半旬	391	79	148	528	6	19	30	80	84	62	96
9月	1 半旬	189	60	161	182	50	54	15	35	38	30	49
	2 半旬	112	56	79	213	68	8	9	14	22	68	44
	3 半旬	228	32	146	143	51	0	2	9	8	56	41
	4 半旬	221	27	580	195	78	3	1	20	2	14	23
	5 半旬	127	35	137	175	148	1	1	2	3	5	18
	6 半旬	100	25	151	164	237	0	0	2	2	1	18
10月	1 半旬	15	13	94	74	161	0	0	1	2	1	4
	2 半旬	1	10	0	66	161	0	0	0	1	0	1
	3 半旬	3	3	0	30	121	0	0	0	0	1	0
	4 半旬	1	1	0	1	97	53	0	0	0	0	0
	5 半旬	0	1	0	2	49	87	0	0	0	0	0
	6 半旬	0	0	0	1	10	57	0	0	0	0	0