



湖西都市計画道路の変更
 1・3・1号 浜松湖西豊橋道路
 静岡県決定
縦断面図(参考図) 2/14



勾配											
計画高	27.370	24.370	21.370	18.370	16.480	15.370	12.498	11.982	11.745	13.182	16.080
地盤高	37.59	20.28	5.75	13.18	12.65	12.62	9.77	3.35	2.399	1.50	1.51
切土	10.220										
盛土		4.090	15.620	5.190	3.830	2.750	2.728	8.632	8.755	12.282	14.570
追加距離	8000.000	8100.000	8200.000	8300.000	8382.981	8400.000	8500.000	8529.648	8600.000	8658.872	8758.580
単距離	100.000	100.000	100.000	100.000	62.981	37.019	100.000	29.648	70.352	98.976	58.580
測点	80+	81+	82+	83+	KE7-2	84+	85+	KA8-1	86+	KE8+10	EP
曲線方向											
片勾配すりつけ図											

※図面表示された諸元は概要であり、今後変更となる場合があります。


湖西都市計画道路の変更
1・3・1号 浜松湖西豊橋道路
静岡県決定
縦断面図(参考図) 3/14



H=1:2500
V=1:200


勾配	$i=1.130\%$ $L=1500.000$															$i=0.500\%$ $L=820.000$		$i=3\%$ $L=104$																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
計画高	37.134	38.264	39.394	40.524	41.654	42.784	43.914	45.044	46.174	47.304	48.434	49.564	50.694	51.824	52.954	54.084	55.214	56.344	57.474	58.604	59.734	60.864	61.994	63.124	64.254	65.384	66.514	67.644	68.774	69.904	71.034	72.164	73.294	74.424	75.554	76.684	77.814	78.944	80.074	81.204	82.334	83.464	84.594	85.724	86.854	87.984	89.114	90.244	91.374	92.504	93.634	94.764	95.894	97.024	98.154	99.284	100.414	101.544	102.674	103.804	104.934	106.064	107.194	108.324	109.454	110.584	111.714	112.844	113.974	115.104	116.234	117.364	118.494	119.624	120.754	121.884	123.014	124.144	125.274	126.404	127.534	128.664	129.794	130.924	132.054	133.184	134.314	135.444	136.574	137.704	138.834	139.964	141.094	142.224	143.354	144.484	145.614	146.744	147.874	149.004	150.134	151.264	152.394	153.524	154.654	155.784	156.914	158.044	159.174	160.304	161.434	162.564	163.694	164.824	165.954	167.084	168.214	169.344	170.474	171.604	172.734	173.864	174.994	176.124	177.254	178.384	179.514	180.644	181.774	182.904	184.034	185.164	186.294	187.424	188.554	189.684	190.814	191.944	193.074	194.204	195.334	196.464	197.594	198.724	199.854	200.984	202.114	203.244	204.374	205.504	206.634	207.764	208.894	210.024	211.154	212.284	213.414	214.544	215.674	216.804	217.934	219.064	220.194	221.324	222.454	223.584	224.714	225.844	226.974	228.104	229.234	230.364	231.494	232.624	233.754	234.884	236.014	237.144	238.274	239.404	240.534	241.664	242.794	243.924	245.054	246.184	247.314	248.444	249.574	250.704	251.834	252.964	254.094	255.224	256.354	257.484	258.614	259.744	260.874	262.004	263.134	264.264	265.394	266.524	267.654	268.784	269.914	271.044	272.174	273.304	274.434	275.564	276.694	277.824	278.954	280.084	281.214	282.344	283.474	284.604	285.734	286.864	287.994	289.124	290.254	291.384	292.514	293.644	294.774	295.904	297.034	298.164	299.294	300.424	301.554	302.684	303.814	304.944	306.074	307.204	308.334	309.464	310.594	311.724	312.854	313.984	315.114	316.244	317.374	318.504	319.634	320.764	321.894	323.024	324.154	325.284	326.414	327.544	328.674	329.804	330.934	332.064	333.194	334.324	335.454	336.584	337.714	338.844	339.974	341.104	342.234	343.364	344.494	345.624	346.754	347.884	349.014	350.144	351.274	352.404	353.534	354.664	355.794	356.924	358.054	359.184	360.314	361.444	362.574	363.704	364.834	365.964	367.094	368.224	369.354	370.484	371.614	372.744	373.874	375.004	376.134	377.264	378.394	379.524	380.654	381.784	382.914	384.044	385.174	386.304	387.434	388.564	389.694	390.824	391.954	393.084	394.214	395.344	396.474	397.604	398.734	399.864	400.994	402.124	403.254	404.384	405.514	406.644	407.774	408.904	410.034	411.164	412.294	413.424	414.554	415.684	416.814	417.944	419.074	420.204	421.334	422.464	423.594	424.724	425.854	426.984	428.114	429.244	430.374	431.504	432.634	433.764	434.894	436.024	437.154	438.284	439.414	440.544	441.674	442.804	443.934	445.064	446.194	447.324	448.454	449.584	450.714	451.844	452.974	454.104	455.234	456.364	457.494	458.624	459.754	460.884	462.014	463.144	464.274	465.404	466.534	467.664	468.794	469.924	471.054	472.184	473.314	474.444	475.574	476.704	477.834	478.964	480.094	481.224	482.354	483.484	484.614	485.744	486.874	488.004	489.134	490.264	491.394	492.524	493.654	494.784	495.914	497.044	498.174	499.304	500.434	501.564	502.694	503.824	504.954	506.084	507.214	508.344	509.474	510.604	511.734	512.864	513.994	515.124	516.254	517.384	518.514	519.644	520.774	521.904	523.034	524.164	525.294	526.424	527.554	528.684	529.814	530.944	532.074	533.204	534.334	535.464	536.594	537.724	538.854	540.000																																																																																								
地盤高	93.22	94.60	87.10	83.54	99.04	131.49	158.84	140.47	112.42	75.85	58.42	56.11	40.95	33.06	27.94	55.00	74.99	61.19	33.97	27.240	30.240	33.240	36.240	39.240	42.240	45.240	48.240	51.240	54.240	57.240	60.240	63.240	66.240	69.240	72.240	75.240	78.240	81.240	84.240	87.240	90.240	93.240	96.240	99.240	102.240	105.240	108.240	111.240	114.240	117.240	120.240	123.240	126.240	129.240	132.240	135.240	138.240	141.240	144.240	147.240	150.240	153.240	156.240	159.240	162.240	165.240	168.240	171.240	174.240	177.240	180.240	183.240	186.240	189.240	192.240	195.240	198.240	201.240	204.240	207.240	210.240	213.240	216.240	219.240	222.240	225.240	228.240	231.240	234.240	237.240	240.240	243.240	246.240	249.240	252.240	255.240	258.240	261.240	264.240	267.240	270.240	273.240	276.240	279.240	282.240	285.240	288.240	291.240	294.240	297.240	300.240	303.240	306.240	309.240	312.240	315.240	318.240	321.240	324.240	327.240	330.240	333.240	336.240	339.240	342.240	345.240	348.240	351.240	354.240	357.240	360.240	363.240	366.240	369.240	372.240	375.240	378.240	381.240	384.240	387.240	390.240	393.240	396.240	399.240	402.240	405.240	408.240	411.240	414.240	417.240	420.240	423.240	426.240	429.240	432.240	435.240	438.240	441.240	444.240	447.240	450.240	453.240	456.240	459.240	462.240	465.240	468.240	471.240	474.240	477.240	480.240	483.240	486.240	489.240	492.240	495.240	498.240	501.240	504.240	507.240	510.240	513.240	516.240	519.240	522.240	525.240	528.240	531.240	534.240	537.240	540.240	543.240	546.240	549.240	552.240	555.240	558.240	561.240	564.240	567.240	570.240	573.240	576.240	579.240	582.240	585.240	588.240	591.240	594.240	597.240	600.240	603.240	606.240	609.240	612.240	615.240	618.240	621.240	624.240	627.240	630.240	633.240	636.240	639.240	642.240	645.240	648.240	651.240	654.240	657.240	660.240	663.240	666.240	669.240	672.240	675.240	678.240	681.240	684.240	687.240	690.240	693.240	696.240	699.240	702.240	705.240	708.240	711.240	714.240	717.240	720.240	723.240	726.240	729.240	732.240	735.240	738.240	741.240	744.240	747.240	750.240	753.240	756.240	759.240	762.240	765.240	768.240	771.240	774.240	777.240	780.240	783.240	786.240	789.240	792.240	795.240	798.240	801.240	804.240	807.240	810.240	813.240	816.240	819.240	822.240	825.240	828.240	831.240	834.240	837.240	840.240	843.240	846.240	849.240	852.240	855.240	858.240	861.240	864.240	867.240	870.240	873.240	876.240	879.240	882.240	885.240	888.240	891.240	894.240	897.240	900.240	903.240	906.240	909.240	912.240	915.240	918.240	921.240	924.240	927.240	930.240	933.240	936.240	939.240	942.240	945.240	948.240	951.240	954.240	957.240	960.240	963.240	966.240	969.240	972.240	975.240	978.240	981.240	984.240	987.240	990.240	993.240	996.240	999.240	1002.240	1005.240	1008.240	1011.240	1014.240	1017.240	1020.240	1023.240	1026.240	1029.240	1032.240	1035.240	1038.240	1041.240	1044.240	1047.240	1050.240	1053.240	1056.240	1059.240	1062.240	1065.240	1068.240	1071.240	1074.240	1077.240	1080.240	1083.240	1086.240	1089.240	1092.240	1095.240	1098.240	1101.240	1104.240	1107.240	1110.240	1113.240	1116.240	1119.240	1122.240	1125.240	1128.240	1131.240	1134.240	1137.240	1140.240	1143.240	1146.240	1149.240	1152.240	1155.240	1158.240	1161.240	1164.240	1167.240	1170.240	1173.240	1176.240	1179.240	1182.240	1185.240	1188.240	1191.240	1194.240	1197.240	1200.240	1203.240	1206.240	1209.240	1212.240	1215.240	1218.240	1221.240	1224.240	1227.240	1230.240	1233.240	1236.240	1239.240	1242.240	1245.240	1248.240	1251.240	1254.240	1257.240	1260.240	1263.240	1266.240	1269.240	1272.240	1275.240	1278.240	1281.240	1284.240	1287.240	1290.240	1293.240	1296.240	1299.240	1302.240	1305.240	1308.240	1311.240	1314.240	1317.240	1320.240	1323.240	1326.240	1329.240	1332.240	1335.240	1338.240	1341.240	1344.240	1347.240	1350.240	1353.240	1356.240	1359.240	1362.240	1365.240	1368.240	1371.240	1374.240	1377.240	1380.240	1383.240	1386.240	1389.240	1392.240	1395.240	1398.240	1401.240	1404.240	1407.240	1410.240	1413.240	1416.240	1419.240	1422.240	1425.240	1428.240	1431.240	1434.240	1437.240	1440.240	1443.240	1446.240	1449.240	1452.240	1455.240	1458.240	1461.240	1464.240	1467.240	1470.240	1473.240	1476.240	1479.240	1482.240	1485.240	1488.240	1491.240	1494.240	1497.240	1500.240	1503.240	1506.240	1509.240	1512.240	1515.240	1518.240	1521.240	1524.240	1527.240	1530.240	1533.240	1536.240	1539.240	1542.240	1545.240	1548.240	1551.240	1554.240	1557.240	1560.240	1563.240	1566.240	1569

縦断面図(参考図) 4/14




※図面表示された諸元は概要であり、今後変更となる場合があります。

湖西都市計画道路の変更
1・3・1号 浜松湖西豊橋道路
静岡県決定
縦断面図(参考図) 5/14



※図面表示された諸元は概要であり、今後変更となる場合があります。


湖西都市計画道路の変更
1・3・1号 浜松湖西豊橋道路
静岡県決定
縦断面図(参考図) 6/14



勾配	i=3.000‰ L=660.000		42.410		i=0.500‰ L=420.000		40.310		i=2.000‰ L=666.754		53.645												
計画高	25.756	28.610	29.863	31.610	34.853	37.506	38.936	39.672	40.910	41.006	41.506	41.210	40.735	41.110	42.710	44.710	46.710	48.414	48.710	50.444	50.643	51.677	52.411
地盤高	12.94	33.69	38.58	35.24	25.66	14.00	13.00	11.05	22.22	30.87	35.29	34.80	33.95	33.34	33.70	33.31	35.14	38.51	39.00	40.83	41.00	41.00	43.79
切土		5.080	8.717	3.630																			
盛土	12.816				8.926	23.506	25.936	28.622	18.690	10.136	6.216	6.410	6.785	7.770	9.010	11.400	11.570	9.904	9.710	9.514	9.643	10.677	8.621
追加距離	10400.000	10600.000	10641.773	10680.000	10864.756	10880.000	10861.422	10890.000	10899.994	11000.000	11100.000	11200.000	11300.000	11400.000	11500.000	11600.000	11700.000	11785.205	11800.000	11890.000	11912.776	12000.000	12100.000
単距離	24.894	100.000	41.773	58.227	94.756	100.000	61.422	38.578	89.984	10.066	100.000	100.000	100.000	100.000	100.000	100.000	100.000	85.205	14.795	100.000	13.776	86.224	100.000
測点	104+0	105+0	KE10-1	106+0	KE10-2	108+0	KA11-1	109+0	KE11-1	110+0	111+0	112+0	113+0	114+0	115+0	116+0	117+0	KE11-2	118+0	119+0	BC12	120+0	121+0
曲線方向	A=500 L=166.667		R=1500 L=152.983		A=500 L=166.667		A=300 L=128.671				R=700 L=795.211						A=300 L=128.571				R=2000 L=439.004		
片勾配すりつけ図	+2.0%				-2.0%		-2.0%		-4.0%								-4.0%				-2.0%		


※図面表示された諸元は概要であり、今後変更となる場合があります。

湖西都市計画道路の変更
 1・3・1号 浜松湖西豊橋道路
 静岡県決定
縦断面図(参考図) 7/14




勾配							
計画高	52.41	52.645	52.379	52.115	51.879	51.604	51.410
地盤高	43.79	41.00	44.97	43.93	42.99	44.00	43.00
切土							
盛土	8.62	11.645	7.409	8.185	8.889	7.604	8.410
追加距離	12100.000	12200.000	12300.000	12352.781	12400.000	12455.053	12493.768
単距離	100.000	100.000	100.000	52.781	47.219	55.053	38.715
測点	121+	122+	123+	KAE12-1	124+	KEE12-1	EP
曲線方向	R=2000 L=439.004		A=500 L=102.273			R=1100 L=38.715	
片勾配すりつけ図							

※図面表示された諸元は概要であり、今後変更となる場合があります。



勾配	51.530		50.380		52.525			
計画高	51.530	51.030	50.546	50.475	50.590	50.890	51.057	51.190
地盤高	43.27	44.36	42.94	42.80	43.00	44.00	44.00	45.00
切土								
盛土	8.260	6.719	7.606	7.675	7.590	6.890	7.057	6.190
追加距離	12500.000	12600.000	12700.000	12747.327	12800.000	12890.000	12955.660	13000.000
単距離	0.000	102.930	97.470	47.327	52.673	100.000	55.660	44.340
測点	BC13	KE13-0	127+0	KA14-1	128+0	129+0	KE14-1	130+0
曲線方向	R=1105 L=102.530		A=400 L=144.796		A=500 L=208.333		R=1200 L=429.041	
片勾配すりつけ図	-3.0%		-2.0%		-3.0%		-2.0%	


* 図面表示された諸元は概要であり、今後変更となる場合があります。




勾配	51.290		50.290		52.465	
計画高	51.290	50.790	50.390	50.457	50.590	51.130
地盤高	43.12	43.96	42.63	42.78	43.00	47.41
切土						5.040
盛土	8.170	6.830	7.760	7.677	7.590	0.242
追加距離	12500.000	12600.000	12700.000	12755.515	12800.000	13600.000
単距離	0.000	100.000	90.604	55.515	44.485	100.000
測点	BC13	KE13-1	127+0	KA14-1	129+0	KE14-2
曲線方向	R=1095 L=109.396	A=400 L=146.119	A=500 L=192.308	R=1300 L=508.997	A=500 L=192.308	R=∞ L=318.875
片勾配すりつけ図	-3.0%	-3.0%	-2.0%	-2.0%	-2.0%	-2.0%

* 図面表示された諸元は概要であり、今後変更となる場合があります。

湖西都市計画道路の変更
 1・3・1号 浜松湖西豊橋道路
 静岡県決定
縦断面図(参考図) 10/14




勾配	24.405	i=2.000% L=110.000		26.605	i=2.596% L=90.000		24.269	23.794	E.C.P.P.
計画高	24.405	25.658	26.348	26.376	25.629	24.354	24.300	40.305	
地盤高	39.00	32.18	24.11	20.66	13.00	12.78	12.78	14.00	24.05
切土	14.595	6.522							
盛土			2.232	5.716	12.629	11.574	11.560		
追加距離	0.000	700.000	762.632	800.000	805.367	847.617	899.272	900.000	941.522
単距離	0.000	62.632	37.368	5.367	42.250	51.655	0.728	41.522	58.478
測点	BC1	KE1	8+0 KA1	KA2-1	KE2-1	KEE2-1 9+0	KA2-1	10+0	EP
曲線方向	$R=58.500$ $A=50$ $L=62.632$ $L=42.739$ $A=65$ $R=100$ $A=65$ $L=51.655$ $L=42.250$ $R=1000$ $L=86.648$								
片勾配すりつけ図									
拡幅すりつけ図									




※図面表示された諸元は概要であり、今後変更となる場合があります。

湖西都市計画道路の変更
 1・3・1号 浜松湖西豊橋道路
 静岡県決定
縦断面図(参考図) 11/14




勾配	$i=2.000\%$ $L=100.000$ $i=2.871\%$ $L=80.000$ F.C.P.P.									
計画高	23.910	25.954	27.122	27.628	28.743	29.250				
地盤高	39.00	21.02	23.95	27.38	32.62	32.80	38.43	35.00	24.59	24.44
切土	15.090				3.884	4.055				
盛土		4.934	3.172	0.248						
追加距離	700.000	800.000	842.226	859.838	900.000	900.338	965.431	1000.000	1100.000	101.152
単距離	0.000	100.000	42.226	17.612	40.162	0.338	65.093	34.569	100.000	1.152
測点	BC1	8+0	EBC1-1 KE1-1	9+0	BC2	EBC2-1	10+0		11+0	EP
曲線方向	$R=52$ $L=142.226$ $R=50$ $A=45$ $L=17.0$ $R=1000$ $L=65.093$ $R=2000$ $L=135.722$									
片勾配すりつけ図	-9.000% 9.000% 9.000% $1/203$ $1/171$ -2.000% 2.000% -2.000%									
拡幅すりつけ図	0.500									




※図面表示された諸元は概要であり、今後変更となる場合があります。

湖西都市計画道路の変更
 1・3・1号 浜松湖西豊橋道路
 静岡県決定
縦断面図(参考図) 12/14




勾配	E.C.P.P. 21.748 22.069 22.312 25.058 27.712 28.101 30.505 32.362 33.301 E.C.P.P.										
計画高											
地盤高	35.97	35.76	34.94	37.53	36.11	35.36	33.00	29.30	28.33	15.74	15.04
切土		12.628		12.472	8.388	7.259	2.495				
盛土								3.549	4.939		
追加距離	0.000	7.104	100.000	149.277	193.506	200.000	240.056	287.885	300.000	400.000	415.822
単距離	0.000	7.104	92.896	49.277	44.229	6.494	40.056	47.829	12.115	100.000	15.822
測点	BP 1-0		1-0	KAE 1-1	KEE 1-1	2-0	KEE 1-2	KAE 1-2	3-0	4-0	EP
曲線方向	R=∞	R=500	A=60	R=70	A=60	R=1000					
片勾配すりつけ図											
拡幅すりつけ図											




※図面表示された諸元は概要であり、今後変更となる場合があります。

湖西都市計画道路の変更
 1・3・1号 浜松湖西豊橋道路
 静岡県決定
縦断面図(参考図) 13/14





勾配	E.C.P.P. 21.782 22.453 24.846 24.403 F.C.P.P.											
計画高			22.03	22.11	22.958	23.517	24.556	24.715	24.587	24.403		
地盤高	34.59	33.41	25.43	28.44	31.82	23.11	11.00	12.00	12.31	15.37	19.85	25.91
切土			3.393	6.330	8.862							
盛土						0.407	13.556	12.715	12.277			
追加距離	0.000	11.375	95.774	100.000	158.002	200.000	278.196	300.000	315.562	383.790	400.000	487.075
単距離	0.000	11.375	84.399	4.226	58.002	41.998	78.196	21.804	15.562	68.228	16.210	87.075
測点	BP	BC1	KAEI-1	1+0	KEEI-1	2+0	KEEI-2	3+0	KAEI-2	EC1	4+0	EP
曲線方向	R=8 L=11.375 R=500 L=84.399 A=110 L=62.229 R=140 L=120.194 A=75 L=37.366 R=2000 L=68.228 R=∞ L=103.285											
片勾配すりつけ図	-2.25% 2.25% 2.00% 2.00% 1/691 6.00% 6.00% 1/415 2.00% 2.00% 2.13% 2.13% 2.13%											
拡幅すりつけ図	-----											



※図面表示された諸元は概要であり、今後変更となる場合があります。

縦断面図(参考図) 14/14



勾配	8.000 L=26.000	7.610 L=39.000	9.085 L=39.000	i=6.000% L=165.000	18.985	i=2.000% L=170.000	22.385 L=110.000	i=1.500% L=170.000	20.735	i=2.000% L=170.000	24.135		
計画高	8.000	9.988 10.470	9.988 10.470	12.630	15.770 15.985	17.930	19.985	21.985	22.042	21.185	22.130 22.135	23.230	24.135
地盤高	6.41	22.15 23.8	22.15 23.8	33.68	35.09 35.06	34.76	35.79	34.00	35.86	38.00	38.96 38.97	39.00	39.00
切土		12.162 13.340	12.162 13.340	21.050	19.320 19.075	16.830	15.805	12.015	13.818	16.815	16.830 16.835	15.770	14.865
盛土	1.590												
追加距離	0.000	100.000 108.090	100.000 108.090	144.090	196.423 200.000	232.423	300.000	400.000	442.856	500.000	599.763 600.000	654.763	700.000
単距離	0.000	100.000	100.000	36.000	52.333 3.577	32.423	67.577	100.000	42.856	57.144	99.763 0.237	54.763	45.237
測点	BP	1+0 KA1-1	1+0 KA1-1	KE1-1	KE1-2 2+0	KA1-2	3+0	4+0	BC2	5+0	EC2 KA3-1 6+0	KE3-1	EP
曲線方向	R=∞ L=108.090	A=60 L=36.000	R=100 L=52.333	A=60 L=36.000	R=∞ L=210.433	R=800 L=156.908	A=55 L=55.000	R=55 L=45.237					
片勾配 すりつけ図	-2.000%	-2.000% 1/117	-2.000% 1/117	-7.000% 1/117	-7.000% 1/117	-2.000% 1/114	-2.000% 1/114	-9.000% 1/114	-9.000% 1/114	-9.000% 1/114	-9.000% 1/114	-9.000% 1/114	-9.000% 1/114
拡幅 すりつけ図		0.250	0.250	0.250	0.250	0.250	0.500	0.500	0.500	0.500	0.500	0.500	0.500

※図面表示された諸元は概要であり、今後変更となる場合があります。